

### IEC TR 62001-4

Edition 2.0 2021-09

# TECHNICAL REPORT

High-voltage direct current (HVDC) systems – Guidance to the specification and design evaluation of AC filters – Part 4: Equipment

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 29.200 ISBN 978-2-8322-1013-0

Warning! Make sure that you obtained this publication from an authorized distributor.

#### CONTENTS

DREWO	RD	6
TRODU	ICTION	8
Scop	e	9
Norm	native references	9
Term	s and definitions	9
	,	
	·	
_		
	•	
	_	
_		
_	•	
_		
_		
5.2.4		
5.3		
5.3.1	General	22
5.3.2	Lightning strikes	22
5.3.3		
5.4	Insulation co-ordination	22
Loss	es	24
6.1	Background	24
6.2	-	
6.2.1	·	
6.2.2	Filter/shunt capacitor losses	24
6.3	Reactor and resistor losses	26
6.3.1	General	26
6.3.2	Filter resistor losses	27
6.3.3	Shunt reactor losses	27
6.4	Criteria for loss evaluation	27
6.4.1	General	27
6.4.2	Fundamental frequency AC filter busbar voltage	28
6.4.3	Fundamental frequency and ambient temperature	28
6.4.4	AC system harmonic impedance	28
6.4.5	Harmonic currents generated by the converter	29
6.4.6	Pre-existing harmonic distortion	29
6.4.7	Anticipated load profile of the converter station	29
	TRODU Scop Norm Term Stead 4.1 4.2 4.2.1 4.2.2 4.2.3 4.2.4 4.2.5 4.3 4.4 4.5 4.6 Trans 5.1 5.2 5.2.1 5.2.2 5.2.3 5.2.4 5.3 5.4 Loss 6.1 6.2 6.3 6.3.1 6.2 6.3 6.3 6.4 6.4.5 6.4.6 6.4.6 6.4.5 6.4.6 6.4.5 6.4.6 6.4.6 6.4.5 6.4.6 6.4.6 6.4.5 6.4.6 6.4.5 6.4.6 6.4 6.4	4.2 Calculation method 4.2.1 General 4.2.2 AC system pre-existing harmonics 4.2.3 Combination of converter and pre-existing harmonics 4.2.4 Equipment rating calculations 4.2.5 Application of voltage ratings 4.3 AC network conditions 4.4 De-tuning effects 4.5 Network impedance for rating calculations 4.6 Outages Transient stresses and rating 5.1 General 5.2 Switching impulse studies 5.2.1 Energization and switching 5.2.2 Faults external to the filter 5.2.3 Faults internal to the filter 5.2.4 Transformer inrush currents 5.3 Fast fronted waveform studies 5.3.1 General 5.3.2 Lightning strikes 5.3.3 Busbar flashover studies 5.4 Insulation co-ordination Losses 6.1 Background 6.2 AC filter component losses 6.2.1 General 6.2.2 Filter/shunt capacitor losses 6.3.1 General 6.3.2 Filter resistor losses 6.3.3 Shunt reactor losses 6.3.3 Shunt reactor losses 6.4 Criteria for loss evaluation

7	Desi	gn issues and special applications	30
	7.1	General	30
	7.2	Performance aspects	30
	7.2.1	Low order harmonic filtering and resonance conditions with AC system	30
	7.2.2	Definition of interference factors to include harmonics up to 5 kHz	31
	7.2.3	Triple-tuned filter circuits	32
	7.2.4	Harmonic AC filters on tertiary winding of converter transformers	33
	7.3	Rating aspects	
	7.3.1	Limiting high harmonic currents in parallel-resonant filter circuits	
	7.3.2	· · · · · · · · · · · · · · · · · · ·	
	7.3.3		
	7.3.4		
	7.3.5		
	7.3.6	·	
	7.4	Filters for special purposes	
	7.4.1	· · ·	
	7.4.2	· ·	
	7.4.3	-	
	7.4.4		
	7.5	Impact of new HVDC station in vicinity of an existing station	
	7.6	Redundancy issues and spares	
	7.6.1	·	
	7.6.2		
	7.6.3	•	
8		ection	
_	8.1	Overview	
	8.2	General	
	8.3	Bank and sub-bank overall protection	
	8.3.1	·	
	8.3.2		
	8.3.3	•	
	8.3.4	·	
	8.3.5	·	
	8.3.6	•	
	8.3.7	'	
	8.3.8		
	8.3.9		
	8.4	Protection of individual filter components	
	8.4.1	Unbalance protection for filter and shunt capacitors	
	8.4.2		
	8.4.3		
	8.4.4	·	
	8.4.5	·	
	8.4.6	, , , ,	
	8.4.7	•	
	8.4.8	<b>5</b>	
	8.5	Personnel protection	
9		ple noise	
•		General	56 56
	C/ . I	MUNICIPAL	

	9.2	Sour	nd active components of AC filters	56
	9.3	Sour	nd requirements	58
	9.4	Nois	e reduction	58
10	Seisr	nic re	equirements	59
	10.1	Gene	eral	59
	10.2	Load	specification	60
	10.2.	1	Seismic loads	60
	10.2.	2	Additional loads	61
	10.2.	3	Soil quality	61
	10.3	Meth	nod of qualification	61
	10.3.	1	General	61
	10.3.	2	Qualification by analytical methods	61
	10.3.	3	Design criteria	62
	10.3.	4	Documentation for qualification by analytical methods	63
	10.4	Exar	mples of improvements in the mechanical design	63
11	Equip	men	t design and test parameters	63
	11.1	Gene	eral	63
	11.1.		Technical information and requirements	
	11.1.		Technical information to be provided by the customer	
	11.1.		Customer requirements	
	11.1.		Technical information to be presented by the bidders	
	11.1.		Ratings	
	11.2	Сара	acitors	67
	11.2.	1	General	67
	11.2.	2	Design aspects	67
	11.2.	3	Electrical data	70
	11.2.	4	Tests	71
	11.3	Read	ctors	71
	11.3.	1	General	71
	11.3.	2	Design aspects	71
	11.3.	3	Electrical data	72
	11.3.	4	Tests	73
	11.4	Resi	stors	74
	11.4.	1	General	74
	11.4.	2	Design aspects	74
	11.4.	3	Electrical data	75
	11.4.	4	Tests	76
	11.5	Arre	sters	77
	11.5.	1	General	77
	11.5.	2	Design aspects	78
	11.5.	3	Electrical data	78
	11.5.	4	Arresters: tests	79
	11.6	Instr	ument transformers	79
	11.6.	1	Voltage transformers	79
	11.6.	2	Current transformers	80
	11.7	Filte	r switching equipment	82
	11.7.	1	General	82
	11.7.	2	Design aspects	82
	11.7.	3	Electrical data	85

11.7.4 Test requirements	86
Annex A (informative) Example of seismic response spectra (from IEEE Std 693-2005)	88
Bibliography	89
Figure 1 – Circuit for rating evaluation	10
Figure 2 – Inrush current into a 12/24 <sup>th</sup> double-tuned filter	19
Figure 3 – Voltage across the low voltage capacitor of a 12/24 <sup>th</sup> double-tuned filter at switch-on	20
Figure 4 – Voltage across the HV capacitor bank of a 12/24 <sup>th</sup> double-tuned filter under fault conditions	21
Figure 5 – Typical arrangements of surge arresters	23
Figure 6 - Non-linear low order filter for Vienna Southeast HVDC station	37
Figure 7 – Single-tuned series filter and impedance plot	38
Figure 8 – Triple-tuned series filter and impedance plot	39
Figure 9 – Mixed series and shunt AC filters at Uruguaiana HVDC station	40
Figure 10 – Re-tunable AC filter branch	42
Figure 11 – Example of a protection scheme for an unearthed shunt capacitor	54
Figure 12 – Example of a protection scheme for a C-type filter	55
Figure 13 – Electrical spectrum	57
Figure 14 – Force spectrum	57
Figure 15 – Comparison of internal, fuseless and external fused capacitor unit designs	69
Figure A.1 – Seismic response spectra	88
Table 1 – Typical losses in an all-film capacitor unit	25
Table 2 – Electrical data for capacitors	70
Table 3 – Electrical data for reactors	73
Table 4 – Electrical data for resistors	75
Table 5 – Electrical data for arresters	79
Table 6 – Electrical data for current transformers	81
Table 7 – Electrical data for filter switching equipment	86

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

HIGH-VOLTAGE DIRECT CURRENT (HVDC) SYSTEMS -

### HIGH-VOLTAGE DIRECT CURRENT (HVDC) SYSTEMS – GUIDANCE TO THE SPECIFICATION AND DESIGN EVALUATION OF AC FILTERS –

#### Part 4: Equipment

#### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC TR 62001-4 has been prepared by subcommittee 22F: Power electronics for electrical transmission and distribution systems, of IEC technical committee 22: Power electronic systems and equipment. It is a Technical Report.

This second edition cancels and replaces the first edition published in 2016. This edition constitutes a technical revision. This edition includes the following significant technical change with respect to the previous edition:

- a) general updating of the document to reflect changes in practice;
- b) Annex A deleted as its content is covered by IEC 61803.

The text of this Technical Report is based on the following documents:

Draft	Report on voting
22F/615/DTR	22F/622B/RVDTR

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Report is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at <a href="https://www.iec.ch/members\_experts/refdocs">www.iec.ch/members\_experts/refdocs</a>. The main document types developed by IEC are described in greater detail at <a href="https://www.iec.ch/standardsdev/publications">www.iec.ch/standardsdev/publications</a>.

A list of all parts in the IEC TR 62001 series, published under the general title *High-voltage* direct current (HVDC) systems – Guidance to the specification and design evaluation of AC filters, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- · reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

#### INTRODUCTION

The IEC TR 62001 series is structured in five parts:

IEC TR 62001-1 - Overview

This part concerns specifications of AC filters for high-voltage direct current (HVDC) systems with line-commutated converters, permissible distortion limits, harmonic generation, filter arrangements, filter performance calculation, filter switching and reactive power management and customer specified parameters and requirements.

IEC TR 62001-2 - Performance

This part deals with current-based interference criteria, field measurements and verification.

IEC TR 62001-3 - Modelling

This part addresses the harmonic interaction across converters, pre-existing harmonics, AC network impedance modelling, simulation of AC filter performance.

IEC TR 62001-4 – Equipment

This part concerns steady-state and transient ratings of AC filters and their components, power losses, audible noise, design issues and special applications, filter protection, seismic requirements, equipment design and test parameters.

IEC TR 62001-5 – AC side harmonics and appropriate harmonic limits for HVDC systems with voltage sourced converters (VSC)

This part concerns specific issues of AC filter design related to high-voltage direct current (VSC) systems with voltage sourced converters (HVDC).

## HIGH-VOLTAGE DIRECT CURRENT (HVDC) SYSTEMS – GUIDANCE TO THE SPECIFICATION AND DESIGN EVALUATION OF AC FILTERS –

Part 4: Equipment

#### 1 Scope

This part of IEC TR 62001, which is a Technical Report, provides guidance on the basic data of AC side filters for high-voltage direct current (HVDC) systems and their components such as ratings, power losses, design issues and special applications, protection, seismic requirements, equipment design and test parameters.

This document covers AC side filtering for the frequency range of interest in terms of harmonic distortion and audible frequency disturbances. It excludes filters designed to be effective in the power line carrier (PLC) and radio interference spectra.

It concerns the conventional AC filter technology and LCC (line-commutated converter) HVDC but much of this applies to any filter equipment for VSC (voltage sourced converter) HVDC.

#### 2 Normative references

There are no normative references in this document.