

## IEC TR 62131-8

Edition 1.0 2022-07

# TECHNICAL REPORT



Environmental conditions – Vibration and shock of electrotechnical equipment

Part 8: Transportation by ship

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 19.040 ISBN 978-2-8322-3970-4

Warning! Make sure that you obtained this publication from an authorized distributor.

### CONTENTS

FO	REWO	)RD	5
1	Scop	pe	7
2	Norr	native references	7
3	Tern	ns and definitions	7
4	Data	source and quality	8
	4.1	General	8
	4.2	NAV vibration measurements	
	4.3	RIB vibration measurements	9
	4.4	Supplementary data	11
5	Intra	data source comparison	13
	5.1	General	13
	5.2	NAV vibration measurements	13
	5.3	RIB vibration measurements	14
	5.4	Supplementary data	15
6	Inter	data source comparison	16
7	Envi	ronmental description	16
	7.1	Conditions causing the environment	16
	7.2	Environmental characteristics	
	7.3	Test types	17
8	Com	parison with the IEC 60721 series	18
9	Reco	ommendations	21
Bib	liogra	phy	54
Fig	ure 1	- RMAS Arrochar specification and layout [3]	23
Fig	ure 2	- RMAS arrochar hold vibration measurement locations [3]	24
Fig	ure 3	- RMAS Arrochar hold vibration levels for different sea states [3]	26
Fig	ure 4	- Envelope of vibration levels in forward and aft holds [3]	26
		- RIB speed from GPS obtained during measurement events [4]	
_		RIB transducer locations [4]	
		- RIB vibration severities forward deck – Fore-aft [4]	
_		- RIB vibration severities forward deck – Lateral [4]	
_		- RIB vibration severities forward deck - Vertical [4]	
_		- RIB vibration severities centre port deck - Fore-aft [4]	
_		- RIB vibration severities centre port deck - Lateral [4]	
_		- RIB vibration severities centre port deck - Vertical [4]	
Fig	ure 13	– RIB vibration severities rear deck – Fore-aft [4]	33
Fig	ure 14	– RIB vibration severities rear deck – Vertical [4]	34
Fig	ure 15	– RIB vibration severities starboard gearbox [4]	34
Fig	ure 16	– RIB vibration amplitude probability density – Forward deck [4]	35
_		– Vibration RIB amplitude probability density – Aft (rear deck) deck [4]	
_		– RIB vibration time history – Forward deck [4]	
		– Naval supply tanker at 20 kn [5]	
_		- Train ferry at 20 kn [5]	
ııy	uic Zt		

Figure 21 – MIL STD 810 [6] random vibration test severity for shipborne equipment	37
Figure 22 – MIL STD 810 [6] sinusoidal vibration test severity for shipborne equipment	38
Figure 23 – DEF STAN 00-035 [7] test severity for transportation of equipment by sea	38
Figure 24 – DEF STAN 00-035 [7] test severity for equipment installed in large ships	39
Figure 25 – DEF STAN 00-035 [7] test severity for equipment installed in smaller ships – Aft locations	39
Figure 26 – DEF STAN 00-035 [7] test severity for equipment installed in small ships – Mid and forward locations	40
Figure 27 – DEF STAN 00-035 [7] information – Typical acceleration power spectral density at aft region of naval frigate	40
Figure 28 – DEF STAN 00-035 [7] information – Overall vibration RMS variations with power demand	41
Figure 29 – DEF STAN 00-035 [7] information – Overall vibration RMS variations with manoeuvre condition	41
Figure 30 – EXACT DK 1–237 [8] composite vibration spectrum of engine room measurements from five different ship types	42
Figure 31 – American Bureau of Shipping recommendations for vibration severities [10]	42
Figure 32 – ISO 20283 [11] recommendations for passenger comfort	43
Figure 33 – IEC 60945 [14] severity for ship installed equipment	43
Figure 34 – Comparison of random severities	44
Figure 35 – Comparison of sinusoidal severities	
Figure 36 – IEC 60721-3-2 [28] – Stationary vibration random severities	
Figure 37 – IEC TR 60721-4-2 [30] – Stationary vibration random severities	
Figure 38 – IEC 60721-3-2 [28] – Stationary vibration sinusoidal severities	
Figure 39 – IEC TR 60721-4-2 [30] – Stationary vibration sinusoidal severities	
Figure 40 – IEC 60721-3-2 [28] – Shock severities	
Figure 41 – IEC TR 60721-4-2 [30] – Shock severities for IEC 60068-2-27 [32] test procedure	47
Figure 42 – IEC TR 60721-4-2 [30] – Shock severities for IEC 60068-2-29 [33] test procedure	48
Figure 43 – IEC 60721-3-6 [13] stationary vibration sinusoidal severities	48
Figure 44 – IEC 60721-3-6 [13] shock severities	49
Figure 45 – Comparison of NAV vibrations [3] with IEC 60721-3-2 [28]	
Figure 46 – Comparison of RIB vibrations [4] with IEC 60721-3-2 [28]	
Figure 47 – Comparison of RIB vibrations [4] (less rear floor measurements) with IEC 60721-3-2 [28]	
Figure 48 – Comparison of GAM-EG-13 vibrations [5] with IEC 60721-3-2 [28]	51
Figure 49 – Comparison of EXACT DK 1–237 composite vibration spectrum of engine room measurements (from [8]) with IEC 60721-3-2 [28]	
Figure 50 – Comparison of MIL STD 810 [6] and DEF STAN 00-035 [7] ship transportation severities with IEC 60721-3-2 [28]	
Figure 51 – Comparison of sinusoidal installed equipment severities with IEC 60721-3-2 [28]	52
Figure 52 – Comparison of Sinusoidal Installed Equipment Severities with IEC 60721-3-6 [13]	53

Table 1 – RMAS Arrochar hold low frequency (up to 10 Hz) accelerations levels [3]	24
Table 2 – RMAS Arrochar hold vibration levels for different sea states [3]	25
Table 3 – Definition of sea states	25
Table 4 – RIB measurement events [4]	28
Table 5 – RIB statistics of vibration measurements from sea segment [4]	28
Table 6 – RIB statistics of vibration measurements riverine events – RMS [4]	29
Table 7 – RIB statistics of vibration measurements riverine events – Maximum and minimum [4]	29

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

ENVIRONMENTAL CONDITIONS - VIBRATION AND SHOCK OF ELECTROTECHNICAL EQUIPMENT -

#### Part 8: Transportation by ship

#### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC TR 62131-8 has been prepared by IEC technical committee 104: Environmental conditions, classification and methods of test. It is a Technical Report.

The text of this Technical Report is based on the following documents:

Draft	Report on voting
104/912/DTR	104/921A/RVDTR

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Report is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement,

available at www.iec.ch/members\_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts in the IEC 62131 series, published under the general title *Environmental* conditions — Vibration and shock of electrotechnical equipment, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- · reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

## ENVIRONMENTAL CONDITIONS – VIBRATION AND SHOCK OF ELECTROTECHNICAL EQUIPMENT –

Part 8: Transportation by ship

#### 1 Scope

This part of IEC 62131 reviews available dynamic data relating to the transportation of electrotechnical equipment by marine craft such as ships and boats either at sea or during riverine use. In this instance, there is a clear similarity between dynamic data relating to the transportation of electrotechnical equipment and that of electrotechnical equipment installed on maritime platforms.

The intent is that from all the available data, an environmental description will be generated and compared to that set out in the IEC 60721 series [1]<sup>1</sup>.

For each of the sources identified, the quality of the data is reviewed and checked for self-consistency. The process used to undertake this check of data quality and that used to intrinsically categorize the various data sources is set out in IEC TR 62131-1 [2].

This document primarily addresses data extracted from several different sources for which reasonable confidence exists in their quality and validity. This document also reviews some data for which the quality and validity cannot realistically be verified. These data are included to facilitate validation of information from other sources. This document clearly indicates when utilizing information in this latter category.

The aim of this document is to review information from a number of different data gathering exercises. The quantity and quality of information in these exercises is expected to vary considerably.

Not all the data reviewed were made available in electronic form. To permit comparison to be made, in this assessment, a quantity of the original (non-electronic) data has been manually digitized.

#### 2 Normative references

There are no normative references in this document.

<sup>&</sup>lt;sup>1</sup> Numbers in square brackets refer to the bibliography.