

TECHNICAL REPORT



Touch and interactive displays – Part 1-3: Generic – General introduction to pen touch technology

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 31.120

ISBN 978-2-8322-4567-5

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms, definitions and abbreviated terms	7
3.1 Terms and definitions.....	7
3.2 Abbreviated terms.....	7
4 Generic information on pen touch technology	8
4.1 General.....	8
4.2 Classification	8
4.3 Sensing technology for touch pen	9
4.3.1 General	9
4.3.2 Resistive type panel structure and sensing method.....	10
4.3.3 Capacitive type panel structure and sensing method	10
4.3.4 EMI type panel structure and sensing method.....	11
4.3.5 Optical type panel structure and sensing method	12
4.3.6 Ultrasonic type panel structure and sensing method	12
4.4 Touch pen architecture	13
4.4.1 General	13
4.4.2 Passive stylus pen.....	13
4.4.3 Active stylus pen	14
5 Pen touch characteristics.....	17
5.1 General.....	17
5.2 Basic characteristics of pen touch.....	18
5.3 Unique and important characteristics of pen touch	18
5.3.1 General	18
5.3.2 Tracking speed.....	19
5.3.3 Writing comfort	19
5.3.4 Position parallax	19
5.3.5 Minimum area and minimum pressure.....	20
5.3.6 Pressure sensitivity	20
5.3.7 Tilt angle	21
6 Application example for each pen touch technology.....	21
6.1 General.....	21
6.2 Passive stylus pen	21
6.3 Active stylus pen.....	21
6.3.1 General	21
6.3.2 EMI pen.....	21
6.3.3 Universal pen for PCAP type	22
6.3.4 Type MPP.....	22
6.3.5 Type AP	23
6.3.6 Type WA Active ES stylus.....	23
6.3.7 Type U (multiple use)	23
7 Issue of future pen touch technology	23
7.1 General.....	23
7.2 Tracking speed	23

7.3 Writing comfort 24

7.4 Combinational use of finger and pen touch 24

7.5 Palm rejection area and pen positional relationship..... 24

8 Collaboration of hardware and software..... 25

Bibliography..... 26

Figure 1 – Resistive Type Panel Structure 10

Figure 2 – Capacitive type panel structure 11

Figure 3 – EMI type panel structure 12

Figure 4 – Optical type panel structure 12

Figure 5 – Ultrasonic type panel structure 13

Figure 6 – Example of conductive fibre tip 14

Figure 7 – Example of transparent disk tip 14

Figure 8 – Example of exclusive pen..... 14

Figure 9 – Example of EMI pens (Type WE)..... 15

Figure 10 – Position parallax 20

Figure 11 – Pen tablet for animation/illustration 22

Figure 12 – Examples of note PCs 23

Table 1 – Comparison among pointing devices 8

Table 2 – Classification of touch pen 9

Table 3 – Correspondence between touch panel and touch pen 10

Table 4 – Performance comparison of touch pens for PCAP/EMI 17

Table 5 – Basic pen touch characteristics 18

Table 6 – Unique and important characteristics of touch pen 18

INTERNATIONAL ELECTROTECHNICAL COMMISSION

TOUCH AND INTERACTIVE DISPLAYS –

Part 1-3: Generic – General introduction to pen touch technology

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC TR 62908-1-3 has been prepared by IEC technical committee 110: Electronic displays. It is a Technical Report.

The text of this Technical Report is based on the following documents:

Draft	Report on voting
110/1311/DTR	110/1331/RVDTR

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Report is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts in the IEC 62908 series, published under the general title *Touch and interactive displays*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

With the spread of smartphones in recent years, finger touch technology has become widespread throughout the world. The field of popularization has started from smartphones, and has spread from information terminals such as notebook (laptop) PCs and tablets to kiosks, ATMs, sales equipment in the field of social infrastructure, medical equipment for professional use, and construction-related items.

Finger touch has several challenges, such as malfunction due to usage environment, such as wearing of gloves or water droplets, in addition to the difficulty of fine drawing with finger touch, signature input, and so on.

Initially, for the pen touch, the operating system and application software supported only the same function as finger touch, but recently a new concept of digital ink has enabled to use not only the data of the entered trajectory, but also the progressing data such as writing pressure, pen angle and drawing, being digitized and saved together with the trajectory data. This means that a new technique with pen input has been developed, which goes beyond the conventional technology of finger touch input.

Based on the above situation, this document aims to focus on the issues related to future standardization by summarizing the sensing methods of pen touch, the types of touch pens and the corresponding technologies, and the market trends of pen touch technology.

TOUCH AND INTERACTIVE DISPLAYS –

Part 1-3: Generic – General introduction to pen touch technology

1 Scope

This part of IEC 62908, which is a technical report, provides general information on pen touch technology with the aim toward standardization. This document includes an overview of the pen touch technology, critical performance characteristics, issues of characteristics measurements, and other information.

The purpose of this documents is to provide an overview of the different products available in pen touch technology.

NOTE The companies and products named in this document do not constitute an endorsement by IEC of these products.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-1, *Environmental testing – Part 1: General and guidance*

IEC 62908-1-2, *Touch and interactive displays – Part 1-2: Generic – Terminology and letter symbols*