



IEC TS 60871-3

Edition 2.1 2023-08
CONSOLIDATED VERSION

TECHNICAL SPECIFICATION



**Shunt capacitors for AC power systems having a rated voltage above 1 000 V –
Part 3: Protection of shunt capacitors and shunt capacitor banks**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 29.240.99; 31.060.70

ISBN 978-2-8322-7449-1

Warning! Make sure that you obtained this publication from an authorized distributor.

REDLINE VERSION



Shunt capacitors for AC power systems having a rated voltage above 1 000 V – Part 3: Protection of shunt capacitors and shunt capacitor banks

CONTENTS

FOREWORD.....	5
1 Scope.....	7
2 Normative references	7
3 Terms and definitions	7
4 Internal fuses.....	7
4.1 General.....	7
4.2 Fuse characteristics.....	8
4.2.1 Rated current.....	8
4.2.2 Rated discharge capability.....	8
4.2.3 Disconnecting capability	8
4.2.4 Voltage withstand capability after operation.....	8
4.3 Influence of capacitor element configuration on capacitor life.....	8
4.3.1 Capacitor with all elements connected in parallel.....	8
4.3.2 Capacitor with elements connected in series and parallel	8
5 External fuses	8
5.1 General.....	8
5.2 Fuse characteristics.....	9
5.2.1 Rated current.....	9
5.2.2 Rated voltage	9
5.2.3 Time-current characteristics	9
5.2.4 Discharge capability	10
5.3 Fuse types	10
5.3.1 General	10
5.3.2 Expulsion fuses	10
5.3.3 Current-limiting fuses.....	11
5.3.4 Combination current-limiting/expulsion fuses	11
5.4 Influence of capacitor bank configuration on fuse selection.....	11
5.4.1 Single series section grounded star and delta banks.....	11
5.4.2 Single series section ungrounded star banks	11
5.4.3 Multiple series section banks.....	11
5.5 Coordination with case rupture curves	11
6 Unbalance detection	12
6.1 Operation.....	12
6.2 Types of unbalance protection	12
6.2.1 Neutral current (Figure 3)	12
6.2.2 Neutral voltage (Figure 4).....	12
6.2.3 Current unbalance between neutrals (Figure 5)	13
6.2.4 Phase voltage unbalance (Figure 6)	13
6.2.5 Voltage difference (Figure 7)	13
6.2.6 Current unbalance in bridge connection (Figure 8).....	13
6.3 Current and voltage transformers.....	13
6.3.1 Current transformers.....	13
6.3.2 Voltage transformers	14
6.4 Relays and protection settings	14
6.5 Sensitivity	14
6.6 Initial unbalance.....	15

6.7	Calculation of the unbalance relay's settings.....	15
7	Overload current.....	15
7.1	Operation.....	15
7.2	Protective arrangement.....	15
7.3	Current transformers.....	16
7.4	Relays.....	16
7.5	Protective settings.....	16
8	Over and undervoltage.....	16
8.1	Operation.....	16
8.2	Overvoltage protection.....	17
8.3	Undervoltage protection.....	17
8.4	Reclosing.....	17
9	Other protection.....	17
9.1	Surge arresters.....	17
9.1.1	General.....	17
9.1.2	Operation.....	17
9.1.3	Lightning transients.....	17
9.1.4	Switching transients.....	18
9.1.5	Temporary overvoltages.....	18
9.1.6	Rated voltage.....	18
9.1.7	Energy absorption.....	18
9.2	Damping devices.....	18
9.2.1	Capacitor switching.....	18
9.2.2	Inrush currents.....	18
9.2.3	Voltage transients.....	19
9.2.4	Ratings.....	19
9.3	Synchronized switching.....	19
9.3.1	Operation.....	19
9.3.2	Breaker contacts delay.....	20
10	Safety.....	20
10.1	Discharging devices.....	20
10.1.1	General.....	20
10.1.2	Internal resistors.....	20
10.1.3	External discharge devices.....	20
10.1.4	Discharging after disconnection.....	20
10.2	Dead metallic parts.....	21
	Bibliography.....	26
	Figure 1 – Fuse types.....	10
	Figure 2 – Typical case rupture curves for approximately 30 000 cm ³ case volume.....	22
	Figure 3 – Star connection with the neutral grounded through a current transformer.....	22
	Figure 4 – Star connection with voltage transformer between neutral and ground.....	22
	Figure 5 – Star connection with ungrounded neutral and voltage transformers connected in an open delta.....	23
	Figure 6 – Double-star connection with ungrounded neutral.....	23
	Figure 7 – Star connection with grounded neutral and voltage transformers connected in differential measurement.....	23

Figure 8 – Bridge connection	23
Figure 9 – Line overcurrent relays for capacitor bank, grounded	23
Figure 10 – Line overcurrent relays for capacitor bank, ungrounded	24
Table 1 – Melting currents for type-K (fast) fuse links, in amperes	24
Table 2 – Melting currents for type-T (slow) fuse links, in amperes	25

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**SHUNT CAPACITORS FOR AC POWER SYSTEMS HAVING
A RATED VOLTAGE ABOVE 1 000 V –**

**Part 3: Protection of shunt capacitors and
shunt capacitor banks**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC TS 60871-3 edition 2.1 contains the second edition (2015-06) [documents 33/545/DTS and 33/563/RVC] and its amendment 1 (2023-08) [documents 33/688/DTS and 33/691/RVDTS].

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendment 1. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

International Standard IEC 60871-3, which is a technical specification, has been prepared by IEC technical committee 33: Power capacitors and their applications.

This second edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Clearer writing of formulas on energy limitation for expulsion fuses;
- b) Updated normative references and bibliography;
- c) A new clause for synchronized switching has been added.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60871, published under the general title *Shunt capacitors for a.c. power systems having a rated voltage above 1 000 V*, can be found on the IEC website.

The committee has decided that the contents of this document and its amendment will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

SHUNT CAPACITORS FOR AC POWER SYSTEMS HAVING A RATED VOLTAGE ABOVE 1 000 V –

Part 3: Protection of shunt capacitors and shunt capacitor banks

1 Scope

This part of IEC 60871, which is a technical specification, gives guidance on the protection of shunt capacitors and shunt capacitor banks. It applies to capacitors according to IEC 60871-1.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60549, *High-voltage fuses for the external protection of shunt capacitors*

IEC 60871-1, *Shunt capacitors for a.c. power systems having a rated voltage above 1 000 V – Part 1: General*

IEC 60871-4, *Shunt capacitors for AC power systems having a rated voltage above 1 000 V – Part 4: Internal fuses*

FINAL VERSION

**Shunt capacitors for AC power systems having a rated voltage above 1 000 V –
Part 3: Protection of shunt capacitors and shunt capacitor banks**



CONTENTS

FOREWORD.....	5
1 Scope.....	7
2 Normative references	7
3 Terms and definitions	7
4 Internal fuses.....	7
4.1 General.....	7
4.2 Fuse characteristics.....	8
4.2.1 Rated current.....	8
4.2.2 Rated discharge capability.....	8
4.2.3 Disconnecting capability	8
4.2.4 Voltage withstand capability after operation.....	8
4.3 Influence of capacitor element configuration on capacitor life.....	8
4.3.1 Capacitor with all elements connected in parallel.....	8
4.3.2 Capacitor with elements connected in series and parallel	8
5 External fuses	8
5.1 General.....	8
5.2 Fuse characteristics.....	9
5.2.1 Rated current.....	9
5.2.2 Rated voltage	9
5.2.3 Time-current characteristics	9
5.2.4 Discharge capability	10
5.3 Fuse types	10
5.3.1 General	10
5.3.2 Expulsion fuses	10
5.3.3 Current-limiting fuses.....	11
5.3.4 Combination current-limiting/expulsion fuses	11
5.4 Influence of capacitor bank configuration on fuse selection.....	11
5.4.1 Single series section grounded star and delta banks.....	11
5.4.2 Single series section ungrounded star banks	11
5.4.3 Multiple series section banks.....	11
5.5 Coordination with case rupture curves	11
6 Unbalance detection	12
6.1 Operation.....	12
6.2 Types of unbalance protection	12
6.2.1 Neutral current (Figure 3)	12
6.2.2 Neutral voltage (Figure 4).....	12
6.2.3 Current unbalance between neutrals (Figure 5)	13
6.2.4 Phase voltage unbalance (Figure 6)	13
6.2.5 Voltage difference (Figure 7)	13
6.2.6 Current unbalance in bridge connection (Figure 8).....	13
6.3 Current and voltage transformers.....	13
6.3.1 Current transformers.....	13
6.3.2 Voltage transformers	14
6.4 Relays and protection settings	14
6.5 Sensitivity	14
6.6 Initial unbalance.....	15

6.7	Calculation of the unbalance relay's settings.....	15
7	Overload current.....	15
7.1	Operation.....	15
7.2	Protective arrangement.....	15
7.3	Current transformers.....	16
7.4	Relays.....	16
7.5	Protective settings.....	16
8	Over and undervoltage.....	16
8.1	Operation.....	16
8.2	Overvoltage protection.....	17
8.3	Undervoltage protection.....	17
8.4	Reclosing.....	17
9	Other protection.....	17
9.1	Surge arresters.....	17
9.1.1	General.....	17
9.1.2	Operation.....	17
9.1.3	Lightning transients.....	17
9.1.4	Switching transients.....	18
9.1.5	Temporary overvoltages.....	18
9.1.6	Rated voltage.....	18
9.1.7	Energy absorption.....	18
9.2	Damping devices.....	18
9.2.1	Capacitor switching.....	18
9.2.2	Inrush currents.....	18
9.2.3	Voltage transients.....	19
9.2.4	Ratings.....	19
9.3	Synchronized switching.....	19
9.3.1	Operation.....	19
9.3.2	Breaker contacts delay.....	20
10	Safety.....	20
10.1	Discharging devices.....	20
10.1.1	General.....	20
10.1.2	Internal resistors.....	20
10.1.3	External discharge devices.....	20
10.1.4	Discharging after disconnection.....	20
10.2	Dead metallic parts.....	21
	Bibliography.....	26
	Figure 1 – Fuse types.....	10
	Figure 2 – Typical case rupture curves for approximately 30 000 cm ³ case volume.....	22
	Figure 3 – Star connection with the neutral grounded through a current transformer.....	22
	Figure 4 – Star connection with voltage transformer between neutral and ground.....	22
	Figure 5 – Star connection with ungrounded neutral and voltage transformers connected in an open delta.....	23
	Figure 6 – Double-star connection with ungrounded neutral.....	23
	Figure 7 – Star connection with grounded neutral and voltage transformers connected in differential measurement.....	23

Figure 8 – Bridge connection	23
Figure 9 – Line overcurrent relays for capacitor bank, grounded	23
Figure 10 – Line overcurrent relays for capacitor bank, ungrounded	24
Table 1 – Melting currents for type-K (fast) fuse links, in amperes	24
Table 2 – Melting currents for type-T (slow) fuse links, in amperes	25

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**SHUNT CAPACITORS FOR AC POWER SYSTEMS HAVING
A RATED VOLTAGE ABOVE 1 000 V –**

**Part 3: Protection of shunt capacitors and
shunt capacitor banks**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC TS 60871-3 edition 2.1 contains the second edition (2015-06) [documents 33/545/DTS and 33/563/RVC] and its amendment 1 (2023-08) [documents 33/688/DTS and 33/691/RVDTS].

This Final version does not show where the technical content is modified by amendment 1. A separate Redline version with all changes highlighted is available in this publication.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

International Standard IEC 60871-3, which is a technical specification, has been prepared by IEC technical committee 33: Power capacitors and their applications.

This second edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Clearer writing of formulas on energy limitation for expulsion fuses;
- b) Updated normative references and bibliography;
- c) A new clause for synchronized switching has been added.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60871, published under the general title *Shunt capacitors for a.c. power systems having a rated voltage above 1 000 V*, can be found on the IEC website.

The committee has decided that the contents of this document and its amendment will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

SHUNT CAPACITORS FOR AC POWER SYSTEMS HAVING A RATED VOLTAGE ABOVE 1 000 V –

Part 3: Protection of shunt capacitors and shunt capacitor banks

1 Scope

This part of IEC 60871, which is a technical specification, gives guidance on the protection of shunt capacitors and shunt capacitor banks. It applies to capacitors according to IEC 60871-1.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60549, *High-voltage fuses for the external protection of shunt capacitors*

IEC 60871-1, *Shunt capacitors for a.c. power systems having a rated voltage above 1 000 V – Part 1: General*

IEC 60871-4, *Shunt capacitors for AC power systems having a rated voltage above 1 000 V – Part 4: Internal fuses*