

TECHNICAL SPECIFICATION



**Multicore and symmetrical pair/quad cables for digital communications –
Part 1-2: Electrical transmission characteristics and test methods of
symmetrical pair/quad cables**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 21.220

ISBN 978-2-8322-7881-9

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	5
1 Scope.....	7
2 Normative references	7
3 Terms, definitions, symbols, units and abbreviated terms	7
3.1 Terms and definitions.....	7
3.2 Symbols, units and abbreviated terms.....	8
4 Basic transmission line formulae.....	8
4.1 Overview.....	10
4.2 Complex characteristic impedance and propagation coefficient formulae	11
4.2.1 General	11
4.2.2 Propagation coefficient	11
4.2.3 Complex characteristic impedance.....	12
4.2.4 Phase and group velocity.....	14
4.3 High frequency representation of secondary parameters.....	15
4.4 Frequency dependence of the primary and secondary parameters	17
4.4.1 Resistance	17
4.4.2 Inductance.....	17
4.4.3 Complex characteristic impedance.....	17
4.4.4 Attenuation coefficient	18
4.4.5 Phase delay and group delay.....	18
5 Measurement of the complex characteristic impedance	19
5.1 General.....	19
5.2 Open/short circuit single-ended impedance measurement made with a balun (reference method)	20
5.2.1 Principle	20
5.2.2 Test equipment.....	21
5.2.3 Procedure.....	21
5.2.4 Expression of results	22
5.3 Function fitting the impedance magnitude and angle	22
5.3.1 General	22
5.3.2 Impedance magnitude	22
5.3.3 Function fitting the angle of the complex characteristic impedance	24
5.4 Complex characteristic impedance determined from measured phase coefficient and capacitance.....	25
5.4.1 General	25
5.4.2 Formulae for all frequencies case and for high frequencies.....	25
5.4.3 Procedure for the measurement of the phase coefficient.....	26
5.4.4 Phase delay.....	27
5.4.5 Phase velocity	28
5.4.6 Procedure for the measurement of the capacitance	28
5.5 Determination of the complex characteristic impedance using the terminated measurement method	28
5.6 Extended open/short circuit method using a balun but excluding the balun performance	29
5.6.1 Test equipment and cable-end preparation	29
5.6.2 Basic formulae.....	29
5.6.3 Measurement principle.....	29

5.7	Extended open/short circuit method without using a balun	32
5.7.1	Basic formulae and circuit diagrams	32
5.7.2	Measurement principle.....	34
5.8	Open/short impedance measurements at low frequencies with a balun	35
5.9	Complex characteristic impedance and propagation coefficient obtained from modal decomposition technique	37
5.9.1	General	37
5.9.2	Procedure.....	37
5.9.3	Measurement principle.....	38
5.9.4	Scattering matrix to impedance matrix	40
5.9.5	Expression of results	42
6	Measurement of return loss and structural return loss.....	42
6.1	General.....	42
6.2	Principle	42
7	Propagation coefficient effects due to periodic structural variation related to the effects appearing in the structural return loss	43
7.1	General.....	43
7.2	Formula for the forward echoes caused by periodic structural inhomogeneities.....	43
8	Unbalance attenuation.....	45
8.1	General.....	45
8.2	Unbalance attenuation near end and far end.....	46
8.3	Theoretical background.....	48
9	Balunless test method	51
9.1	Overall test arrangement.....	51
9.1.1	Test instrumentation	51
9.1.2	Measurement precautions.....	52
9.1.3	Mixed mode <i>S</i> -parameter nomenclature	52
9.1.4	Coaxial cables and interconnect for network analysers	54
9.1.5	Reference loads for calibration	54
9.1.6	Calibration	55
9.1.7	Termination loads for termination of conductor pairs.....	56
9.1.8	Termination of screens	57
9.1.9	Calibration.....	57
9.1.10	Establishment of noise floor.....	57
9.2	Cabling and cable measurements	57
9.2.1	Insertion loss and <i>EL TCTL</i>	57
9.2.2	<i>NEXT</i>	59
9.2.3	<i>ACR-F</i>	61
9.2.4	Return loss and <i>TCL</i>	63
9.2.5	PS alien near-end crosstalk (<i>PS ANEXT</i> -Exogenous crosstalk)	64
9.2.6	PS attenuation to alien crosstalk ratio, far-end crosstalk (<i>PS AACR-F</i> -Exogenous crosstalk.....	67
Annex A (informative)	Example derivation of mixed mode parameters using the modal decomposition technique	70
Bibliography	74
Figure 1	– Secondary parameters extending from 1 kHz to 1 GHz.....	19
Figure 2	– Diagram of cable pair measurement circuit.....	21

Figure 3 – Determining the multiplier of 2π radians to add to the phase measurement.....	27
Figure 4 – Measurement configurations	30
Figure 5 – Measurement principle with four terminal network theory	30
Figure 6 – Admittance measurement configurations	34
Figure 7 – Admittance measurement principle.....	34
Figure 8 – Transmission line system	38
Figure 9 – Differential-mode transmission in a symmetric pair.....	46
Figure 10 – Common-mode transmission in a symmetric pair	46
Figure 11 – Circuit of an infinitesimal element of a symmetric pair	48
Figure 12 – Calculated coupling transfer function for a capacitive coupling of 0,4 pF/m and random $\pm 0,4$ pF/m ($\ell = 100$ m; $\epsilon r1 = \epsilon r2 = 2,3$).....	51
Figure 13 – Measured coupling transfer function of 100 m Twinax 105 Ω	51
Figure 14 – Diagram of a single-ended 4-port device	53
Figure 15 – Diagram of a balanced 2-port device	53
Figure 16 – Solution for calibration of reference loads	55
Figure 17 – Resistor termination networks	56
Figure 18 – Insertion loss and <i>EL TCTL</i>	59
Figure 19 – <i>NEXT</i>	60
Figure 20 – <i>FEXT</i>	62
Figure 21 – Return loss and <i>TCL</i>	64
Figure 22 – Alien <i>NEXT</i>	66
Figure 23 – Alien <i>FEXT</i>	68
Figure A.1 – Voltage and current on balanced DUT.....	70
Figure A.2 – Voltage and current on unbalanced DUT.....	72
Table 1 – Unbalance attenuation at near end.....	47
Table 2 – Unbalance attenuation at far end.....	47
Table 3 – Measurement set-up.....	47
Table 4 – Mixed mode <i>S</i> -parameter nomenclature	54
Table 5 – Requirements for terminations at calibration plane	57

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**MULTICORE AND SYMMETRICAL PAIR/QUAD
CABLES FOR DIGITAL COMMUNICATIONS –****Part 1-2: Electrical transmission characteristics and
test methods of symmetrical pair/quad cables**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC TS 61156-1-2 has been prepared by subcommittee 46C: Wires and symmetric cables, of IEC technical committee 46: Cables, wires, waveguides, RF connectors, RF and microwave passive components and accessories. It is a Technical Specification.

This first edition cancels and replaces the first edition of IEC TR 61156-1-2 published in 2009 and Amendment 1:2014. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition (TR):

- a) typos and editorial corrections;

- b) the scope was updated;
- c) Figure 14: ports swapped between port 2 and port 3;
- d) new figures for balunless testing.

The text of this Technical Report is based on the following documents:

Draft	Report on voting
46C/1247DTS	46C/1259e/RVDTS

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Specification is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts of the IEC 61156 series, under the general title: *Multicore and symmetrical pair/quad cables for digital communications*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The “colour inside” logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

MULTICORE AND SYMMETRICAL PAIR/QUAD CABLES FOR DIGITAL COMMUNICATIONS –

Part 1-2: Electrical transmission characteristics and test methods of symmetrical pair/quad cables

1 Scope

This part of IEC 61156 specifies symmetrical pair/quad electrical transmission characteristics and test methods present in IEC 61156-1:2002 (Edition 2) and not carried into IEC 61156-1:2007 (Edition 3). It details characteristic impedance test methods and function fitting procedures, the open/short-circuit method and the background of unbalance attenuation measurement.

It is extended by a description of the balunless measurements technique, which is an amendment to the former technical report and is improved and incorporated into this new edition. The complete document is transferred into a technical specification.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-726, *International Electrotechnical Vocabulary (IEV) – Part 726: Transmission lines and waveguides*

IEC 61156-1:2007, *Multicore and symmetrical pair/quad cables for digital communications – Part 1: Generic specification*

IEC TR 62152, *Transmission properties of cascaded two-ports or quadripols – Background of terms and definitions*