



TECHNICAL SPECIFICATION



**Wind energy generation systems –
Part 11-2: Acoustic noise measurement techniques – Measurement of wind
turbine sound characteristics in receptor position**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 27.180

ISBN 978-2-8322-8405-6

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	7
INTRODUCTION.....	9
1 Scope.....	10
2 Normative references	10
3 Terms and definitions	11
4 Symbols and units	15
5 Outline of method	16
6 Instrumentation.....	17
6.1 Acoustic instruments.....	17
6.1.1 General	17
6.1.2 Equipment for the determination of the equivalent continuous A-weighted sound pressure level	17
6.1.3 Equipment for the determination of A-weighted or Z-weighted 1/3-octave band spectra	17
6.1.4 Equipment for the determination of narrow band spectra	17
6.1.5 Acoustical calibrator	17
6.1.6 Audio recording and playback systems	18
6.2 Non-acoustic instruments.....	18
6.2.1 General	18
6.2.2 Wind speed measurement systems.....	18
6.2.3 Other instrumentation (temperature, humidity, rain, pressure, distance, temperature gradient, satellite positioning system)	18
6.3 Traceable calibration	18
6.4 Acoustic field calibration	19
6.5 Time synchronization	19
7 Test planning.....	20
7.1 General.....	20
7.2 Planning acoustic measurements	20
7.2.1 Sound characteristics	20
7.2.2 Sound sources to be considered.....	20
7.3 Determination of representative conditions	21
7.4 Effects of site conditions on measurements	22
7.5 Acoustic measurements	22
8 Setup of acoustic measurements	23
8.1 Measurement locations	23
8.1.1 General	23
8.1.2 Proxy location.....	23
8.1.3 Mounting	23
9 Non-acoustic measurements.....	24
9.1 General comments.....	24
9.2 Data sampling.....	24
9.3 Wind speed.....	24
9.3.1 General	24
9.3.2 Binning wind speed related to wind farm operation, V_{bin}	26
9.3.3 Binning wind speed related to background sound	27
9.4 Wind direction.....	28

9.5	Precipitation.....	28
9.6	Temperature, humidity, etc	29
9.7	Wind turbine parameters (optional if necessary for assessment)	29
10	Data reduction	29
10.1	Bin analysis	29
10.2	Data recommendations	29
10.3	Uncertainty	30
10.3.1	General	30
10.3.2	Calculation of average sound pressure level and uncertainty per bin based on measurements.....	30
10.3.3	Calculation of average values and uncertainty per bin based on measurements – Arithmetic averaging	32
10.3.4	Calculation of average sound pressure level and uncertainty per bin when using the sound power level based regulatory scheme	32
11	Sound pressure level.....	33
11.1	Outline.....	33
11.2	Instrumentation.....	33
11.3	Acoustic measurements	34
11.3.1	General	34
11.3.2	Equivalent continuous A-weighted sound pressure level, L_{Aeq}	34
11.3.3	Statistical level, L_{Axx}	34
11.4	Non-acoustic measurements (SCADA, wind speed, temperature, humidity).....	34
11.5	Data processing and analysis	35
11.5.1	Data requirements	35
11.5.2	Data binning	35
11.5.3	Handling extraneous sound data.....	35
11.5.4	Determination of representative conditions	36
11.6	Measurement methods.....	36
11.6.1	Long term measurements of wind turbine operation without shut down	36
11.6.2	Short term measurements including periods of wind turbine operation and shut down	36
11.6.3	Long term measurements including periods of wind turbine operation and shut down	37
11.6.4	High background sound situation	38
11.7	Guidance on background sound correction	38
11.8	Sound power level based regulatory scheme	39
11.8.1	General	39
11.8.2	ISO 9613-2.....	39
11.8.3	Nord2000.....	40
11.9	Reporting of results.....	42
12	Tonal audibility	42
12.1	Outline.....	42
12.2	Overview of the ISO/TS 20065 method	43
12.3	Instrumentation.....	43
12.4	Acoustic measurements	44
12.5	Non-acoustic measurements	44
12.5.1	General	44
12.5.2	Implementation specifics	44
12.5.3	Data binning	47

12.5.4	Uncertainty	47
12.6	Reporting	47
13	Amplitude modulation	48
13.1	General.....	48
13.2	Outline	48
13.3	Instrumentation	49
13.4	Acoustic measurements	49
13.5	Non-acoustic measurements	49
13.6	Data reduction procedures	49
13.6.1	General methodology.....	49
13.6.2	10 s methodology	50
13.6.3	Signal analysis – 10 min results.....	54
13.6.4	Signal analysis – Binned results	55
13.6.5	Uncertainty	55
13.7	Reporting	55
14	Impulsivity	56
14.1	Outline	56
14.2	Instrumentation	56
14.3	Acoustic measurements	57
14.4	Non-acoustic measurements	57
14.5	Data reduction	57
14.6	Uncertainty	57
14.7	Reporting	57
15	Reporting.....	57
15.1	Information to be reported.....	57
15.1.1	General	57
15.1.2	Description of the test scope and measurement concept.....	57
15.1.3	Characterization of the wind turbine(s)	58
15.1.4	Physical environment.....	58
15.1.5	Instrumentation.....	59
15.1.6	Data	59
15.1.7	Uncertainty	59
Annex A (informative)	Rating level	60
A.1	Rating of sound characteristics	60
A.2	Examples of adjustments to the determined sound pressure levels for tonal audibility	60
A.3	Examples of adjustments to the determined sound pressure levels for amplitude modulation.....	61
A.4	Examples of adjustments to the determined sound pressure levels for impulsivity	61
Annex B (informative)	Infrasound and wind turbines.....	62
Annex C (informative)	Low frequency sound evaluation	63
C.1	Outline	63
C.2	Standardised prediction approach	63
C.3	Data reduction	65
C.4	Uncertainty	65
C.5	Reporting	65
C.6	Examples of sound criteria in Scandinavian countries	66
C.6.1	Denmark.....	66

C.6.2	Sweden	66
Annex D (informative)	Examples for test plan and other considerations	67
D.1	General.....	67
D.2	Understanding the test scope and setting up a test plan – Example 1	67
D.3	Understanding the test scope and setting up a test plan – Example 2	67
D.4	Advantages and disadvantages of different measurement methodologies for L_p	68
D.4.1	Long term measurements of wind turbine operation without shut down	68
D.4.2	Short term measurements including periods of wind turbine operation and shut down	68
D.4.3	Long term measurements including periods of wind turbine operation and shut down	69
Annex E (informative)	Objective method for assessing the audibility of tones in sound – Survey method.....	70
Annex F (informative)	Data exclusion tools	71
F.1	General.....	71
F.2	General data exclusion tools and methods	71
Annex G (informative)	Amplitude modulation adaptations	73
G.1	General.....	73
G.2	Faster rotor speeds.....	73
G.3	Higher frequency bands	73
Annex H (informative)	Additional analysis tools.....	75
H.1	General.....	75
H.2	L_p tools.....	75
H.2.1	Using statistical descriptors to remove transient events	75
H.2.2	Band limited analysis	75
H.2.3	Identify periods of turbine-only noise	76
Annex I (informative)	Secondary wind screens, façade mounted microphone and proxy location.....	77
I.1	General.....	77
I.2	Oversize or secondary wind screens	77
I.3	Façade mounted microphone	77
I.4	Proxy location	78
Annex J (informative)	Sound emergence.....	79
J.1	General.....	79
J.2	Ambient sound	79
J.3	Particular sound.....	79
J.4	Background sound	79
J.5	Calculation of the “émergence” criterion $E(j)$	79
Annex K (informative)	Meteorological effects	80
K.1	Motivation	80
K.2	Reminder on ground-based sound sources	80
K.3	Sound sources at high heights	81
K.4	Meteorological conditions for acoustic measurements	82
K.4.1	General	82
K.4.2	Temperature gradient	82
K.4.3	Wind shear	82
K.4.4	Potential temperature difference	84

K.4.5	Cloud cover	84
K.4.6	3D sonic anemometers	84
K.4.7	SoDAR and LiDAR systems	85
K.4.8	Reanalysis weather data.....	85
K.4.9	Roughness length.....	85
K.5	Outlook.....	86
Annex L (informative)	ISO/TS 20065 implementation – Areas for further consideration	87
L.1	General.....	87
L.2	Combining 3 s tonal audibilities.....	87
L.3	Audibility threshold	87
L.4	Critical bands not centred on tones.....	88
Bibliography	89
Figure 1	– Power spectrum for a 10 s block	54
Figure A.1	– Examples of adjustments to the determined sound pressure levels for amplitude modulation	61
Table 1	– Example 1: Wind speed data categorization – Maximum sound power level emissions	25
Table 2	– Example 2: Wind speed data categorization – Maximum sound power level emissions	25
Table 3	– Examples of possible values of type B uncertainty components relevant for apparent sound power spectra	32
Table 4	– Quantities as required for analysis	35
Table 5	– ISO 9613-2 modelling parameters	40
Table 6	– Nord2000 modelling parameters.....	41
Table 7	– Upper tone search frequencies based on a range of distance and meteorological conditions	45
Table A.1	– Example of tonal adjustment K_T from the mean audibility ΔL	60
Table C.1	– Impedance class descriptions	64
Table C.2	– Equation coefficients for a rural setting at 70 % humidity and 10 °C.....	64
Table C.3	– Examples of façade insulation values ΔL_σ	65
Table C.4	– Low frequency measurements reporting table	66
Table C.5	– Z-weighted sound levels in individual 1/3-octave bands from 31,5 Hz to 200 Hz.....	66
Table K.1	– Example of wind speed at 10 m and 120 m considering different vertical profiles (alpha).....	83
Table K.2	– Example of shear factor (α) calculations considering wind speed measurements at 10 m and 120 m	84
Table K.3	– Roughness length	85

INTERNATIONAL ELECTROTECHNICAL COMMISSION

WIND ENERGY GENERATION SYSTEMS –**Part 11-2: Acoustic noise measurement techniques –
Measurement of wind turbine sound characteristics in receptor position**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC TS 61400-11-2 has been prepared by IEC technical committee 88: Wind energy generation systems. It is a Technical Specification.

The text of this Technical Specification is based on the following documents:

Draft	Report on voting
88/995/DTS	88/1009/RVDTS

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Specification is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 61400 series, published under the general title *Wind energy generation systems*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

The primary objective of this document is to establish uniform measurement and data analysis techniques to facilitate the evaluation of the A-weighted sound pressure level, or other acoustical properties, attributable to wind turbines at representative far-field locations. While this is a seemingly simple objective, wind turbines require wind to operate and the presence of wind complicates reliable acoustical measurements, either directly through wind induced microphone noise or indirectly through wind induced vegetative rustling sound. The presence of other common environmental sounds (planes, trains, road traffic, industrial, agricultural activities, etc.) can complicate or adversely influence the measured sound level. Owing to the distance of sound propagation, the meteorological conditions have a significant impact on the measurement results and the influence should be considered.

Given that the regulatory requirements and history vary from country to country (and even within the same country), this document does not dictate regulatory metrics, but provides guidance on how best to isolate the sound attributable to wind turbines alone in the presence of other environmental sounds. It also provides guidance for those whose regulatory history for wind or other sources require the evaluation of specific acoustical aspects that have historically been subject to highly varying methodologies. Some countries have substantial experience with wind turbines while other countries are new to the special requirements of wind turbine sound measurements. Both can find guidance on how to standardise their approaches.

In general, the document can be used by regulators and authorities, measurement laboratories, developers, operators and manufacturers for

- comparison with local regulation;
- comparison with guarantee values;
- where no tradition for regulations of wind turbine sound immissions is available it can be used to aid the decision process;
- assessment of the sound characteristics in wind turbine sound as well as the sound level.

WIND ENERGY GENERATION SYSTEMS –

Part 11-2: Acoustic noise measurement techniques – Measurement of wind turbine sound characteristics in receptor position

1 Scope

This part of IEC 61400-11 presents measurement procedures, that enable the sound characteristics of a wind turbine to be determined at receptor (immission) locations. This involves using measurement methods appropriate to sound immission assessment at far-field locations of a wind turbine or wind farm. The procedures described are different in some respects from those that would be used for noise assessment from other industrial sound sources in environmental noise impact assessments. They are intended to facilitate characterization of wind turbine sound with respect to a range of wind speeds and directions.

The procedures present methodologies that will enable the sound immission and sound characteristics of wind turbines to be described in a consistent and accurate manner. These procedures include the following aspects:

- location of acoustic measurement positions (receptor position);
- requirements for the acquisition of acoustic, meteorological, and associated wind turbine operational data;
- analysis of the data obtained and the content for the data report; and
- definition of specific acoustic parameters, and associated descriptors which are used for making environmental assessments.

This document is not restricted to wind turbines of a particular size or type. The procedures described in this document allow for the thorough description of the sound characteristics and sound immissions from wind turbines.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60942, *Electroacoustics – Sound calibrators*

IEC 61400-11:2012, *Wind turbines – Part 11: Acoustic noise measurement techniques*
IEC 61400-11:2012/AMD1:2018

IEC 61400-12-1, *Wind energy generation systems – Part 12-1: Power performance measurements of electricity producing wind turbines*

IEC 61672-1, *Electroacoustics – Sound level meters – Part 1: Specifications*

ISO 1996-2:2017, *Acoustics – Description, measurement and assessment of environmental noise – Part 2: Determination of sound pressure levels*