

# TECHNICAL SPECIFICATION

**Recommendations for small renewable energy and hybrid systems for rural electrification –  
Part 7-3: Generator set – Selection of generator sets for rural electrification systems**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

PRICE CODE

W

## CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references .....	8
3 Terms and definitions .....	9
4 Introduction to generator sets .....	11
4.1 Generator set system .....	11
4.2 Generator set application in rural electrification systems .....	11
4.3 Resource assessment .....	11
5 Selection and erection .....	12
5.1 General.....	12
5.2 Selection requirements.....	12
5.2.1 Power quality.....	12
5.2.2 Generator set sizing .....	12
5.2.3 Generator set type.....	14
5.2.4 Derating factors.....	14
5.2.5 Starting system.....	15
5.2.6 Control systems.....	15
5.2.7 Noise issues.....	15
5.2.8 Environmental issues.....	15
5.3 Erection.....	15
5.3.1 Shipping.....	15
5.3.2 Design of the erection site.....	16
5.3.3 Installation requirements .....	17
6 Safety.....	20
6.1 General.....	20
6.2 Electrical issues .....	20
6.2.1 General requirements.....	20
6.2.2 Connection system to the application.....	20
6.2.3 Power cables.....	21
6.2.4 Neutral system .....	21
6.2.5 Earthing.....	21
6.2.6 Overcurrent protection.....	21
6.2.7 Residual Current protection Device (RCD).....	22
6.2.8 Isolating devices.....	22
6.3 Mechanical issues.....	22
6.3.1 Vibration.....	22
6.3.2 Protection from mechanical damage .....	22
6.3.3 Protection from moving parts .....	22
6.4 Thermal issues.....	23
6.5 Fire risk.....	23
7 Acceptance .....	23
7.1 General.....	23
7.2 Conformity of the generator set to the identification file .....	23
7.3 Conformity of the generator set system to the GS.....	23
7.4 Acceptance process .....	23

7.4.1	Preparation of the generator set for commissioning .....	23
7.4.2	Commissioning inspection of the generator set system .....	24
7.4.3	Commissioning tests of the generator set system .....	24
7.4.4	Test file .....	25
8	Operation and maintenance .....	25
8.1	Access to the generator set .....	25
8.2	Operation process .....	25
8.3	Monitoring .....	26
8.4	Maintenance schedule .....	26
9	Replacement .....	26
10	Marking .....	27
10.1	Generator set .....	27
10.2	Engine .....	27
10.3	Alternator .....	27
10.4	Shutdown apparatus .....	28
11	Documentation .....	28
11.1	General .....	28
11.2	Installation .....	28
11.3	Operation .....	29
11.4	Inspection and maintenance .....	29
Annex A (informative)	Generator set classification criteria .....	30
Annex B (informative)	Identification file .....	34
Annex C (informative)	Maintenance schedule .....	35
Annex D (informative)	Example of commissioning records sheet .....	36
Bibliography	.....	38
Figure 1	General functional configuration of a generator set powered system .....	7
Table 1	Examples of derating factors for generator sets .....	14
Table 2	Generator set permitted noise levels .....	15
Table 3	Cross-section of power cables .....	21
Table A.1	Classification of generator set services .....	30
Table A.2	Common lifespan values .....	31
Table C.1	Example of maintenance schedule .....	35

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**RECOMMENDATIONS FOR SMALL RENEWABLE ENERGY  
AND HYBRID SYSTEMS FOR RURAL ELECTRIFICATION –****Part 7-3: Generator set –  
Selection of generator sets for rural electrification systems**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC 62257-7-3, which is a technical specification, has been prepared by IEC technical committee 82: Solar photovoltaic energy systems.

This document is based on IEC/PAS 62111; it cancels and replaces the relevant parts of IEC/PAS 62111.

This technical specification is to be used in conjunction with the future parts of this series as and when they are published.

The text of this technical specification is based on the following documents:

Enquiry draft	Report on voting
82/493/DTS	82/508/RVC

Full information on the voting for the approval of this technical specification can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of IEC 62257 series, under the general title: *Recommendations for small renewable energy and hybrid systems for rural electrification*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- transformed into an International standard;
- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

## INTRODUCTION

The IEC 62257 series of documents intends to provide to different players involved in rural electrification projects (such as project implementers, project contractors, project supervisors, installers, etc.) documents for the setting-up of renewable energy and hybrid systems with a.c. voltage below 500 V, d.c. voltage below 750 V and power below 100 kVA.

These documents are recommendations

- to choose the right system for the right place;
- to design the system;
- to operate and maintain the system.

These documents are focused only on rural electrification concentrating on, but not specific to, developing countries. They must not be considered as all-inclusive to rural electrification. The documents try to promote the use of renewable energies in rural electrification; they do not deal with clean development mechanisms at this time (CO<sub>2</sub> emission, carbon credit, etc.). Further developments in this field could be introduced in future steps.

This consistent set of documents is best considered as a whole with different parts corresponding to items for safety, sustainability of systems and at the lowest life-cycle cost possible. One of the main objectives is to provide the minimum sufficient requirements, relevant to the field of application, that is, small renewable energy and hybrid off-grid systems.

# RECOMMENDATIONS FOR SMALL RENEWABLE ENERGY AND HYBRID SYSTEMS FOR RURAL ELECTRIFICATION –

## Part 7-3: Generator set – Selection of generator sets for rural electrification systems

### 1 Scope


The purpose of this part of IEC 62257 is to specify the general requirements for the selection, sizing, erection and operation of generator sets in decentralized rural electrification systems.

It applies to all low voltage combustion engine electricity generator sets with a rated power up to 100 kVA, and designed for supplying electrical power to isolated sites used in systems as described in IEC/TS 62257-2.

This technical specification is not an exhaustive resource for the design, installation, operation or maintenance of generator sets but is more focused on recommendations to provide strategies on selection and criteria which may affect the use of such generation systems in a rural electrification project.

Two cases will be considered as illustrated by Figure 1 to power a collective electrification system (microgrid) or an individual electrification system.

- the micropowersystem is composed of one generator set
- the micropowersystem is a hybrid one and the generator set is only part of it. This case is addressed in the document dedicated to micropower system (IEC/TS 62257-9-1).



IEC 444/08

Figure 1 – General functional configuration of a generator set powered system

The aim of this technical specification is to provide users with the appropriate levels of reliability and safety of the equipment during its estimated service lifespan.

It describes the minimum safety requirements and does not claim to be an exhaustive instruction manual or design specification.

Compliance with this technical specification does not exempt any person, organization or corporation from the responsibility to comply with all other relevant regulations.

This technical specification gives recommendations for the following types of generator sets:

- a) single phase;
- b) three phase;
- c) LV range up to 500 V - 50/60 Hz (see IEC/TS 62257-9-2).

## 2 Normative references

The following referenced documents are essential for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60034-1, *Rotating electrical machines – Part 1: Rating and performance*

IEC 60034-9, *Rotating electrical machines – Part 9: Noise limits*

IEC 60034-22, *Rotating electrical machines – Part 22: AC generators for reciprocating internal combustion (RIC) engine driven generating sets*

IEC 60529, *Degrees of protection provided by enclosures (IP code)*

IEC 61009-1, *Residual current operated circuit-breakers with integral overcurrent protection for household and similar uses (RCBOs) – Part 1: General rules*

IEC/TS 62257-2:2004, *Recommendations for small renewable energy and hybrid systems for rural electrification – Part 2: From requirements to a range of electrification systems*

IEC/TS 62257-5, *Recommendations for small renewable energy and hybrid systems for rural electrification – Part 5: Protection against electric hazards*

IEC/TS 62257-6, *Recommendations for small renewable energy and hybrid systems for rural electrification – Part 6: Acceptance, operation, maintenance and replacement*

IEC/TS 62257-9-1<sup>1</sup>, *Recommendations for small renewable energy and hybrid systems for rural electrification – Part 9-1: Micropower systems*

IEC/TS 62257-9-2, *Recommendations for small renewable energy and hybrid systems for rural electrification – Part 9-2: Microgrid*

ISO 8528-1:2005, *Reciprocating internal combustion engine driven alternating current generating sets – Part 1: Application, ratings and performance*

ISO 8528-3:2005, *Reciprocating internal combustion engine driven alternating current generating sets – Part 3: Alternating current generators for generating sets*

<sup>1</sup> To be published.



ISO 8528-5, *Reciprocating internal combustion engine driven alternating current generating sets – Part 5: Generating sets*

ISO 8528-7:1994, *Reciprocating internal combustion engine driven alternating current generating sets – Part 7: Technical declarations for specification and design*

Withdrawn