



TECHNICAL SPECIFICATION

**Field Device Tool (FDT) Interface Specification –
Part 53-31: Communication implementation for CLI and HTML – IEC 61784 CP
3/1 and CP 3/2**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 25.040.40; 35.100.05; 35.110

ISBN 978-2-8327-0283-3

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	6
INTRODUCTION	8
1 Scope.....	9
2 Normative references.....	9
3 Terms, definitions, abbreviated terms and conventions.....	10
3.1 Terms and definitions.....	10
3.2 Abbreviated terms.....	11
3.3 Conventions.....	11
3.3.1 Data names and references to datatypes.....	11
3.3.2 Further conventions	11
3.3.3 Use of UML	11
4 Bus category.....	11
5 Access to instance, device and process data.....	12
5.1 General	12
5.2 IO signals provided by DTM.....	12
5.3 Data interfaces.....	12
5.3.1 General.....	12
5.3.2 Mapping of PROFIBUS datatypes to FDT datatypes	12
5.3.3 SemanticInfo	13
6 Protocol specific behaviour.....	16
6.1 PROFIBUS device model.....	16
6.2 Configuration and parameterization of PROFIBUS devices.....	17
6.2.1 General.....	17
6.2.2 Monolithic DTM for a modular PROFIBUS device	17
6.2.3 Composite DTM for a modular PROFIBUS device.....	17
6.3 Support for DP-V0 configuration.....	18
6.4 PROFIBUS slaves operating without a class 1 PROFIBUS master	18
6.5 PROFIBUS-related information of a slave DTM.....	19
6.5.1 General.....	19
6.5.2 PROFIBUS Network Data (PND).....	19
6.5.3 GSD Information	27
6.5.4 Process Data Items.....	29
7 Protocol-specific usage of general IEC TS 62453-43 datatypes	29
7.1 General datatypes	29
7.2 Protocol specific handling of the datatype STRING.....	29
8 Network management datatypes.....	30
8.1 General	30
8.2 Configuration	30
8.3 Process Data Items.....	31
8.4 Parameterization	31
9 Communication datatypes.....	31
9.1 General	31
9.2 ProfibusAbortMessage	31
9.3 DP-V0 Communication	32
9.3.1 General.....	32
9.3.2 Dpv0ConnectRequest.....	33

9.3.3	Dpv0ConnectResponse	34
9.3.4	Dpv0DisconnectRequest.....	34
9.3.5	Dpv0DisconnectResponse	35
9.3.6	Dpv0TransactionRequest.....	36
9.3.7	Dpv0TransactionResponse	40
9.4	DP-V1 Communication	46
9.4.1	Dpv1ConnectRequest.....	46
9.4.2	Dpv1ConnectResponse	47
9.4.3	Dpv1DisconnectRequest.....	48
9.4.4	Dpv1DisconnectResponse	49
9.4.5	Dpv1TransactionRequest.....	49
9.4.6	Dpv1TransactionResponse	51
9.5	Error information provided by Communication Channel.....	52
10	Datatypes for process data information	53
10.1	General	53
10.2	ProfibusIOSignalInfo	53
11	Device identification.....	54
11.1	General	54
11.2	ProfibusDeviceScanInfo datatype	55
11.2.1	General.....	55
11.2.2	Datatypes derived from ProfibusBaseScanInfo.....	56
11.3	ProfibusDeviceIdentInfo datatype	58
11.3.1	General.....	58
11.3.2	Datatypes derived from ProfibusBaseIdentInfo	60
11.4	Mapping of Information Source.....	62
	Bibliography.....	68
	Figure 1 – Relation of IEC TS 62453-53-31 to the IEC 62453 series	8
	Figure 2 – FDT PROFIBUS Device Model	16
	Figure 3 – ProfibusNetworkData.....	30
	Figure 4 – ProfibusAbortMessage	32
	Figure 5 – Dpv0ConnectRequest.....	33
	Figure 6 – Dpv0ConnectResponse	34
	Figure 7 – Dpv0DisconnectRequest.....	35
	Figure 8 – Dpv0DisconnectResponse	35
	Figure 9 – Dpv0ReadConfigurationDataRequest	36
	Figure 10 – Dpv0ReadDiagnosisDataRequest	37
	Figure 11 – Dpv0ReadInputDataRequest	37
	Figure 12 – Dpv0ReadOutputDataRequest.....	38
	Figure 13 – Dpv0ReadUserParameterRequest.....	39
	Figure 14 – Dpv0WriteOutputDataRequest.....	39
	Figure 15 – Dpv0WriteUserParameterRequest.....	40
	Figure 16 – Dpv0ReadConfigurationDataResponse.....	41
	Figure 17 – Dpv0ReadDiagnosisDataResponse.....	42
	Figure 18 – Dpv0ReadInputDataResponse.....	42
	Figure 19 – Dpv0ReadOutputDataResponse	43

Figure 20 – Dpv0ReadUserParameterResponse	44
Figure 21 – Dpv0WriteOutputDataResponse	45
Figure 22 – Dpv0WriteUserParameterResponse	45
Figure 23 – Dpv1ConnectRequest	46
Figure 24 – Dpv1ConnectResponse	47
Figure 25 – Dpv1DisconnectRequest	48
Figure 26 – Dpv1DisconnectResponse	49
Figure 27 – Dpv1ReadRequest	50
Figure 28 – Dpv1WriteRequest	50
Figure 29 – Dpv1ReadResponse	51
Figure 30 – Dpv1WriteResponse	52
Figure 31 – ProfibusIOSignalInfo	53
Figure 32 – ProfibusDeviceScanInfo	55
Figure 33 – Datatypes derived from ProfibusBaseScanInfo	57
Figure 34 – ProfibusDeviceIdentInfo	59
Figure 35 – Datatypes derived from ProfibusBaseIdentInfo	60
Table 1 – Mapping of datatypes	12
Table 2 – Usage of SemanticInfo	14
Table 3 – PROFIBUS Network Information	21
Table 4 – Language mapping of GSD file extensions	28
Table 5 – Protocol-specific sage of general datatypes	29
Table 6 – ProfibusAbortMessage datatype	32
Table 7 – Availability of services for Master Class 1 (C1)	32
Table 8 – Availability of services for Master Class 2 (C2)	33
Table 9 – Dpv0ConnectRequest datatype	34
Table 10 – Dpv0ConnectResponse datatype	34
Table 11 – Dpv0DisconnectRequest datatype	35
Table 12 – Dpv0DisconnectResponse datatype	35
Table 13 – Dpv0ReadConfigurationDataRequest datatype	36
Table 14 – Dpv0ReadDiagnosisDataRequest datatype	37
Table 15 – Dpv0ReadInputDataRequest datatype	38
Table 16 – Dpv0ReadOutputDataRequest datatype	38
Table 17 – Dpv0ReadUserParameterRequest datatype	39
Table 18 – Dpv0WriteOutputDataRequest datatype	40
Table 19 – Dpv0WriteUserParameterRequest datatype	40
Table 20 – Dpv0ReadConfigurationDataResponse datatype	41
Table 21 – Dpv0ReadDiagnosisDataResponse datatype	42
Table 22 – Dpv0ReadInputDataResponse datatype	43
Table 23 – Dpv0ReadOutputDataResponse datatype	43
Table 24 – Dpv0ReadUserParameterResponse datatype	44
Table 25 – Dpv0WriteOutputDataResponse datatype	45
Table 26 – Dpv0WriteUserParameterResponse datatype	46

Table 27 – Dpv1ConnectRequest datatype..... 47

Table 28 – Dpv1ConnectResponse datatype 48

Table 29 – Dpv1DisconnectRequest datatype..... 49

Table 30 – Dpv1DisconnectResponse datatype 49

Table 31 – Dpv1ReadRequest datatype 50

Table 32 – Dpv1WriteRequest datatype 51

Table 33 – Dpv1ReadResponse datatype..... 51

Table 34 – Dpv1WriteResponse datatype..... 52

Table 35 – ProfibusIOSignallInfo datatype 54

Table 36 – ProfibusDeviceScanInfo datatype..... 56

Table 37 – Datatypes derived from ProfibusBaseScanInfo 57

Table 38 – ProfibusDeviceIdentInfo datatype..... 59

Table 39 – Datatypes derived from ProfibusBaseIdentInfo 61

Table 40 – Profile specific mapping of identity information 63

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FIELD DEVICE TOOL (FDT) INTERFACE SPECIFICATION –

Part 53-31: Communication implementation for CLI and HTML – IEC 61784 CP 3/1 and CP 3/2

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC TS 62453-53-31 has been prepared by subcommittee 65E: Devices and integration in enterprise systems, of IEC technical committee 65: Industrial-process measurement, control and automation. It is a Technical Specification.

The text of this Technical Specification is based on the following documents:

Draft	Report on voting
65E/1110/DTS	65E/1161/RVDTS

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Specification is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts in the IEC 62453 series, published under the general title *Field device tool (FDT) interface specification*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

INTRODUCTION

This part of IEC 62453 is an interface specification for developers of Field Device Tool (FDT) components for function control and data access within a client/server architecture. The specification is a result of an analysis and design process to develop standard interfaces to facilitate the development of servers and clients by multiple vendors that need to interoperate seamlessly.

With the integration of fieldbuses into control systems, there are a few other tasks which need to be performed. In addition to fieldbus- and device-specific tools, there is a need to integrate these tools into higher-level system-wide planning or engineering tools. In particular, for use in extensive and heterogeneous control systems, typically in the area of the process industry, the unambiguous definition of engineering interfaces that are easy to use for all those involved is of great importance.

A device-specific software component, called Device Type Manager (DTM), is supplied by the field device manufacturer with its device. The DTM is integrated into engineering tools via the FDT interfaces defined in this specification. The approach to integration is in general open for all kind of fieldbuses and thus meets the requirements for integrating different kinds of devices into heterogeneous control systems.

Figure 1 shows how this part of the IEC 62453-53-xy series is aligned in the structure of the IEC 62453 series.




Figure 1 – Relation of IEC TS 62453-53-31 to the IEC 62453 series

FIELD DEVICE TOOL (FDT) INTERFACE SPECIFICATION –

Part 53-31: Communication implementation for CLI and HTML –

IEC 61784 CP 3/1 and CP 3/2

1 Scope

This part of the IEC 62453-53-xy series, which is a Technical Specification, provides information for integrating the PROFIBUS¹ technology into the CLI-based implementation of FDT interface specification (IEC TS 62453-43).

This document specifies implementation of communication and other services based on IEC 62453-303-1.

This document neither contains the FDT specification nor modifies it.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61158 (all parts), *Industrial communication networks – Fieldbus specifications*

IEC 61784 (all parts), *Industrial communication networks – Profiles*

IEC 62453-1, *Field device tool (FDT) interface specification – Part 1: Overview and guidance*

IEC 62453-2, *Field device tool (FDT) interface specification – Part 2: Concepts and detailed description*

IEC TS 62453-43, *Field device tool (FDT) interface specification – Part 43: Object model integration profile – CLI and HTML*

IEC 62453-303-1, *Field device tool (FDT) interface specification – Part 303-1: Communication profile integration – IEC 61784 CP 3/1 and CP 3/2*

¹ PROFIBUS™ is a trade name of the non-profit organization PROFIBUS Nutzerorganisation e.V. (PNO). This information is given for the convenience of users of this document and does not constitute an endorsement by IEC of the trade name holder or any of its products. Compliance to this document does not require use of the registered logos for PROFIBUS™. Use of the registered logos for PROFIBUS™ requires permission of PNO.