



IEC TS 62453-53-90

Edition 1.0 2025-04

# TECHNICAL SPECIFICATION

---

**Field Device Tool (FDT) Interface Specification –  
Part 53-90: Communication implementation for CLI and HTML – IEC 61784 CPF 9**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

---

ICS 25.040.40; 35.100.05; 35.110

ISBN 978-2-8327-0284-0

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references .....	8
3 Terms, definitions, abbreviated terms, symbols, and conventions .....	9
3.1 Terms, definitions abbreviated terms and symbols .....	9
3.2 Conventions.....	9
3.2.1 Datatype names and references to datatypes .....	9
3.2.2 Use of UML .....	9
4 Bus category .....	9
5 Access to instance, device and process data.....	10
5.1 General.....	10
5.2 IO signals provided by DTM.....	10
5.3 Data interfaces .....	11
5.3.1 General .....	11
5.3.2 Mapping HART datatypes to FDT datatypes .....	11
5.3.3 SemanticInfo .....	12
5.3.4 Data exposure using IDeviceData and IInstanceData interfaces .....	13
6 Protocol specific behaviour.....	18
6.1 Support of burst mode .....	18
6.2 Device addressing .....	19
6.3 Support of scanning.....	19
6.4 Support of extended command numbers .....	19
6.5 Support for handling of communication failures and time-outs.....	19
6.6 Support for handling of delayed responses .....	20
6.7 Buscategory HART_Basic.....	20
6.8 Support for topologies with mixed HART protocols.....	20
6.9 Support for nested communication structures with multiple gateways.....	20
6.10 Support for topologies with WirelessHART .....	20
6.11 Transparent gateways.....	20
6.11.1 General .....	20
6.11.2 Scenario 1 – Manual topology creation .....	21
6.11.3 Scenario 2 – Topology scan and add .....	21
7 Protocol specific usage of general datatypes .....	21
8 Protocol specific common datatypes.....	22
8.1 HartDeviceAddress datatype.....	22
8.2 HartDeviceIpAddress datatype.....	23
8.3 HartDeviceWirelessAddress datatype .....	24
9 Network management datatypes.....	25
10 Communication datatypes.....	25
10.1 General.....	25
10.2 HartConnectRequest datatype .....	25
10.3 HartConnectResponse datatype.....	26
10.4 HartLongAddress datatype.....	27
10.5 HartDisconnectRequest datatype .....	28
10.6 HartDisconnectResponse datatype .....	28

10.7	HartTransactionRequest datatype .....	29
10.8	HartTransactionResponse datatype .....	29
10.9	HartStatus datatype .....	30
10.10	HartAbortMessage datatype .....	30
10.11	HartSubscribeRequest datatype .....	31
10.12	HartSubscribeResponse datatype .....	31
10.13	HartUnsubscribeRequest datatype .....	32
10.14	HartUnsubscribeResponse datatype .....	32
11	Datatypes for process data information .....	33
11.1	General .....	33
11.2	HartIOSignalInfo datatype .....	33
12	Device identification .....	34
12.1	General .....	34
12.2	HartDeviceScanInfo datatype .....	34
12.3	HartDeviceIdentInfo datatype .....	38
12.4	Mapping of information source .....	39
	Bibliography .....	41
	Figure 1 – Relation of IEC TS 62453-53-90 to the IEC 62453 series .....	7
	Figure 2 – Structural information for device variables .....	16
	Figure 3 – Structural information for dynamic variables .....	17
	Figure 4 – Structural information for extended device status .....	18
	Figure 5 – Device-initiated data transfer with burst mode .....	19
	Figure 6 – Example with transparent adapters .....	21
	Figure 7 – HartDeviceAddress datatype .....	22
	Figure 8 – HartDeviceIpAddress datatype .....	23
	Figure 9 – HartDeviceWirelessAddress datatype .....	24
	Figure 10 – HartNetworkData datatype .....	25
	Figure 11 – HartConnectRequest datatype .....	26
	Figure 12 – HartConnectResponse datatype .....	27
	Figure 13 – HartDisconnectRequest datatype .....	28
	Figure 14 – HartDisconnectResponse datatype .....	28
	Figure 15 – HartTransactionRequest datatype .....	29
	Figure 16 – HartTransactionResponse datatype .....	29
	Figure 17 – HartAbortMessage datatype .....	30
	Figure 18 – HartSubscribeRequest datatype .....	31
	Figure 19 – HartSubscribeResponse datatype .....	31
	Figure 20 – HartUnsubscribeRequest datatype .....	32
	Figure 21 – HartUnsubscribeResponse datatype .....	32
	Figure 22 – HartIOSignalInfo datatype .....	33
	Figure 23 – HartDeviceScanInfo datatype .....	34
	Figure 24 – HartDeviceIdentInfo datatype .....	38
	Table 1 – Relation of BusCategories and supported features .....	9
	Table 2 – Output signal info within IOSignalInfo/HartIOSignalInfo .....	11

Table 3 – Mapping of basic datatypes .....	11
Table 4 – SemanticInfo attributes description.....	12
Table 5 – Basic Variables exported in IDeviceData and IInstanceData interfaces.....	13
Table 6 – Basic Variables exported only in IDeviceData interface .....	15
Table 7 – Protocol-specific usage of general datatypes.....	21
Table 8 – HartDeviceAddress datatype .....	22
Table 9 – HartDeviceIpAddress datatype .....	23
Table 10 – HartDeviceWirelessAddress datatype .....	24
Table 11 – HartNetworkData datatype .....	25
Table 12 – HartConnectRequest datatype.....	26
Table 13 – HartConnectResponse datatype .....	27
Table 14 – HartLongAddress datatype .....	27
Table 15 – HartDisconnectRequest datatype .....	28
Table 16 – HartDisconnectResponse datatype.....	28
Table 17 – HartTransactionRequest datatype .....	29
Table 18 – HartTransactionResponse datatype.....	30
Table 19 – HartStatus datatype.....	30
Table 20 – HartAbortMessage datatype .....	30
Table 21 – HartSubscribeRequest datatype .....	31
Table 22 – HartSubscribeResponse datatype.....	31
Table 23 – HartUnsubscribeRequest datatype .....	32
Table 24 – HartUnsubscribeResponse datatype.....	32
Table 25 – Usage of IOSignalInfo datatype .....	33
Table 26 – HartIOSignalInfo datatype .....	34
Table 27 – HartDeviceScanInfo datatype .....	35
Table 28 – Protocol specific mapping of scan information .....	36
Table 29 – HartDeviceIdentInfo datatype .....	38
Table 30 – Protocol specific mapping of identity information .....	39

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

## FIELD DEVICE TOOL (FDT) INTERFACE SPECIFICATION –

**Part 53-90: Communication implementation for CLI and HTML –  
IEC 61784 CPF 9**

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC TS 62453-53-90 has been prepared by subcommittee 65E: Devices and integration in enterprise systems, of IEC technical committee 65: Industrial-process measurement, control and automation. It is a Technical Specification.

The text of this Technical Specification is based on the following documents:

Draft	Report on voting
65E/1111/DTS	65E/1162/RVDTS

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Specification is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs). The main document types developed by IEC are described in greater detail at [www.iec.ch/standardsdev/publications](http://www.iec.ch/standardsdev/publications).

A list of all parts in the IEC 62453 series, published under the general title *Field device tool (FDT) interface specification*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under [webstore.iec.ch](http://webstore.iec.ch) in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.


## INTRODUCTION

This part of IEC 62453 is an interface specification for developers of Field Device Tool (FDT) components for function control and data access within a client/server architecture. The specification is a result of an analysis and design process to develop standard interfaces to facilitate the development of servers and clients by multiple vendors that need to interoperate seamlessly.

With the integration of fieldbuses into control systems, there are a few other tasks which need to be performed. In addition to fieldbus- and device-specific tools, there is a need to integrate these tools into higher-level system-wide planning or engineering tools. In particular, for use in extensive and heterogeneous control systems, typically in the area of the process industry, the unambiguous definition of engineering interfaces that are easy to use for all those involved is of great importance.

A device-specific software component, called Device Type Manager (DTM), is supplied by the field device manufacturer with its device. The DTM is integrated into engineering tools via the FDT interfaces defined in this specification. The approach to integration is in general open for all kind of fieldbusses and thus meets the requirements for integrating different kinds of devices into heterogeneous control systems.

Figure 1 shows how this part of the IEC 62453-53-xy series is aligned in the structure of the IEC 62453 series.



IEC

Figure 1 – Relation of IEC TS 62453-53-90 to the IEC 62453 series

## **FIELD DEVICE TOOL (FDT) INTERFACE SPECIFICATION –**

### **Part 53-90: Communication implementation for CLI and HTML – IEC 61784 CPF 9**

#### **1 Scope**

This part of the IEC 62453-53-xy series, which is a Technical Specification, provides information for integrating the HART®<sup>1</sup> technology into the CLI-based implementation of FDT interface specification (IEC TS 62453-43).

This document specifies implementation of communication and other services based on IEC 62453-309.

This document neither contains the FDT specification nor modifies it.

#### **2 Normative references**

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61784 (all parts), *Industrial communication networks – Profiles*

IEC 62453-1, *Field device tool (FDT) interface specification – Part 1: Overview and guidance*

IEC 62453-2, *Field device tool (FDT) interface specification – Part 2: Concepts and detailed description*

IEC TS 62453-43, *Field device tool (FDT) interface specification – Part 41: Object model integration profile – CLI and HTML*

IEC 62453-309:2022, *Field device tool (FDT) interface specification – Part 309: Communication profile integration – IEC 61784 CPF 9*

---

<sup>1</sup> HART® and WirelessHART® are trade names of products supplied by FieldComm Group. This information is given for convenience of users of this document and does not constitute an endorsement by IEC of the product named. Equivalent products may be used if they can be shown to lead to the same results.