

TECHNICAL SPECIFICATION



**Marine energy – Wave, tidal and other water current converters –
Part 10: Assessment of mooring system for marine energy converters (MECs)**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 27.140

ISBN 978-2-8322-4301-5

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	6
INTRODUCTION.....	8
1 Scope.....	9
2 Normative references.....	9
3 Terms and definitions	9
4 Abbreviated terms	10
5 Principal elements	10
5.1 General.....	10
5.2 Technology qualification.....	10
5.3 Safety and risk consideration.....	11
5.4 Safety levels	11
5.5 Design procedure.....	11
5.6 Inspection and maintenance requirements	11
6 Environmental and site conditions	11
6.1 General.....	11
6.2 Primary environmental conditions	12
6.3 Secondary environmental conditions.....	12
6.3.1 General	12
6.3.2 Marine growth	12
6.3.3 Seabed conditions	12
6.4 Site characteristics.....	12
6.4.1 General	12
6.4.2 Environmentally sensitive and protected areas and marine animals.....	12
6.4.3 Nearshore impact.....	12
6.4.4 Vandalism and misuse	13
6.4.5 Marine traffic.....	13
6.4.6 Shallow water conditions	13
7 Design load cases	13
7.1 General.....	13
7.2 Analysis procedure overview	13
7.3 Load categories	14
7.3.1 General	14
7.3.2 Dynamic analysis of MEC response to environmental conditions	15
7.3.3 Low frequency loads	15
7.3.4 Wave frequency loads on mooring components	15
7.3.5 Wave frequency loads on MEC.....	15
7.3.6 High frequency loading.....	16
7.4 Interaction with waves, currents, wind, water level and ice	16
7.4.1 General	16
7.4.2 Resonant response	17
7.4.3 Design return period for short term deployments.....	17
7.5 Mooring line components.....	17
7.5.1 General	17
7.5.2 Component strength.....	17
7.5.3 Component fatigue life	18

7.5.4	Redundancy.....	18
7.5.5	Clearance	18
7.6	Umbilical considerations.....	18
7.6.1	Umbilical response.....	18
7.6.2	Umbilical strength	18
7.6.3	Umbilical offset and clearance limits	18
7.7	Limit states	19
7.7.1	General	19
7.7.2	Ultimate limit state (ULS)	19
7.7.3	Accidental limit state (ALS)	19
7.7.4	Serviceability limit state (SLS).....	19
7.7.5	Fatigue limit state (FLS).....	19
7.7.6	Consequence class safety factors	20
7.7.7	Mooring component failure	20
7.7.8	Anchor holding capacity	20
7.7.9	Load case modelling and simulation	21
7.7.10	Design conditions.....	22
8	In-service inspection, monitoring, testing, and maintenance.....	32
8.1	General.....	32
8.2	Anchor proof loading	33
8.3	Component replacement.....	33
8.3.1	General	33
8.3.2	Fibre rope component inspection and replacement	33
8.3.3	Inspection and predictive procedures.....	33
8.4	In air and splash zone mooring line sections	34
8.5	Submerged mooring line sections	34
8.6	Commissioning and decommissioning procedures.....	35
Annex A	(informative) Moorings and anchoring systems	36
A.1	Types of moorings and anchoring systems.....	36
A.1.1	General	36
A.1.2	Mooring systems.....	36
A.2	Mooring line components.....	38
A.2.1	General	38
A.2.2	Chain.....	38
A.2.3	Wire rope.....	39
A.2.4	Synthetic rope.....	39
A.2.5	Elastic tethers	46
A.2.6	Clump weights	47
A.2.7	Buoyancy aids	47
A.2.8	Connectors and accessories.....	47
A.3	Anchors	48
A.3.1	General	48
A.3.2	Drag embedment anchor	48
A.3.3	Pile anchor	49
A.3.4	Suction anchor.....	49
A.3.5	Gravity installed anchor.....	50
A.3.6	Gravity anchor	51
A.3.7	Plate anchor	52
A.3.8	Screw and rock anchors	52

A.3.9	Type selection	53
A.3.10	Holding capacity	53
A.3.11	Sediment and rock conditions.....	54
A.3.12	Fluke setting	54
A.3.13	Installation	54
A.3.14	Proof loading	55
A.3.15	Directional anchor loading.....	55
A.3.16	Failure mode.....	55
A.3.17	Environmental loading.....	55
A.3.18	Failure point.....	55
Annex B (normative)	Safety and risk considerations	56
B.1	General.....	56
B.2	Risk.....	56
B.2.1	General	56
B.2.2	Definition	56
B.2.3	Consequence types.....	56
B.3	Risk assessment methodology.....	57
B.3.1	General	57
B.3.2	Methodology flowchart	57
B.4	Consequence considerations for mooring failure	59
B.5	Consequence classification	59
B.5.1	General	59
B.5.2	Consequence impact considerations.....	60
B.5.3	Risk mitigation considerations	61
B.5.4	Risk acceptance.....	61
Annex C (informative)	Numerical modelling considerations	63
C.1	General.....	63
C.2	Mooring, umbilical, and dynamic cable models.....	63
C.2.1	General	63
C.2.2	Static and catenary models	63
C.2.3	Discrete models	63
C.2.4	Floating unit numerical models	63
Bibliography	65
Figure 1	– Recommended conceptual mooring analysis procedure.....	14
Figure A.1	– Spread mooring configuration.....	36
Figure A.2	– Catenary anchor leg mooring configuration.....	37
Figure A.3	– Single anchor leg mooring configuration	37
Figure A.4	– Turret mooring configuration.....	38
Figure A.5	– Studless and studlink chain	38
Figure A.6	– Typical wire rope construction	39
Figure A.7	– Parallel yarn rope.....	41
Figure A.8	– Parallel core rope.....	41
Figure A.9	– Rope construction with 18+12+6+1 format	42
Figure A.10	– Three strand laid construction.....	42
Figure A.11	– Rope with 8 plait braid construction	43
Figure A.12	– Rope with braid on braid construction	43

Figure A.13 – Types of connectors	48
Figure A.14 – Drag embedment anchor	49
Figure A.15 – Pile anchor.....	49
Figure A.16 – Suction anchor	50
Figure A.17 – Gravity installed torpedo anchor	51
Figure A.18 – Gravity installed anchor with rotating load arm	51
Figure A.19 – Gravity anchor.....	52
Figure A.20 – Suction or pile driven plate anchor.....	52
Figure A.21 – Screw anchor	53
Figure A.22 – Rock anchor.....	53
Figure B.1 – General risk methodology flowchart	58
Table 1 – Potential nearshore impacts.....	13
Table 2 – Combinations of uncorrelated extreme events	17
Table 3 – Consequence class associated safety factors for dynamic analysis techniques.....	20
Table 4 – Safety factors for holding capacity of drag anchors.....	21
Table 5 – Safety factors for holding capacity of anchor piles and suction piles	21
Table 6 – Safety factors for holding capacity of gravity and plate anchors	21
Table 7 – Design load cases for WECs.....	24
Table 8 – Design load cases for CECs	26
Table A.1 – Generalized comparison of mooring line material characteristics	40
Table A.2 – Properties for selection of synthetic fibre	44
Table A.3 – Generalized comparison of common rope relevant material properties.....	44
Table B.1 – Consequence categories	59

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**MARINE ENERGY –
WAVE, TIDAL AND OTHER WATER CURRENT CONVERTERS –****Part 10: Assessment of mooring system
for marine energy converters (MECs)**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC TS 62600-10 has been prepared by IEC technical committee 114: Marine energy – Wave, tidal and other water current converters. It is a Technical Specification.

This second edition cancels and replaces the first edition published in 2015. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Added specific Design Load Cases in alignment with 62600-2.
- b) Added additional robustness check requirements.
- c) Rearranged document for ease of use and alignment with 62600-2.
- d) Added additional informative clauses on mooring materials.

The text of this Technical Specification is based on the following documents:

Draft	Report on voting
114/390/DTS	114/395/RVDTS
	114/395A/RVDTS

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

A list of all parts in the IEC 62600 series, published under the general title *Marine energy – Wave, tidal and other water current converters*, can be found on the IEC website.

The language used for the development of this Technical Specification is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This document defines rules and assessment procedures for the design, installation and maintenance of mooring system with respect to technical requirements for floating marine energy converters.

The proposed work aims to bring together expert knowledge from the marine energy power and offshore engineering industries in order to formulate a guideline specification of the design, installation and maintenance requirements for mooring system of floating Marine Energy Converters.

In addition to safety and ocean environmental requirements, this document focuses on the strength requirements of mooring systems for Marine Energy Converters.

MARINE ENERGY – WAVE, TIDAL AND OTHER WATER CURRENT CONVERTERS –

Part 10: Assessment of mooring system for marine energy converters (MECs)

1 Scope

The purpose of this document is to provide uniform methodologies for the design and assessment of mooring systems for floating Marine Energy Converters (MECs) (as defined in the TC 114 scope). It is intended to be applied at various stages, from mooring system assessment to design, installation and maintenance of floating Marine Energy Converters plants.

This document is applicable to mooring systems for floating Marine Energy Converters units of any size or type in any open water conditions. Some aspects of the mooring system design process are more detailed in existing and well-established mooring standards. The intent of this document is to highlight the different requirements of Marine Energy Converters and not duplicate existing standards or processes.

While requirements for anchor holding capacity are indicated, detailed geotechnical analysis and design of anchors are beyond the scope of this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC TS 62600-1: 2020, *Marine energy – Wave, tidal and other water current converters – Part 1: Vocabulary*

IEC TS 62600-2:2019, *Marine energy - Wave, tidal and other water current converters - Part 2: Marine energy systems - Design requirements*

IEC TS 62600-4:2020, *Marine energy – Wave, tidal and other water current converters – Part 4: Specification for establishing qualification of new technology*