



TECHNICAL SPECIFICATION

**Marine energy – Wave, tidal and other water current converters –
Part 301: River energy resource assessment**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 27.140

ISBN 978-2-8322-7273-2

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

| | |
|--|----|
| FOREWORD..... | 4 |
| INTRODUCTION..... | 6 |
| 1 Scope..... | 7 |
| 2 Normative references | 7 |
| 3 Terms and definitions | 8 |
| 4 Symbols, units and abbreviated terms | 9 |
| 4.1 Symbols and units..... | 9 |
| 4.2 Abbreviated terms..... | 9 |
| 5 Methodology overview | 10 |
| 5.1 Study classification | 10 |
| 5.2 Project location identification | 10 |
| 5.3 Resource definition | 10 |
| 5.4 Methodology | 10 |
| 5.4.1 General | 10 |
| 5.4.2 Flow duration curves | 11 |
| 5.4.3 Velocity duration curves..... | 11 |
| 5.4.4 Energy production | 14 |
| 6 Flow Duration Curves | 14 |
| 6.1 General..... | 14 |
| 6.2 Measurement-based Flow Duration Curve..... | 14 |
| 6.3 Hydrologic modelling..... | 15 |
| 6.3.1 General | 15 |
| 6.3.2 Stochastic modelling..... | 15 |
| 6.3.3 Deterministic modelling..... | 16 |
| 6.4 Computing Flow Duration Curves | 17 |
| 7 Velocity Duration Curves | 19 |
| 7.1 General..... | 19 |
| 7.2 Measurement-based Velocity Duration Curve..... | 19 |
| 7.3 Hydrodynamic-model-based Velocity Duration Curve | 21 |
| 7.3.1 General | 21 |
| 7.3.2 Model selection | 21 |
| 7.3.3 Model domain | 22 |
| 7.3.4 Grid resolution..... | 22 |
| 7.3.5 Model inputs | 23 |
| 7.3.6 Boundary conditions and forcing..... | 24 |
| 7.3.7 Field-data requirements | 24 |
| 7.3.8 Velocity measurements..... | 25 |
| 7.3.9 Calibration | 25 |
| 7.3.10 Validation | 26 |
| 7.3.11 Energy extraction..... | 26 |
| 7.3.12 Computation of model-based velocities..... | 27 |
| 7.3.13 Calculating the Velocity Duration Curve..... | 28 |
| 8 Reporting requirements | 29 |
| 8.1 General..... | 29 |
| 8.2 Technical report..... | 30 |
| 8.2.1 General | 30 |

| | | |
|--------------|--|----|
| 8.2.2 | Development of the Flow Duration Curve | 30 |
| 8.2.3 | Development of the Velocity Duration Curve | 31 |
| 8.2.4 | AEP calculation | 31 |
| 8.2.5 | Additional reporting | 31 |
| 8.3 | Digital database | 32 |
| 8.4 | Test equipment report | 32 |
| 8.5 | Measurement procedure report | 32 |
| 8.6 | Deviations from the procedure | 32 |
| Annex A | (normative) Guidelines for field data measurements | 33 |
| A.1 | Bathymetry | 33 |
| A.2 | Water level | 33 |
| A.3 | Discharge | 33 |
| A.3.1 | General | 33 |
| A.3.2 | Stage-discharge relationship | 34 |
| A.4 | Current profiler measurements | 34 |
| A.4.1 | General | 34 |
| A.4.2 | Fixed-location velocity profile | 34 |
| A.4.3 | Discharge and velocity transect survey | 35 |
| A.4.4 | Instrument configuration | 35 |
| A.4.5 | Correcting for clock drift | 36 |
| A.4.6 | Depth quality control | 36 |
| A.4.7 | Velocity quality control | 36 |
| A.5 | Turbulence | 36 |
| Annex B | (informative) Calculation of energy production | 37 |
| B.1 | General | 37 |
| B.2 | Energy production | 37 |
| Annex C | (normative) Evaluation of uncertainty | 39 |
| C.1 | General | 39 |
| C.2 | Uncertainty analysis | 39 |
| C.3 | Modelling uncertainty | 40 |
| Bibliography | | 41 |
| Figure 1 | – Flowchart outlining the methodology for a resource assessment | 12 |
| Figure 2 | – Types of hydrologic models for simulating discharge | 15 |
| Figure 3 | – Example FDC (curve) and assumed non-uniform discretisation (circles) | 18 |
| Figure 4 | – Example REC power-weighted speed versus discharge relationship using discretised discharge values (circles) in Figure 3 | 28 |
| Figure 5 | – Example VDC using the transfer function derived from the curve fit shown in Figure 4 and the full FDC shown in Figure 3 | 29 |
| Figure B.1 | – Power exceedance probabilities | 37 |
| Table 1 | – Outline of measurements | 13 |
| Table C.1 | – List of uncertainty components | 40 |

INTERNATIONAL ELECTROTECHNICAL COMMISSION

MARINE ENERGY – WAVE, TIDAL AND OTHER WATER CURRENT CONVERTERS –

Part 301: River energy resource assessment

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC TS 62600-301, which is a technical specification, has been prepared by IEC technical committee 114: Marine energy – Wave, tidal and other water current converters.

The text of this technical specification is based on the following documents:

| | |
|---------------|------------------|
| Enquiry draft | Report on voting |
| 114/285/DTS | 114/301/RVDTS |

Full information on the voting for the approval of this technical specification can be found in the report on voting indicated in the above table.

A list of all parts in the IEC 62600 series, published under the general title *Marine energy - Wave, tidal and other water current converters*, can be found on the IEC website.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be:

- transformed into an International standard,
- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

INTRODUCTION

The extraction of energy from flowing water in rivers and canals is gaining acceptance around the world as a means of generating electricity without the use of conventional hydropower dams. The purpose of this document is to provide a uniform methodology that will ensure consistency and accuracy in the estimation, measurement, characterisation, and analysis of the river-velocity resource at sites that could be suitable for the installation of an individual or array of River Energy Converters (RECs), together with defining a standardised methodology with which this resource can be described and reported. Application of the estimation, measurement, and analysis techniques recommended in this document will ensure that resource assessment is undertaken in a consistent and equitable manner. This document presents techniques that are expected to provide fair and suitably accurate results that can be replicated by others. This document is intended to be updated as understanding of the resource and its response to power extraction improves.

The overall goal of the methodology is to enable calculation of the Annual Energy Production (AEP) for the proposed individual or array of river energy converters either as part of a feasibility study (generic river energy converter) or a full study. For the full study, this methodology is employed in conjunction with IEC TS 62600-300 applied at each river energy converter location. Consistency is also maintained with IEC TS 62600-201 wherever possible.

In this document, the river energy resource (undisturbed or disturbed by power extraction) is defined by the velocity duration curve. This document describes only the aspects of the resource required to calculate the velocity duration curve and it does not describe aspects of the resource required to evaluate design loads or to satisfy environmental regulations. Furthermore, this document is not intended to cover every eventuality that may be relevant for a particular project. Therefore, this document assumes that the user has access to, and reviews, other relevant IEC documentation before undertaking work (e.g., surveys and modelling), which could also satisfy other requirements.

MARINE ENERGY – WAVE, TIDAL AND OTHER WATER CURRENT CONVERTERS –

Part 301: River energy resource assessment

1 Scope

This part of IEC 62600 provides:

- Methodologies that ensure consistency and accuracy in the determination of the theoretical river energy resource at sites that may be suitable for the installation of River Energy Converters (RECs);
- Methodologies for producing a standard current speed distribution based on measured, historical, or numerical data, or a combination thereof, to be used in conjunction with an appropriate river energy power performance assessment;
- Allowable data collection methods and/or modelling techniques; and
- A framework for reporting results.

The document explicitly excludes:

- Technical or practical resource assessments;
- Resource characterisation;
- Power performance assessment of river energy converters; and
- Environmental impact studies, assessments, or similar.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC TS 62600-1, *Marine energy – Wave, tidal and other water current converters – Part 1: Terminology*

IEC TS 62600-201, *Marine energy – Wave, tidal and other water current converters – Part 201: Tidal energy resource assessment and characterization*

IEC TS 62600-300, *Marine energy – Wave, tidal and other water current converters – Part 300: Electricity producing river energy converters – Power performance assessment*

ISO 1100-2:2010, *Hydrometry – Measurement of liquid flow in open channels – Part 2: Determination of the stage-discharge relationship*

ISO 9825:2005, *Hydrometry – Field measurement of discharge in large rivers and rivers in flood*

ISO 15769:2010, *Hydrometry – Guidelines for the application of acoustic velocity meters using the Doppler and echo correlation methods*

ISO 18365:2013, *Hydrometry – Selection, establishment and operation of a gauging station*

ISO TS 19130-2:2014, *Geographic information – Imagery sensor models for geopositioning – Part 2: SAR, InSAR, lidar and sonar*

ISO TR 24578:2012 *Hydrometry – Acoustic Doppler profiler – Method and application for measurement of flow in open channels*

ISO/IEC 98-1:2009, *Uncertainty of measurement – Part 1: Introduction to the expression of uncertainty in measurement*

ISO/IEC 98-3:2008, *Uncertainty of measurement – Part 3: Guide to the expression of uncertainty in measurement (GUM: 1995)*

IHO (International Hydrographic Organisation), 2008, *Standards for Hydrographic Surveys. Special Publication No. 44. 5th Edition*

ICES, 2006, *Guidelines for Multibeam Echosounder Data*