

IEC TS 62898-2

Edition 1.1 2023-11 CONSOLIDATED VERSION

TECHNICAL SPECIFICATION



Microgrids -

Part 2: Guidelines for operation

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 29.240.01 ISBN 978-2-8322-7826-0

Warning! Make sure that you obtained this publication from an authorized distributor.





Edition 1.1 2023-11 CONSOLIDATED VERSION

REDLINE VERSION



Microgrids -

Part 2: Guidelines for operation



CONTENTS

F	FOREWORD4				
IN	TRODU	JCTION	6		
1	Scop	oe	7		
2	Norn	native references	7		
3	Term	ns and definitions	8		
4	Operation modes				
	4.1	General			
	4.2	Non-isolated microgrid			
	4.2.1	· · · · · · · · · · · · · · · · · · ·			
	4.2.2				
	4.2.3	B Island mode	14		
	4.2.4	Mode transfer of non-isolated microgrids	14		
	4.3	Isolated microgrid	15		
	4.3.1	General	15		
	4.3.2	Structure of the isolated microgrids	15		
	4.3.3	Noltage response characteristics	16		
	4.3.4	Frequency response characteristics	16		
5	Cont	rol of microgrids	16		
	5.1	General	16		
	5.2	Control of the non-isolated microgrid	19		
	5.2.1	Control of the grid-connected mode	19		
	5.2.2	Control of the island mode	20		
	5.3	Control of the isolated microgrid			
6	Com	munication and monitoring	23		
	6.1	General	23		
	6.2	Communications of microgrids	23		
	6.2.1				
	6.2.2	3 , 3			
	6.2.3	- 9			
	6.3	Monitoring the DER			
	6.4	Monitoring the switching devices for non-isolated microgrids			
_	6.5	Monitoring the switching devices for isolated microgrids			
7		trical energy storage			
	7.1	General			
	7.2	EES in non-isolated microgrids			
	7.2.1	1			
	7.2.2	•			
	7.2.3	'			
0	7.3	EES management			
8		ection principle for microgrids			
	8.1	General			
	8.2	Principle for protection in a non-isolated microgrid			
	8.3	Reclosing with synchronization in a non-isolated microgrid			
0	8.4 Dow	Principle for protection in an isolated microgrid			
9		er quality and EMC of microgrids			
	9.1	Power quality in non-isolated microgrids	27		

9.2	Power quality in isolated microgrids	27
9.3	EMC in microgrids	27
10 Main	tenance and test of microgrids	28
10.1	General	28
10.2	Maintenance	28
10.3	Test	28
	(informative) Business use case A: Improving reliability and securing the upply by islanding	29
Annex B renewabl	(informative) Business use case B: Electrifying remote areas and using e energy sources	32
Annex C	(informative) Business use case C: Reducing energy costs for microgrid	
Annex D	(informative) Business use case D: Optimizing local resources to provide to the grid/disaster preparedness	
Annex E	(informative) Example of power factor requirements cited in some standards	37
Bibliogra	phy	38
Figure 1	– Example for a non-isolated microgrid	18
Figure 2	– Example for an isolated microgrid	19
Figure 3	- The P-f control in isolated microgrid	22
	1 – One of the actual examples of mainly-isolated microgrids used for	33
	1 – Principle scheme of customer energy management and information	35
Table 4	Example for the included microgrid frequency recogning of 50 Uz	0.0
	Example for the isolated microgrid frequency response of 50 Hz	
Table F 1	- Power factor requirements	37

INTERNATIONAL ELECTROTECHNICAL COMMISSION

MICROGRIDS -

Part 2: Guidelines for operation

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC TS 62898-2 edition 1.1 contains the first edition (2018-09) [documents 8B/3/DTS and 8B/13B/RVDTS] and its amendment 1 (2023-11) [documents 8B/164/DTS and 8B/195/RVDTS].

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendment 1. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.

IEC TS 62898-2:2018+AMD1:2023 CSV - 5 - © IEC 2023

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC TS 62898-2, which is a technical specification, has been prepared by subcommittee 8B: Decentralized Electrical Energy Systems, of IEC technical committee 8: Systems aspects of electrical energy supply.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62898 series, published under the general title *Microgrids*, can be found on the IEC website.

The committee has decided that the contents of this document and its amendment will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- · replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

Microgrids can serve different purposes depending on the primary objectives of their applications. They are usually seen as means to facilitate the management of grid contingency and the local optimization of energy supply by controlling distributed energy resources (DER). Microgrids also present a way to provide electricity supply in remote areas and to use clean and renewable energy as a systemic approach for rural electrification.

IEC TS 62898 series is intended to provide with comprehensive guidelines and requirements for microgrid projects.

IEC TS 62898-1 mainly covers the following issues:

- 1) determination of microgrid purposes and application;
- 2) preliminary study necessary for microgrid planning, including resource analysis, load forecast, DER planning and power system planning;
- 3) principles of microgrid technical requirements that should be specified during planning stage;
- 4) microgrid evaluation to select an optimal microgrid planning scheme.

IEC TS 62898-2 mainly covers the following issues:

- a) response characteristic requirements of microgrids under different operation modes;
- b) the basic control strategies and methods under different operation modes;
- c) the requirements of electrical energy storage (EES), communication and monitoring under different operation modes;
- d) the principle of relay protection under different operation modes;
- e) basic requirements of synchronization and reclosing during mode transfer;
- f) principle for power quality, EMC, maintenance and test of microgrid.

Microgrids can be stand-alone or be the sub-system of the smart grid. The technical requirements in this document are intended to be consistent and in line with:

- system requirements from IEC System Committee Smart Energy (e.g. Use Cases "microgrid" to come);
- IEC 62786 requirements for connection of generators intended to be operated in parallel with the grid;
- basic rules from IEC TC 64 and TC 99 for safety and quality of power distribution within installations (essentially through coordination of protective devices in the different operation modes);
- IEC TS 62257 series (IEC TC 82) with respect to rural electrification;
- IEC TS 62749 with respect to power quality.

MICROGRIDS -

Part 2: Guidelines for operation

1 Scope

The purpose of this document is to provide guidelines for operation of microgrids. Microgrids considered in this document are alternating current (AC) electrical systems with loads and distributed energy resources (DER) at low or medium voltage level. This document does not cover direct current (DC) microgrids.

Microgrids are classified into isolated microgrids and non-isolated microgrids.

Isolated microgrids have no electrical connection to a larger electric power system and operate in island mode only.

Non-isolated microgrids may act as controllable units to the electric power system and can operate in the following two modes:

- grid-connected mode;
- island mode.

The 62898 series is intended to provide guidelines and the basic technical requirements to ensure the security, reliability and stability of microgrids.

IEC TS 62898-2 applies to operation and control of microgrids, including:

- operation modes and mode transfer;
- energy management system (EMS) and control of microgrids;
- communication and monitoring procedures;
- · electrical energy storage;
- protection principle covering: principle for non-isolated microgrid, isolated microgrid, antiislanding, synchronization and reclosing, power quality;
- commissioning, maintenance and test.

NOTE 1 Safety for personnel is outside the scope of this document, and such information is referred to in IEC TC 64 and TC 99 publications.

NOTE 2 Local laws and regulations can overrule the requirements of this document.

NOTE 3 The principles for main types of protections in microgrid, fault analysis for converter type and rotating machines type, protection type selection, general technical requirements, setting value principles and so forth are intended to be developed in IEC TS 62898-3-1¹.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

Under preparation. Stage at the time of publication: IEC/CD TS 62898-3-1:2018.

IEC TR 61000-1-7:2016, Electromagnetic compatibility (EMC) – Part 1-7: General – Power factor in single-phase systems under non-sinusoidal conditions

IEC 61000-4-7:2002, Electromagnetic compatibility (EMC) – Part 4-7: Testing and measurement techniques – General guide on harmonics and interharmonics measurements and instrumentation, for power supply systems and equipment connected thereto IEC 61000-4-7:2002/AMD1:2008

IEC 61000-4-30:200822015, Electromagnetic compatibility (EMC) – Part 4-30: Testing and measurement techniques – Power quality measurement techniques

IEC 61968-1:2020, Application integration at electric utilities – System interfaces for distribution management – Part 1: Interface architecture and general recommendations

IEC 61850-3:2013, Communication networks and systems for power utility automation – Part 3: General requirements

IEC 61850-4:2011, Communication networks and systems for power utility automation – Part 4: System and project management

IEC 61850-5:2013, Communication networks and systems for power utility automation – Part 5: Communication requirements for functions and device models

IEC TS 62749:2020, Assessment of power quality – Characteristics of electricity supplied by public networks

IEC TS 62786:2017, Distributed energy resources connection with the grid

IEC TS 62898-1, Microgrids – Part 1: Guidelines for microgrid projects planning and specification

² This 2nd edition was replaced in 2015 by a 3rd Edition.



IEC TS 62898-2

Edition 1.1 2023-11 CONSOLIDATED VERSION

FINAL VERSION



Microgrids -

Part 2: Guidelines for operation



CONTENTS

FC	FOREWORD4					
IN	INTRODUCTION6					
1	Scop	e	7			
2	Norm	Normative references				
3	Term	Terms and definitions8				
4	Oper	Operation modes				
	4.1	General	. 13			
	4.2	Non-isolated microgrid	. 13			
	4.2.1	General	. 13			
	4.2.2	Grid-connected mode	.13			
	4.2.3	Island mode	. 13			
	4.2.4	9				
	4.3	Isolated microgrid				
	4.3.1	General	. 15			
	4.3.2	3				
	4.3.3	ŭ i				
_	4.3.4	' ' '				
5	Cont	rol of microgrids				
	5.1	General				
	5.2	Control of the non-isolated microgrid				
	5.2.1	- 3				
	5.2.2					
_	5.3	Control of the isolated microgrid				
6		munication and monitoring				
	6.1	General				
	6.2	Communications of microgrids				
	6.2.1					
	6.2.2 6.2.3	• · · · · · · · · · · · · · · · · · · ·				
	6.3	Communications inside the microgrids				
	6.4	Monitoring the switching devices for non-isolated microgrids				
	6.5	Monitoring the switching devices for isolated microgrids				
7		rical energy storage				
•	7.1	General				
	7.1	EES in non-isolated microgrids				
	7.2.1	Requirements for EES in grid-connected mode				
	7.2.2	•				
	7.2.3	·				
	7.3	EES management				
8		ection principle for microgrids				
	8.1	General				
	8.2	Principle for protection in a non-isolated microgrid				
	8.3	Reclosing with synchronization in a non-isolated microgrid				
	8.4	Principle for protection in an isolated microgrid				
9	Powe	er quality and EMC of microgrids				
	9.1	Power quality in non-isolated microgrids	.26			

9.2	Power quality in isolated microgrids	26		
9.3	EMC in microgrids	26		
10 Maii	ntenance and test of microgrids	27		
10.1	General	27		
10.2	Maintenance	27		
10.3	Test	27		
	(informative) Business use case A: Improving reliability and securing the upply by islanding	28		
Annex B renewab	(informative) Business use case B: Electrifying remote areas and using le energy sources	31		
Annex C	(informative) Business use case C: Reducing energy costs for microgrid			
Annex D	(informative) Business use case D: Optimizing local resources to provide to the grid/disaster preparedness			
	(informative) Example of power factor requirements cited in some standards			
Bibliogra	phy	37		
Figure 1	– Example for a non-isolated microgrid	17		
Figure 2	– Example for an isolated microgrid	18		
Figure 3	- The P-f control in isolated microgrid	21		
Figure B	Figure B.1 – One of the actual examples of mainly-isolated microgrids used for electrification in far rural area			
	.1 – Principle scheme of customer energy management and information e with upstream grid	34		
Table 1 -	- Example for the isolated microgrid frequency response of 50 Hz	21		
	1 – Power factor requirements	21		
Table E	I = FOWELTAGOOTEGUUEUUS	.71		

INTERNATIONAL ELECTROTECHNICAL COMMISSION

MICROGRIDS -

Part 2: Guidelines for operation

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

IEC TS 62898-2 edition 1.1 contains the first edition (2018-09) [documents 8B/3/DTS and 8B/13B/RVDTS] and its amendment 1 (2023-11) [documents 8B/164/DTS and 8B/195/RVDTS].

This Final version does not show where the technical content is modified by amendment 1. A separate Redline version with all changes highlighted is available in this publication.

IEC TS 62898-2:2018+AMD1:2023 CSV - 5 - © IEC 2023

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC TS 62898-2, which is a technical specification, has been prepared by subcommittee 8B: Decentralized Electrical Energy Systems, of IEC technical committee 8: Systems aspects of electrical energy supply.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62898 series, published under the general title *Microgrids*, can be found on the IEC website.

The committee has decided that the contents of this document and its amendment will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- · replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

Microgrids can serve different purposes depending on the primary objectives of their applications. They are usually seen as means to facilitate the management of grid contingency and the local optimization of energy supply by controlling distributed energy resources (DER). Microgrids also present a way to provide electricity supply in remote areas and to use clean and renewable energy as a systemic approach for rural electrification.

IEC TS 62898 series is intended to provide with comprehensive guidelines and requirements for microgrid projects.

IEC TS 62898-1 mainly covers the following issues:

- 1) determination of microgrid purposes and application;
- 2) preliminary study necessary for microgrid planning, including resource analysis, load forecast, DER planning and power system planning;
- 3) principles of microgrid technical requirements that should be specified during planning stage;
- 4) microgrid evaluation to select an optimal microgrid planning scheme.

IEC TS 62898-2 mainly covers the following issues:

- a) response characteristic requirements of microgrids under different operation modes;
- b) the basic control strategies and methods under different operation modes;
- c) the requirements of electrical energy storage (EES), communication and monitoring under different operation modes;
- d) the principle of relay protection under different operation modes;
- e) basic requirements of synchronization and reclosing during mode transfer;
- f) principle for power quality, EMC, maintenance and test of microgrid.

Microgrids can be stand-alone or be the sub-system of the smart grid. The technical requirements in this document are intended to be consistent and in line with:

- system requirements from IEC System Committee Smart Energy (e.g. Use Cases "microgrid" to come);
- IEC 62786 requirements for connection of generators intended to be operated in parallel with the grid;
- basic rules from IEC TC 64 and TC 99 for safety and quality of power distribution within installations (essentially through coordination of protective devices in the different operation modes);
- IEC TS 62257 series (IEC TC 82) with respect to rural electrification;
- IEC TS 62749 with respect to power quality.

MICROGRIDS -

Part 2: Guidelines for operation

1 Scope

The purpose of this document is to provide guidelines for operation of microgrids. Microgrids considered in this document are alternating current (AC) electrical systems with loads and distributed energy resources (DER) at low or medium voltage level. This document does not cover direct current (DC) microgrids.

Microgrids are classified into isolated microgrids and non-isolated microgrids.

Isolated microgrids have no electrical connection to a larger electric power system and operate in island mode only.

Non-isolated microgrids may act as controllable units to the electric power system and can operate in the following two modes:

- grid-connected mode;
- island mode.

The 62898 series is intended to provide guidelines and the basic technical requirements to ensure the security, reliability and stability of microgrids.

IEC TS 62898-2 applies to operation and control of microgrids, including:

- operation modes and mode transfer;
- energy management system (EMS) and control of microgrids;
- communication and monitoring procedures;
- · electrical energy storage;
- protection principle covering: principle for non-isolated microgrid, isolated microgrid, antiislanding, synchronization and reclosing, power quality;
- commissioning, maintenance and test.

NOTE 1 Safety for personnel is outside the scope of this document, and such information is referred to in IEC TC 64 and TC 99 publications.

NOTE 2 Local laws and regulations can overrule the requirements of this document.

NOTE 3 The principles for main types of protections in microgrid, fault analysis for converter type and rotating machines type, protection type selection, general technical requirements, setting value principles and so forth are developed in IEC TS 62898-3-1¹.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

¹ Under preparation. Stage at the time of publication: IEC/CD TS 62898-3-1:2018.

IEC TR 61000-1-7:2016, Electromagnetic compatibility (EMC) – Part 1-7: General – Power factor in single-phase systems under non-sinusoidal conditions

IEC 61000-4-7:2002, Electromagnetic compatibility (EMC) – Part 4-7: Testing and measurement techniques – General guide on harmonics and interharmonics measurements and instrumentation, for power supply systems and equipment connected thereto IEC 61000-4-7:2002/AMD1:2008

IEC 61000-4-30:2015, Electromagnetic compatibility (EMC) – Part 4-30: Testing and measurement techniques – Power quality measurement techniques

IEC 61968-1:2020, Application integration at electric utilities – System interfaces for distribution management – Part 1: Interface architecture and general recommendations

IEC 61850-3:2013, Communication networks and systems for power utility automation – Part 3: General requirements

IEC 61850-4:2011, Communication networks and systems for power utility automation – Part 4: System and project management

IEC 61850-5:2013, Communication networks and systems for power utility automation – Part 5: Communication requirements for functions and device models

IEC TS 62749:2020, Assessment of power quality – Characteristics of electricity supplied by public networks

IEC TS 62786:2017, Distributed energy resources connection with the grid

IEC TS 62898-1, Microgrids – Part 1: Guidelines for microgrid projects planning and specification