

# TECHNICAL SPECIFICATION



---

**Ultrasonics – Methods for the characterization of the ultrasonic properties  
of materials**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

---

ICS 17.140.50

ISBN 978-2-8322-7643-3

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references .....	7
3 Terms and definitions .....	7
4 List of symbols .....	10
5 Overview .....	12
5.1 General principles.....	12
5.2 Sample preparation.....	12
5.2.1 Fluid samples .....	12
5.2.2 Solid samples .....	13
5.2.3 Sample geometry.....	13
5.2.4 Sample stabilization.....	13
5.3 Source and receiver transducers.....	14
5.4 Transmission versus reflection measurements .....	14
5.5 Transducer excitation signal .....	15
5.5.1 Frequency dependence of quantities .....	15
5.5.2 CW and quasi-CW methods.....	15
5.5.3 Frequency modulated pulses and time delay spectrometry .....	16
5.5.4 Impulse methods .....	18
6 Insertion loss measurement.....	19
7 Longitudinal wave speed measurements.....	22
7.1 General.....	22
7.2 Transducers immersed within fluid material.....	22
7.3 Transducers and sample immersed in a coupling fluid .....	23
8 Absorption coefficient measurements .....	24
8.1 Single sample through transmission method .....	24
8.2 Double sample through transmission method .....	26
9 Echo reduction ( <i>ER</i> ) measurement.....	27
9.1 Normal incidence .....	27
9.2 Oblique incidence .....	29
10 Backscatter coefficient measurement.....	29
Bibliography.....	31
Figure 1 – Schematic showing diffractive spreading between source and receiving transducers.....	14
Figure 2 – Illustration of a typical TDS system .....	17
Figure 3 – Development and signal processing for a compensated frequency modulated signal.....	17
Figure 4 – Pulse dispersion in absorbing media .....	19
Figure 5 – The additional diffractive spreading encountered in through transmission measurements .....	21
Figure 6 – Source and receiving transducers immersed in a fluid medium to be characterized .....	22
Figure 7 – Source, receiver and sample all immersed in a coupling fluid.....	24

Figure 8 – Multiple echoes that are clearly separated in time .....	25
Figure 9 – Multiple reflection and transmission phenomena occurring at the surfaces of a sample .....	26
Figure 10 – Schematic presentation of a measurement set-up used to determine the echo reduction of a test material .....	27

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

# ULTRASONICS – METHODS FOR THE CHARACTERIZATION OF THE ULTRASONIC PROPERTIES OF MATERIALS

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a Technical Specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical Specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards

IEC TS 63081, which is a Technical Specification, has been prepared by IEC technical committee 87: Ultrasonics

The text of this Technical Specification is based on the following documents:

DTS	Report on voting
87/718/DTS	87/725/RVDTS

Full information on the voting for the approval of this Technical Specification can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

Words in **bold** in the text are defined in Clause 3. Symbols and formulae are in *Times New Roman + Italic*.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## INTRODUCTION

Many ultrasonic measurement standards contain requirements for the properties of acoustic materials to be used to construct the measurement equipment relied upon within those documents. The following are examples of such standards.

- IEC 61161 specifies amplitude reflection factor and acoustic energy absorption for reflecting targets and absorbing targets and specifies amplitude transmission coefficient for anti-streaming foils.
- IEC 61391-1 discusses reflection coefficient.
- IEC 61689 defines echo reduction and specifies limits upon its values. The terms reflection loss and transmission loss are also used, and values specified.
- IEC TS 62306 specifies transmission loss and reflection amplitude reduction.
- IEC 62359 specifies reflection coefficient and absorption.
- IEC 60601-2-37 specifies reflectance and absorption coefficient.

As the list above suggests, a wide range of terms is used to specify the properties of an acoustic material, and these terms are not used consistently across IEC documents. Furthermore, there is a degree of duplication with multiple names for the same quantity. This is further confused since there is no document within the IEC ultrasonics portfolio that defines the methods by which those properties are measured.

This document seeks to address the shortcomings by providing:

- a clear unambiguous definition of the key quantities of interest during materials characterization;
- a discussion of similar terms and how they may relate to the key quantities;
- recommended experimental methods for determining the values of key quantities.

## **ULTRASONICS – METHODS FOR THE CHARACTERIZATION OF THE ULTRASONIC PROPERTIES OF MATERIALS**

### **1 Scope**

This document:

- defines key quantities relevant to ultrasonic materials characterization;
- specifies methods for direct measurement of many key ultrasonic materials parameters.

This document is applicable to all measurements of properties of passive acoustic materials under drive conditions that are not subject to nonlinear acoustic propagation. Whilst there are materials properties that may be of interest in a nonlinear drive regime, these are currently outside the scope of this document.

### **2 Normative references**

There are no normative references in this document.