



TECHNICAL SPECIFICATION



Photovoltaic modules – Extended-stress testing – Part 2: Polymeric component materials

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 27.160

ISBN 978-2-8322-5293-2

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
1 Scope.....	6
2 Normative references	6
3 Terms and definitions	7
4 Failure modes and component interactions.....	8
5 Selection of tests.....	9
6 Single component testing	9
6.1 Extended test procedures	9
6.2 Reporting of single component durability properties	10
6.2.1 Product identification	10
6.2.2 Reliability test data	10
7 BOM specific testing.....	11
7.1 Test procedures – test coupons	11
7.2 Test procedure – mini-modules	13
7.2.1 Mini-module design.....	13
7.2.2 Mini-module testing	14
7.3 Reporting of BOM specific tests	15
7.3.1 Product identification	15
7.3.2 Reliability test data	15
8 Uniform Characterization Form	16
8.1 General.....	16
8.2 Material test results and reporting requirements.....	17
Bibliography.....	20
Figure 1 – Mini-module design parameters, 1-cell and 4-cell.....	14
Table 1 – Encapsulant and backsheet failure modes.....	9
Table 2 – Single component testing	10
Table 3 – BOM specific tests for Glass/Backsheet cSi modules	12
Table 4 – BOM specific tests for Glass/Glass cSi modules.....	13
Table 5 – Mini-module design parameters.....	15
Table 6 – Uniform Characterization Form – Part 1	18
Table 7 – Uniform Characterization Form – Part 2	19

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PHOTOVOLTAIC MODULES – EXTENDED-STRESS TESTING –**Part 2: Polymeric component materials**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC TS 63209-2 been prepared by IEC technical committee 82: Solar photovoltaic energy systems. It is a Technical Specification.

The text of this Technical Specification: is based on the following documents:

Draft	Report on voting
82/2015/DTS	82/2058A/RVDTS

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Specification is English.

A list of all parts in the IEC 63209 series, published under the general title *Photovoltaic modules – Extended-stress testing*, can be found on the IEC website.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at <http://www.iec.ch/standardsdev/publications>.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This document is intended as a guide for component suppliers, module manufacturers and downstream durability assessments, and focuses on polymeric materials in crystalline silicon module laminates.

IEC TS 63209 series describes environmental stress tests which provide data for evaluation of the long-term reliability of PV modules, probing areas not addressed in the IEC 61215 and IEC 61730 series. IEC TS 63209-1 provides a menu of extended environmental stress tests for PV modules, and this document, IEC TS 63209-2, describes complementary component level testing which probes degradation modes which are not easily understood or addressed by module level testing. This document additionally describes an overlapping suite of component level tests useful for screening individual components and component combinations for a specific bill of materials (BOM).

The testing in this document is intended for reliability evaluation only, with no pass/fail requirements.

This document does not describe any new test or stress exposures, but takes the single component testing described in the IEC 62788 series as a base line for stress exposures which are then extended. As degradation of one component can be influenced by other components (e.g. some backsheets tested with one encapsulant may perform differently than with another, and vice versa), a slate of BOM-specific tests and related stress exposures are included which are described in IEC 62788 component standards, but are not typically part of component data sheets.

This document details component level stress sequences, sample construction and evaluation test methods which can assist in a durability analysis. A particular focus is given to UV stress alone and in combination with other stressors. UV exposures, in particular, are difficult to perform accurately at the module level due to time and space constraints. Polymeric components are known to have UV-induced degradation modes which progress relatively slowly. Testing at a component level allows for smaller sample sizes, longer stress exposures, and test coupons designed to target relevant properties after applied stress.

PHOTOVOLTAIC MODULES – EXTENDED-STRESS TESTING –

Part 2: Polymeric component materials

1 Scope

This part of IEC TS 63209 includes a menu of tests to use for evaluation of the long-term reliability of materials used as backsheets and encapsulants in PV modules. It is intended to provide information to supplement the baseline testing defined in IEC 61215 and IEC 61730, which are qualification tests with pass-fail criteria. It may be used by PV stakeholders in conjunction with IEC TS 63209-1, to provide more extended stress testing of the component materials than can practically be accomplished with PV modules. The data set resulting from testing is used for reliability analysis and is not intended to be used as a pass-fail test procedure. This document addresses polymeric materials in the crystalline silicon module laminates, specifically backsheets and encapsulants in Glass/Glass or Glass/Backsheet modules. Although not specifically addressed, it is expected to also have applicability to thin film technologies.

The included environmental stress tests are intended to cause degradation that is most relevant to field experience, but these may not capture all failure modes which may be observed in various locations.

The individual component standards provide a starting point for testing, and baseline data for reference in this document may be available from a characterization sheet developed in accordance with the Uniform Characterization Forms (UCF) of IEC TS 62788-2 and IEC 62788-1-1. Extended tests using the same methods allows for trend analysis.

Additional testing is included to address interactions with other polymeric packaging material, as individual components can perform differently depending on adjacent materials. These tests are designed with BOM-specific coupons and mini-modules, intended to complement the specific module bill of materials used in the IEC TS 63209-1 module tests.

As both test specimen form factor and $I-V$ characteristics can play a role in degradation, some multicomponent tests are designed to use a polymeric stack, while others use mini-modules.

The included stress tests are not designed to test to failure, but to be representative of stress levels of the long-term application.

These tests are not intended to provide service life estimates, or to be indicative of fitness for use in specific climate/mounting configurations. For example, the same module deployed in two different locations or with different mounting methods may degrade in different ways, so a single test protocol cannot be expected to exactly match the performance in both environments; correlation to field will depend upon where and how the product is deployed.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC TS 60904-13:2018, *Photovoltaic devices – Part 13: Electroluminescence of photovoltaic modules*

IEC 61215-1-1:2021, *Terrestrial photovoltaic (PV) modules – Design qualification and type approval -Part 1-1: Special requirements for testing of crystalline silicon photovoltaic (PV) modules*

IEC 61215-2:2021, *Terrestrial photovoltaic (PV) modules – Design qualification and type approval – Part 2: Test procedures*

IEC 61730-2, *Photovoltaic (PV) module safety qualification – Part 2: Requirements for testing*

IEC TS 61836, *Solar photovoltaic energy systems – Terms, definitions and symbols*

IEC 62788-1-1, *Measurement procedures for materials used in photovoltaic modules – Part 1-1: Encapsulants – Polymeric materials used for encapsulants*

IEC 62788-1-6, *Measurement procedures for materials used in photovoltaic modules – Part 1-6: Encapsulants – Test methods for determining the degree of cure in ethylene-vinyl acetate*

IEC 62788-1-7:2020, *Measurement procedures for materials used in photovoltaic modules – Part 1-7: Encapsulants – Test procedure of optical durability*

IEC TS 62788-2, *Measurement procedures for materials used in photovoltaic modules – Part 2: Polymeric materials – Frontsheets and backsheets*

IEC TS 62788-6-3, *Measurement procedures for materials used in photovoltaic modules – Part 6-3: Adhesion testing of interfaces within PV modules*

IEC TS 62788-7-2:2017, *Measurement procedures for materials used in photovoltaic modules – Part 7-2: Environmental exposures – Accelerated weathering tests of polymeric materials*

IEC TS 62804-1, *Photovoltaic (PV) modules – Test methods for the detection of potential-induced degradation – Part 1: Crystalline silicon*

IEC TS 63209-1:2021, *Photovoltaic modules – Extended-stress testing – Part 1: Modules*