

# INTERNATIONAL STANDARD

ISO  
8648

First edition  
1988-02-15



---

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION  
ORGANISATION INTERNATIONALE DE NORMALISATION  
МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ

---

## **Information processing systems — Open Systems Interconnection — Internal organization of the Network Layer**

*Systemes de traitement de l'information — Interconnexion de systemes ouverts — Organisation  
interne de la Couche Réseau*

Reference number  
ISO 8648 : 1988 (E)

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the technical committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council. They are approved in accordance with ISO procedures requiring at least 75 % approval by the member bodies voting.

International Standard ISO 8648 was prepared by Technical Committee ISO/TC 97, *Information processing systems*.

Users should note that all International Standards undergo revision from time to time and that any reference made herein to any other International Standard implies its latest edition, unless otherwise stated.

<b>Contents</b>	<b>Page</b>
<b>0</b> Introduction . . . . .	1
<b>1</b> Scope and field of application . . . . .	1
<b>2</b> References . . . . .	2
<b>3</b> Definitions . . . . .	2
<b>3.1</b> Reference model definitions . . . . .	2
<b>3.2</b> Service conventions definitions . . . . .	2
<b>3.3</b> Network Layer architecture definitions . . . . .	2
<b>4</b> Abbreviations . . . . .	3
<b>5</b> Network Layer concepts and terminology . . . . .	3
<b>5.1</b> Real world objects and abstract elements . . . . .	3
<b>5.2</b> End systems and intermediate systems . . . . .	3
<b>5.2.1</b> End system considerations . . . . .	3
<b>5.2.2</b> Intermediate system considerations . . . . .	3
<b>5.3</b> Real subnetworks and subnetworks . . . . .	3
<b>5.4</b> Relay systems and interworking units . . . . .	5
<b>5.5</b> Data transmission service and subnetwork service . . . . .	5
<b>5.6</b> Service types . . . . .	5
<b>6</b> Organization of the Network Layer . . . . .	5
<b>6.1</b> Factors which influence the Internal organization of the Network Layer . . . . .	10
<b>6.2</b> Description of the possible roles for a Network Layer protocol . . . . .	10
<b>6.3</b> Subnetwork access protocols . . . . .	11
<b>6.4</b> Subnetwork independent convergence protocols . . . . .	11
<b>6.5</b> Subnetwork dependent convergence protocols . . . . .	11
<b>6.5.1</b> Relationship of SNDCP to SNICP . . . . .	11
<b>6.5.2</b> Relationship of SNDCP to the OSI Network Service . . . . .	11
<b>6.6</b> Relaying and routing . . . . .	11
<b>6.7</b> Single Network Layer protocol fulfilling all protocol roles . . . . .	12
<b>7</b> Application of the Network Layer Internal organization . . . . .	12
<b>7.1</b> Interconnection of subnetworks supporting all elements of the OSI Network Service . . . . .	12
<b>7.2</b> Hop-by-hop harmonization . . . . .	12
<b>7.3</b> Use of an internetworking protocol approach . . . . .	12
<b>7.4</b> Combinations of approaches for interconnecting subnetworks . . . . .	13
<b>8</b> Interconnection scenarios . . . . .	13
<b>8.1</b> Single data-link/single subnetwork interconnection . . . . .	13
<b>8.2</b> Interconnections involving subnetworks which support all elements of the Network Service . . . . .	14
<b>8.3</b> Interconnections involving multiple protocol combinations . . . . .	14

This page intentionally left blank

# Information processing systems – Open Systems Interconnection – Internal organization of the Network Layer

## 0 Introduction

This International Standard defines an architectural organization of the Network Layer of the OSI Reference Model. It is concerned with the functional organization of Network Layer entities in open systems, and with the ways in which this organization can be mapped to "real world" components (e.g. "real" networks, switches, transmission media, etc.). This International Standard relates those "real world" objects which must be dealt with to a set of abstract elements. There may be a variety of mappings between an abstract element and the physical equipment used to realize it. The description of such mappings requires a clear distinction between architectural terms and real world terms.

The architectural organization defined in this International Standard identifies and categorizes the way in which functions can be performed within the Network Layer by Network Layer protocols. In so doing, it provides a uniform framework for describing how different Network Layer protocols, operating either individually or cooperatively, can be used to provide the OSI Network Service. By focusing attention on the common functional elements of Network Layer protocols, this framework is intended to

- a) simplify the use of Network Layer protocols to provide the Network Service in different situations;
- b) limit the uncoordinated proliferation of Network Layer protocols with overlapping functions; and
- c) clarify the requirements for, and guide the development of, future Network Layer protocol standards.

This detailed internal structure is necessary in the case of the Network Layer for two reasons:

1. The Network Layer provides its users with a uniform Network Service, regardless of potentially wide variations in underlying "real-world" network services, technologies, and administrative organization. It is important to understand how the underlying components are organized and interact within the Network Layer, and how they can be efficiently and effectively used.
2. ISO 7498 specifies that the Network Layer performs routing and relaying functions and may contain entities residing in intermediate systems as well as in end systems. It is necessary to describe events that take place within

the Network Layer in both types of entities; i.e. in end systems (within which the Network Service is provided to NS users) and in intermediate systems (within which network-entities providing these relay and routing functions do not provide the Network Service to NS users).

## 1 Scope and field of application

This International Standard provides an architectural model of the OSI Network Layer as a framework for OSI Network Layer standardization, allowing incorporation of existing networks within the OSI architecture.

This framework encourages the design of real subnetworks that fully support the OSI Network Service whilst accommodating the participation, in the OSI environment, of other subnetworks that do not fully support the OSI Network Service.

This International Standard is intended for use both in the design and application of Network Layer protocols, operating between network-entities either in end systems providing the OSI Network Service, or in intermediate systems providing the routing and relay functions.

It shall be used to

- a) provide a common set of concepts and terminology for use in Network Layer standards (such standards shall reference this International Standard);
- b) analyse Network Layer functionality and classify Network Layer protocols;
- c) specify how "real networks" should be used in supporting or providing the OSI Network Service, in particular, in circumstances where multiple "real networks" are to be interconnected and used.

The organization defined herein does not address Network Layer management; in particular it is not concerned with the relationships among Network Layer entities which may be required for Network Layer management purposes. In addition, this International Standard does not specify the operational requirements for relay functions in intermediate systems, nor address how specific combinations of permitted functions might be practically and efficiently utilized.

## 2 References

ISO 7498, *Information processing systems - Open Systems Interconnection - Basic Reference Model*

Note - See also CCITT Recommendation X.200 *Reference Model of Open Systems Interconnection for CCITT Applications*.

ISO 7498/Add. 1, *Information processing systems - Open Systems Interconnection - Basic Reference Model Addendum 1: Connectionless-mode transmission*.

ISO 8208, *Information processing systems - Data communications - X.25 Packet Level Protocol for Data Terminal Equipment*.

ISO 8348, *Information processing systems - Data communications - Network service definition*

Note - See also CCITT Recommendation X.213 *Network Service Definition for Open Systems Interconnection (OSI) for CCITT Applications*.

ISO 8348/Add. 1, *Information processing systems - Data communications - Network service definition Addendum 1: Connectionless-mode transmission*.

ISO/TR 8509, *Information processing systems - Open Systems Interconnection - Service conventions*.

Note - See also CCITT Recommendation X.210 *Open Systems Interconnection (OSI) Layer Service Definition Conventions*.

ISO 8802 - Part 2, *Information processing systems - Data Communications - Local Area Networks - Logical Link Control*.<sup>1</sup>

- Part 3, *Carrier Sense Multiple Access with Collision Detection (CSMA/CD) Access Method and Physical Layer Specifications*.<sup>1</sup>

- Part 4, *Token-Passing Bus Access Method and Physical Layer Specifications*.<sup>1</sup>

- Part 5, *Token Ring Access Method and Physical Layer Specifications*.<sup>1</sup>

- Part 7, *Slotted Ring Access Method and Physical Layer Specifications*.<sup>1</sup>

CCITT Recommendation X.21, *General purpose interface between data terminal equipment and data circuit-terminating equipment for synchronous operation on public data networks*.

CCITT Recommendation X.25, *Interface between data terminal equipment and data circuit-terminating equipment for terminals operating in the packet mode on public data networks*.

---

<sup>1</sup> At present at the stage of draft; publication anticipated in due course