



ISO/IEC 11801-3

Edition 1.1 2021-04
CONSOLIDATED VERSION

INTERNATIONAL STANDARD



**Information technology – Generic cabling for customer premises –
Part 3: Industrial premises**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 35.200

ISBN 978-2-8322-9718-6

Warning! Make sure that you obtained this publication from an authorized distributor.



ISO/IEC 11801-3

Edition 1.1 2021-04
CONSOLIDATED VERSION

REDLINE VERSION



**Information technology – Generic cabling for customer premises –
Part 3: Industrial premises**



CONTENTS

FOREWORD.....	7
INTRODUCTION.....	9
INTRODUCTION to Amendment 1	11
1 Scope.....	12
2 Normative references	12
3 Terms, definitions, abbreviated terms and symbols.....	13
3.1 Terms and definitions.....	13
3.2 Abbreviated terms.....	14
3.3 Symbols.....	15
4 Conformance.....	15
5 Structure of the generic cabling system	16
5.1 General.....	16
5.2 Functional elements.....	17
5.3 Cabling subsystem.....	17
5.3.1 General structure.....	17
5.3.2 Campus and building backbone cabling subsystem.....	18
5.3.3 Floor cabling subsystem	18
5.3.4 Intermediate cabling subsystem.....	18
5.3.5 Centralized cabling architecture.....	19
5.3.6 Design objectives	19
5.4 Interconnection of subsystems	20
5.5 Accommodation of functional elements	21
5.6 Interfaces.....	22
5.6.1 Equipment interfaces and test interfaces	22
5.6.2 Channels and permanent links.....	23
5.7 Dimensioning and configuring	23
5.7.1 General	23
5.7.2 Distributors	23
5.7.3 Connecting hardware.....	24
5.7.4 Apparatus attachment and equipment cords	24
5.7.5 Patch cords and jumpers	24
5.7.6 Telecommunications outlet	24
5.7.7 Telecommunications rooms and equipment rooms	25
5.7.8 Industrial enclosures.....	25
6 Channel performance requirements	25
6.1 General.....	25
6.2 Environmental performance	26
6.3 Transmission performance	26
6.3.1 General	26
6.3.2 Balanced cabling	26
6.3.3 Optical fibre cabling.....	27
7 Link performance requirements	27
7.1 General.....	27
7.2 Balanced cabling	27
7.3 Optical fibre cabling	27

8	Reference implementations	28
8.1	General.....	28
8.2	Balanced cabling	28
8.2.1	General	28
8.2.2	Intermediate cabling subsystem.....	28
8.2.3	Floor cabling subsystem	32
8.2.4	Campus and building backbone cabling subsystem.....	34
8.3	Optical fibre cabling	34
9	Cable requirements	34
9.1	General.....	34
9.2	Balanced cables	34
9.3	Optical fibre cables	35
10	Connecting hardware requirements	35
10.1	General requirements	35
10.2	Connecting hardware for balanced cabling.....	35
10.2.1	General requirements	35
10.2.2	Electrical, mechanical and environmental performance.....	35
10.3	Connecting hardware for optical fibre cabling.....	36
10.3.1	General requirements	36
10.3.2	Optical, mechanical and environmental performance	36
11	Cords	36
11.1	Jumpers.....	36
11.2	Balanced cords	36
11.2.1	General	36
11.2.2	Additional requirements for apparatus attachment cords.....	36
11.3	Optical fibre cords.....	36
Annex A (normative)	Industrial cabling system.....	37
A.1	General.....	37
A.2	Industrial intermediate cabling subsystem.....	37
Annex B (normative)	Additional reference implementations.....	39
B.1	General.....	39
B.2	Channel configurations	39
B.2.1	General	39
B.2.2	Channels with no connections	39
B.2.3	Channels with inter-connections	40
B.2.4	End-to-end link (E2E link).....	41
B.3	Channels using balanced cabling bulkhead connections	42
Annex C (informative)	Other implementations	44
C.1	General.....	44
C.2	Channels using balanced cabling bulkhead connections with additional connections	44
Annex D (normative)	Requirements for end-to-end link configurations	47
D.1	General.....	47
D.2	Specifications	47
D.3	End-to-end link configurations.....	47
D.4	Performance specifications when using end-to-end link limits	48
D.4.1	General	48
D.4.2	Worst-case limits	48

D.4.3	Return loss (RL) limits	49
D.4.4	Insertion loss (IL) limits.....	49
D.4.5	NEXT limits	50
D.4.6	PS NEXT limits	50
D.4.7	ACR-F limits	50
D.4.8	PS ACR-F limits.....	51
D.4.9	DC loop resistance limits	51
D.4.10	DC resistance unbalance within a pair	51
D.4.11	Propagation delay limits.....	52
D.4.12	Delay skew limits	52
D.4.13	TCL specifications	52
D.4.14	ELTCTL specifications	52
D.4.15	Coupling attenuation specifications.....	53
D.4.16	Alien crosstalk	53
D.5	End-to-end link performance	53
D.5.1	General	53
D.5.2	Reference performance testing	53
D.5.3	Installation performance testing	54
D.5.4	Installation performance testing of end-to-end links	54
D.6	Testing of end-to-end links.....	55
Annex E (normative)	Requirements for 1-pair cabling channels up to 600 MHz	56
E.1	Balanced 1-pair cabling channels.....	56
E.1.1	General	56
E.1.2	Component specifications	56
E.1.3	Environmental classifications.....	56
E.1.4	Channel reference implementations	57
E.2	Balanced 1-pair cabling channel signal transmission specifications.....	57
E.2.1	Return loss (RL)	57
E.2.2	Insertion loss (IL).....	57
E.2.3	Unbalance attenuation and coupling attenuation	58
E.2.4	Alien (exogenous) crosstalk.....	60
E.2.5	DC loop resistance	61
E.2.6	Propagation delay.....	61
Bibliography	63

Figure 1 – Relationships between the generic cabling documents produced by ISO/IEC JTC 1/SC 25	9
Figure 2 – Relationships between the ISO/IEC and IEC cabling documents that apply to industrial premises.....	10
Figure 3 – Configuration of apparatus-based functional elements within industrial premises.....	17
Figure 4 – Structure of generic cabling for industrial environment	18
Figure 5 – Centralized structure of generic cabling for industrial premises	19
Figure 6 – Hierarchical structure of generic cabling for industrial premises	20
Figure 7 – Inter-relationship of functional elements in an installation with diversity for protection against failure (CPs optional between IDs and TOs)	21
Figure 8 – Accommodation of functional elements (CPs optional between IDs and TOs)	22

Figure 9 – Equipment and test interfaces	23
Figure 10 – Transmission performance of a channel	25
Figure 11 – Example of a system showing the location of cabling interfaces and extent of associated channels	26
Figure 12 – Intermediate cabling models.....	29
Figure 13 – Floor cabling model.....	33
Figure 14 – Symbols for bulkhead connections	15
Figure 15 – Balanced 1-pair intermediate cabling models	31
Figure A.1 – Industrial cabling system supporting several AIs via an IID	37
Figure A.2 – Combined structure of generic and industrial cabling system using an IID with optional ED.....	38
Figure B.1 – Channel configurations without intermediate connections	40
Figure B.2 – Channel configurations with inter-connections	41
Figure B.3 – Channel configurations with bulkhead connections	42
Figure C.1 – Channel configurations with bulkhead and additional connections	45
Figure D.1 – Five-segments, six-connections, end-to-end link.....	48
Table 1 – Maximum channel lengths	24
Table 2 – Length assumptions used in the mathematical modelling of balanced intermediate cabling.....	30
Table 3 – Intermediate link length equations	30
Table 4 – Floor link length equations	34
Table 5 – Length assumptions used in mathematical modelling of the 40 m balanced 1-pair intermediate cabling.....	31
Table 6 – Length assumptions used in mathematical modelling of the 1 000 m balanced 1-pair intermediate cabling.....	32
Table 7 – Balanced 1-pair intermediate link length equations.....	32
Table B.1 – Channel length equations for balanced cabling with inter-connections	41
Table B.2 – Channel length equations with bulkhead connections.....	43
Table C.1 – Channel equations with bulkhead and additional connections	46
Table D.1 – Worst-case Class D end-to-end link performance at key frequencies	48
Table D.2 – Worst-case Class E end-to-end link performance at key frequencies.....	48
Table D.3 – Worst-case Class E _A end-to-end link performance at key frequencies	49
Table D.4 – End-to-end link return loss limits.....	49
Table D.5 – End-to-end link insertion loss limits.....	49
Table D.6 – End-to-end link NEXT limits	50
Table D.7 – End-to-end link PS NEXT limits.....	50
Table D.8 – End-to-end link ACR-F limits.....	51
Table D.9 – End-to-end link PS ACR-F limits	51
Table D.10 – End-to-end link segment DC loop resistance.....	51
Table D.11 – End-to-end link delay	52
Table D.12 – End-to-end link delay skew	52
Table D.13 – End-to-end link TCL	52
Table D.14 – End-to-end link segment ELTCTL	53

Table D.15 – Minimum end-to-end link coupling attenuation.....	53
Table D.16 – Test regime for reference performance and installation performance for balanced cabling of Classes D, E and E _A	54
Table E.1 – SPE signal transmission functional space	56
Table E.2 – Balanced 1-pair cabling channel return loss (RL)	57
Table E.3 – Balanced 1-pair cabling channel IL	58
Table E.4 – Balanced 1-pair cabling channel TCL	59
Table E.5 – Balanced 1-pair cabling channel ELTCTL.....	59
Table E.6 – Balanced 1-pair cabling channel coupling attenuation	60
Table E.7 – Balanced 1-pair cabling channel PS ANEXT.....	60
Table E.8 – Balanced 1-pair cabling channel PS AACR-F	61
Table E.9 – Balanced 1-pair cabling channel DC loop resistance	61
Table E.10 – Balanced 1-pair cabling channel propagation delay	62

INFORMATION TECHNOLOGY – GENERIC CABLING FOR CUSTOMER PREMISES

Part 3: Industrial premises

FOREWORD

- 1) ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.
- 2) The formal decisions or agreements of IEC and ISO on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees and ISO member bodies.
- 3) IEC, ISO and ISO/IEC publications have the form of recommendations for international use and are accepted by IEC National Committees and ISO member bodies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC, ISO and ISO/IEC publications is accurate, IEC or ISO cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees and ISO member bodies undertake to apply IEC, ISO and ISO/IEC publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any ISO, IEC or ISO/IEC publication and the corresponding national or regional publication should be clearly indicated in the latter.
- 5) ISO and IEC do not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. ISO or IEC are not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or ISO or its directors, employees, servants or agents including individual experts and members of their technical committees and IEC National Committees or ISO member bodies for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication of, use of, or reliance upon, this ISO/IEC publication or any other IEC, ISO or ISO/IEC publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this ISO/IEC publication may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

ISO/IEC 11801-3 edition 1.1 contains the first edition (2017-11) and its corrigendum 1 (2018-04), and its amendment 1 (2021-04) [documents JTC1-SC25/2995/FDIS and JTC1-SC25/3009/RVD].

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendment 1. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.

International Standard ISO/IEC 11801-3 was prepared by subcommittee 25: Interconnection of information technology equipment, of ISO/IEC joint technical committee 1: Information technology.

This first edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) standard re-structured to contain only those requirements that are specific for generic cabling systems installed in industrial premises;
- b) support of critical process control, monitoring and automation (PCMA) services between automation islands by adding new Annex A (normative) “Industrial cabling system”;
- c) support of specific requirements for industrial cabling the end-to-end link (E2E) has been introduced and delivers additional channel configuration covered in Annex B (normative);
- d) silica optical fibre cabling has been removed from this International Standard.

ISO/IEC 11801-3 is to be read in conjunction with ISO/IEC 11801-1.

This International Standard has been approved by vote of the member bodies, and the voting results may be obtained from the address given on the second title page.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the ISO/IEC 11801 series, published under the general title *Information technology – Generic cabling for customer premises*, can be found on the IEC website.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

The importance of cabling infrastructure is similar to that of other fundamental utilities such as water and energy supply and interruptions to the services provided over that infrastructure can have a serious impact. A lack of design foresight, the use of inappropriate components, incorrect installation, poor administration or inadequate support can threaten quality of service and have commercial consequence for all types of users.

This document specifies generic cabling, which is critical for providing robust services to the automation islands in industrial premises, or industrial spaces within other types of building.


Additionally those premises can include

- office spaces for which generic cabling is specified in ISO/IEC 11801-2,
- data centre spaces for which generic cabling is specified in ISO/IEC 11801-5.

Generic cabling for distributed building services in industrial spaces is specified in ISO/IEC 11801-6, which addresses all of the above premises and spaces within them.

This document has taken into account the correlation between all parts of the ISO/IEC 11801 series and the IEC 61918 and IEC 61784-5 series.

Figure 1 shows the schematic and contextual relationships between the standards relating to information technology cabling produced by ISO/IEC JTC 1/SC 25, namely the ISO/IEC 11801 series of standards for generic cabling design, standards for the installation, operation and administration of generic cabling and for testing of installed generic cabling.



IEC

Figure 1 – Relationships between the generic cabling documents produced by ISO/IEC JTC 1/SC 25

The generic cabling specified by this document provides users with

- a) an application independent system capable of supporting a wide range of applications in a range of installation and operating environments,
- b) a flexible scheme such that modifications are both easy and economical,
- c) a multi-vendor supply chain within an open market for cabling components.

In addition, this document provides

- d) relevant industry professionals with guidance allowing the accommodation of cabling before specific requirements are known, i.e. in the initial planning either for construction or refurbishment and for further deployment as the requirements of areas are defined,
- e) industry and standardization bodies with a cabling system which supports current products and provides a basis for future product development and applications standardization.

Applications addressed in this document include those developed by the technical committees of IEC (including the subcommittees of ISO/IEC JTC 1), including critical industrial process control and monitoring applications and study groups of ITU-T.

As a result, this document

- 1) specifies a structure for generic cabling supporting a wide variety of applications,
- 2) adopts balanced cabling channel and link Classes D, E, E_A, F and F_A, specified in ISO/IEC 11801-1,
- 3) adopts component requirements, specified in ISO/IEC 11801-1, and specifies cabling implementations that ensure performance of permanent links and of channels that meet or exceed the requirements of a specified group (e.g. Class) of applications.

Figure 2 shows the relationship between all the documents (the generic cabling standards produced by ISO/IEC JTC 1/SC 25 and the application-specific standards produced by IEC SC 65C) that apply to industrial premises.




Figure 2 – Relationships between the ISO/IEC and IEC cabling documents that apply to industrial premises

It is anticipated that the generic cabling system meeting the minimum requirements of this document will have a life expectancy consistent with other infrastructures within industrial premises.

This document has taken into account requirements specified in application standards listed in ISO/IEC 11801-1:2017, Annex E. It refers to International Standards for components and test methods whenever appropriate International Standards are available.

NOTE Telecommunications infrastructure affects raw material consumption. The infrastructure design and installation methods also influence product life and sustainability of electronic equipment life cycling. These aspects of telecommunications infrastructure impact our environment. Since building life cycles are typically planned for decades, technological electronic equipment upgrades are necessary. The telecommunications infrastructure design and installation process magnifies the need for sustainable infrastructures with respect to building life, electronic equipment life cycling and considerations of effects on environmental waste. Telecommunications designers are encouraged to research local building practices for a sustainable environment and conservation of fossil fuels as part of the design process.

INTRODUCTION to Amendment 1

This document contains requirements and/or recommendations for deployment of single pair balanced cabling on the industrial cabling specified in ISO/IEC 11801-3:2017.

This document also includes end-to-end link requirements for Class D, E and E_A.

INFORMATION TECHNOLOGY – GENERIC CABLING FOR CUSTOMER PREMISES

Part 3: Industrial premises

1 Scope

This part of ISO/IEC 11801 specifies generic cabling for use within industrial premises, or industrial areas within other types of premises, which can comprise single or multiple buildings on a campus. It covers balanced cabling and optical fibre cabling.

This document is optimized for premises in which the maximum distance over which telecommunications services can be distributed is 10 000 m. The principles of this document can be applied to larger installations.

Cabling defined by this document supports a wide range of services, including automation, process control, and monitoring applications. That can also incorporate the supply of power.

This document specifies directly or via reference to ISO/IEC 11801-1

- a) the structure and minimum configuration for generic cabling within industrial premises,
- b) the interfaces at the telecommunications outlet (TO),
- c) the performance requirements for cabling links and channels,
- d) the implementation requirements and options,
- e) the performance requirements for cabling components,
- f) the conformance requirements and verification procedures.

The cabling providing critical automation, process control and monitoring applications within the automation islands is not addressed by this document. Information for this application-specific cabling is provided in the IEC 61784-5 series (design) and in IEC 61918 (installation).

Safety (electrical safety and protection, fire, etc.) and electromagnetic compatibility (EMC) requirements are outside the scope of this document, and are covered by other standards and by regulations. However, information given by this document can be of assistance.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61918, *Industrial communication networks – Installation of communication networks in industrial premises*

IEC 61754-20, *Fibre optic interconnecting devices and passive components – Fibre optic connector interfaces – Part 20: Type LC connector family*

IEC 61784-5 (all parts), *Industrial communication networks – Profiles – Part 5: Installation of fieldbuses – Installation profiles for CPF*

IEC 63171-6, *Connectors for electrical and electronic equipment – Part 6: Detail specification for 2-way and 4-way (data/power), shielded, free and fixed connectors for power and data transmission with frequencies up to 600 MHz*

IEC 61156-11, *Multicore and symmetrical pair/quad cables for digital communications – Part 11: Symmetrical single pair cables with transmission characteristics up to 600 MHz – Horizontal floor wiring – Sectional specification*

IEC 61156-12¹, *Multicore and symmetrical pair/quad cables for digital communications – Part 12: Symmetrical single pair cables with transmission characteristics up to 600 MHz – Work area wiring*

ISO/IEC 11801-1:2017, *Information technology – Generic cabling for customer premises – Part 1: General requirements*

ISO/IEC 11801-2, *Information technology – Generic cabling for customer premises – Part 2: Office premises*

ISO/IEC 14763-2, *Information technology – Implementation and operation of customer premises cabling – Part 2: Planning and installation*

ISO/IEC 14763-4, *Information technology – Implementation and operation of customer premises cabling – Part 4: Measurement of end-to-end (E2E) links², modular plug terminated links (MPTL) and direct attach cabling*

ISO/IEC 30129, *Information technology – Telecommunications bonding networks for buildings and other structures*

¹ Under preparation. Stage at time of publication: IEC CDV 61156-12:2020.

~~² Under preparation. Stage at time of publication: ISO/IEC CDV 14763-4:2017.~~



ISO/IEC 11801-3

Edition 1.1 2021-04
CONSOLIDATED VERSION

FINAL VERSION

**Information technology – Generic cabling for customer premises –
Part 3: Industrial premises**



CONTENTS

FOREWORD.....	7
INTRODUCTION.....	9
INTRODUCTION to Amendment 1	11
1 Scope.....	12
2 Normative references	12
3 Terms, definitions, abbreviated terms and symbols.....	13
3.1 Terms and definitions.....	13
3.2 Abbreviated terms.....	14
3.3 Symbols.....	15
4 Conformance.....	15
5 Structure of the generic cabling system	16
5.1 General.....	16
5.2 Functional elements.....	17
5.3 Cabling subsystem.....	17
5.3.1 General structure.....	17
5.3.2 Campus and building backbone cabling subsystem.....	18
5.3.3 Floor cabling subsystem	18
5.3.4 Intermediate cabling subsystem.....	18
5.3.5 Centralized cabling architecture.....	19
5.3.6 Design objectives	19
5.4 Interconnection of subsystems	20
5.5 Accommodation of functional elements	21
5.6 Interfaces.....	22
5.6.1 Equipment interfaces and test interfaces	22
5.6.2 Channels and permanent links.....	23
5.7 Dimensioning and configuring	23
5.7.1 General	23
5.7.2 Distributors	23
5.7.3 Connecting hardware.....	24
5.7.4 Apparatus attachment and equipment cords	24
5.7.5 Patch cords and jumpers	24
5.7.6 Telecommunications outlet	24
5.7.7 Telecommunications rooms and equipment rooms	25
5.7.8 Industrial enclosures.....	25
6 Channel performance requirements	25
6.1 General.....	25
6.2 Environmental performance	26
6.3 Transmission performance	26
6.3.1 General	26
6.3.2 Balanced cabling	26
6.3.3 Optical fibre cabling.....	27
7 Link performance requirements	27
7.1 General.....	27
7.2 Balanced cabling	27
7.3 Optical fibre cabling	27

8	Reference implementations	27
8.1	General.....	27
8.2	Balanced cabling	28
8.2.1	General	28
8.2.2	Intermediate cabling subsystem.....	28
8.2.3	Floor cabling subsystem	32
8.2.4	Campus and building backbone cabling subsystem.....	34
8.3	Optical fibre cabling	34
9	Cable requirements	34
9.1	General.....	34
9.2	Balanced cables	34
9.3	Optical fibre cables	35
10	Connecting hardware requirements	35
10.1	General requirements	35
10.2	Connecting hardware for balanced cabling.....	35
10.2.1	General requirements	35
10.2.2	Electrical, mechanical and environmental performance.....	35
10.3	Connecting hardware for optical fibre cabling.....	36
10.3.1	General requirements	36
10.3.2	Optical, mechanical and environmental performance	36
11	Cords	36
11.1	Jumpers.....	36
11.2	Balanced cords	36
11.2.1	General	36
11.2.2	Additional requirements for apparatus attachment cords.....	36
11.3	Optical fibre cords.....	36
Annex A (normative)	Industrial cabling system.....	37
A.1	General.....	37
A.2	Industrial intermediate cabling subsystem.....	37
Annex B (normative)	Additional reference implementations.....	39
B.1	General.....	39
B.2	Channel configurations	39
B.2.1	General	39
B.2.2	Channels with no connections	39
B.2.3	Channels with inter-connections	40
B.2.4	End-to-end link (E2E link).....	41
B.3	Channels using balanced cabling bulkhead connections	42
Annex C (informative)	Other implementations	44
C.1	General.....	44
C.2	Channels using balanced cabling bulkhead connections with additional connections	44
Annex D (normative)	Requirements for end-to-end link configurations	47
D.1	General.....	47
D.2	Specifications	47
D.3	End-to-end link configurations.....	47
D.4	Performance specifications when using end-to-end link limits	48
D.4.1	General	48
D.4.2	Worst-case limits	48

D.4.3	Return loss (RL) limits	49
D.4.4	Insertion loss (IL) limits.....	49
D.4.5	NEXT limits	50
D.4.6	PS NEXT limits	50
D.4.7	ACR-F limits	50
D.4.8	PS ACR-F limits.....	51
D.4.9	DC loop resistance limits	51
D.4.10	DC resistance unbalance within a pair	51
D.4.11	Propagation delay limits.....	52
D.4.12	Delay skew limits	52
D.4.13	TCL specifications	52
D.4.14	ELTCTL specifications	52
D.4.15	Coupling attenuation specifications.....	53
D.4.16	Alien crosstalk	53
D.5	End-to-end link performance	53
D.5.1	General	53
D.5.2	Reference performance testing	53
D.5.3	Installation performance testing	54
D.5.4	Installation performance testing of end-to-end links	54
D.6	Testing of end-to-end links.....	55
Annex E (normative)	Requirements for 1-pair cabling channels up to 600 MHz	56
E.1	Balanced 1-pair cabling channels.....	56
E.1.1	General	56
E.1.2	Component specifications	56
E.1.3	Environmental classifications.....	56
E.1.4	Channel reference implementations	57
E.2	Balanced 1-pair cabling channel signal transmission specifications.....	57
E.2.1	Return loss (RL)	57
E.2.2	Insertion loss (IL).....	57
E.2.3	Unbalance attenuation and coupling attenuation	58
E.2.4	Alien (exogenous) crosstalk.....	60
E.2.5	DC loop resistance	61
E.2.6	Propagation delay.....	61
Bibliography	63

Figure 1 – Relationships between the generic cabling documents produced by ISO/IEC JTC 1/SC 25	9
Figure 2 – Relationships between the ISO/IEC and IEC cabling documents that apply to industrial premises.....	10
Figure 3 – Configuration of apparatus-based functional elements within industrial premises.....	17
Figure 4 – Structure of generic cabling for industrial environment	18
Figure 5 – Centralized structure of generic cabling for industrial premises	19
Figure 6 – Hierarchical structure of generic cabling for industrial premises	20
Figure 7 – Inter-relationship of functional elements in an installation with diversity for protection against failure (CPs optional between IDs and TOs)	21
Figure 8 – Accommodation of functional elements (CPs optional between IDs and TOs)	22

Figure 9 – Equipment and test interfaces	23
Figure 10 – Transmission performance of a channel	25
Figure 11 – Example of a system showing the location of cabling interfaces and extent of associated channels	26
Figure 12 – Intermediate cabling models.....	29
Figure 13 – Floor cabling model.....	33
Figure 14 – Symbols for bulkhead connections	15
Figure 15 – Balanced 1-pair intermediate cabling models	31
Figure A.1 – Industrial cabling system supporting several AIs via an IID	37
Figure A.2 – Combined structure of generic and industrial cabling system using an IID with optional ED.....	38
Figure B.1 – Channel configurations without intermediate connections	40
Figure B.2 – Channel configurations with inter-connections	41
Figure B.3 – Channel configurations with bulkhead connections	42
Figure C.1 – Channel configurations with bulkhead and additional connections	45
Figure D.1 – Five-segments, six-connections, end-to-end link.....	48
Table 1 – Maximum channel lengths	24
Table 2 – Length assumptions used in the mathematical modelling of balanced intermediate cabling.....	30
Table 3 – Intermediate link length equations	30
Table 4 – Floor link length equations	34
Table 5 – Length assumptions used in mathematical modelling of the 40 m balanced 1-pair intermediate cabling.....	31
Table 6 – Length assumptions used in mathematical modelling of the 1 000 m balanced 1-pair intermediate cabling.....	32
Table 7 – Balanced 1-pair intermediate link length equations.....	32
Table B.1 – Channel length equations for balanced cabling with inter-connections	41
Table B.2 – Channel length equations with bulkhead connections.....	43
Table C.1 – Channel equations with bulkhead and additional connections	46
Table D.1 – Worst-case Class D end-to-end link performance at key frequencies	48
Table D.2 – Worst-case Class E end-to-end link performance at key frequencies.....	48
Table D.3 – Worst-case Class E _A end-to-end link performance at key frequencies	49
Table D.4 – End-to-end link return loss limits.....	49
Table D.5 – End-to-end link insertion loss limits.....	49
Table D.6 – End-to-end link NEXT limits	50
Table D.7 – End-to-end link PS NEXT limits.....	50
Table D.8 – End-to-end link ACR-F limits.....	51
Table D.9 – End-to-end link PS ACR-F limits	51
Table D.10 – End-to-end link segment DC loop resistance.....	51
Table D.11 – End-to-end link delay	52
Table D.12 – End-to-end link delay skew	52
Table D.13 – End-to-end link TCL.....	52
Table D.14 – End-to-end link segment ELTCTL	53

Table D.15 – Minimum end-to-end link coupling attenuation.....	53
Table D.16 – Test regime for reference performance and installation performance for balanced cabling of Classes D, E and E _A	54
Table E.1 – SPE signal transmission functional space	56
Table E.2 – Balanced 1-pair cabling channel return loss (RL)	57
Table E.3 – Balanced 1-pair cabling channel IL	58
Table E.4 – Balanced 1-pair cabling channel TCL	59
Table E.5 – Balanced 1-pair cabling channel ELTCTL.....	59
Table E.6 – Balanced 1-pair cabling channel coupling attenuation	60
Table E.7 – Balanced 1-pair cabling channel PS ANEXT.....	60
Table E.8 – Balanced 1-pair cabling channel PS AACR-F	61
Table E.9 – Balanced 1-pair cabling channel DC loop resistance	61
Table E.10 – Balanced 1-pair cabling channel propagation delay	62

INFORMATION TECHNOLOGY – GENERIC CABLING FOR CUSTOMER PREMISES

Part 3: Industrial premises

FOREWORD

- 1) ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.
- 2) The formal decisions or agreements of IEC and ISO on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees and ISO member bodies.
- 3) IEC, ISO and ISO/IEC publications have the form of recommendations for international use and are accepted by IEC National Committees and ISO member bodies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC, ISO and ISO/IEC publications is accurate, IEC or ISO cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees and ISO member bodies undertake to apply IEC, ISO and ISO/IEC publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any ISO, IEC or ISO/IEC publication and the corresponding national or regional publication should be clearly indicated in the latter.
- 5) ISO and IEC do not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. ISO or IEC are not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or ISO or its directors, employees, servants or agents including individual experts and members of their technical committees and IEC National Committees or ISO member bodies for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication of, use of, or reliance upon, this ISO/IEC publication or any other IEC, ISO or ISO/IEC publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this ISO/IEC publication may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendment has been prepared for user convenience.

ISO/IEC 11801-3 edition 1.1 contains the first edition (2017-11) and its corrigendum 1 (2018-04), and its amendment 1 (2021-04) [documents JTC1-SC25/2995/FDIS and JTC1-SC25/3009/RVD].

This Final version does not show where the technical content is modified by amendment 1. A separate Redline version with all changes highlighted is available in this publication.

International Standard ISO/IEC 11801-3 was prepared by subcommittee 25: Interconnection of information technology equipment, of ISO/IEC joint technical committee 1: Information technology.

This first edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) standard re-structured to contain only those requirements that are specific for generic cabling systems installed in industrial premises;
- b) support of critical process control, monitoring and automation (PCMA) services between automation islands by adding new Annex A (normative) “Industrial cabling system”;
- c) support of specific requirements for industrial cabling the end-to-end link (E2E) has been introduced and delivers additional channel configuration covered in Annex B (normative);
- d) silica optical fibre cabling has been removed from this International Standard.

ISO/IEC 11801-3 is to be read in conjunction with ISO/IEC 11801-1.

This International Standard has been approved by vote of the member bodies, and the voting results may be obtained from the address given on the second title page.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the ISO/IEC 11801 series, published under the general title *Information technology – Generic cabling for customer premises*, can be found on the IEC website.

INTRODUCTION

The importance of cabling infrastructure is similar to that of other fundamental utilities such as water and energy supply and interruptions to the services provided over that infrastructure can have a serious impact. A lack of design foresight, the use of inappropriate components, incorrect installation, poor administration or inadequate support can threaten quality of service and have commercial consequence for all types of users.

This document specifies generic cabling, which is critical for providing robust services to the automation islands in industrial premises, or industrial spaces within other types of building.

Additionally those premises can include

- office spaces for which generic cabling is specified in ISO/IEC 11801-2,
- data centre spaces for which generic cabling is specified in ISO/IEC 11801-5.

Generic cabling for distributed building services in industrial spaces is specified in ISO/IEC 11801-6, which addresses all of the above premises and spaces within them.

This document has taken into account the correlation between all parts of the ISO/IEC 11801 series and the IEC 61918 and IEC 61784-5 series.

Figure 1 shows the schematic and contextual relationships between the standards relating to information technology cabling produced by ISO/IEC JTC 1/SC 25, namely the ISO/IEC 11801 series of standards for generic cabling design, standards for the installation, operation and administration of generic cabling and for testing of installed generic cabling.




Figure 1 – Relationships between the generic cabling documents produced by ISO/IEC JTC 1/SC 25

The generic cabling specified by this document provides users with

- a) an application independent system capable of supporting a wide range of applications in a range of installation and operating environments,
- b) a flexible scheme such that modifications are both easy and economical,
- c) a multi-vendor supply chain within an open market for cabling components.

In addition, this document provides

- d) relevant industry professionals with guidance allowing the accommodation of cabling before specific requirements are known, i.e. in the initial planning either for construction or refurbishment and for further deployment as the requirements of areas are defined,
- e) industry and standardization bodies with a cabling system which supports current products and provides a basis for future product development and applications standardization.

Applications addressed in this document include those developed by the technical committees of IEC (including the subcommittees of ISO/IEC JTC 1), including critical industrial process control and monitoring applications and study groups of ITU-T.

As a result, this document

- 1) specifies a structure for generic cabling supporting a wide variety of applications,
- 2) adopts balanced cabling channel and link Classes D, E, E_A, F and F_A, specified in ISO/IEC 11801-1,
- 3) adopts component requirements, specified in ISO/IEC 11801-1, and specifies cabling implementations that ensure performance of permanent links and of channels that meet or exceed the requirements of a specified group (e.g. Class) of applications.

Figure 2 shows the relationship between all the documents (the generic cabling standards produced by ISO/IEC JTC 1/SC 25 and the application-specific standards produced by IEC SC 65C) that apply to industrial premises.




Figure 2 – Relationships between the ISO/IEC and IEC cabling documents that apply to industrial premises

It is anticipated that the generic cabling system meeting the minimum requirements of this document will have a life expectancy consistent with other infrastructures within industrial premises.

This document has taken into account requirements specified in application standards listed in ISO/IEC 11801-1:2017, Annex E. It refers to International Standards for components and test methods whenever appropriate International Standards are available.

NOTE Telecommunications infrastructure affects raw material consumption. The infrastructure design and installation methods also influence product life and sustainability of electronic equipment life cycling. These aspects of telecommunications infrastructure impact our environment. Since building life cycles are typically planned for decades, technological electronic equipment upgrades are necessary. The telecommunications infrastructure design and installation process magnifies the need for sustainable infrastructures with respect to building life, electronic equipment life cycling and considerations of effects on environmental waste. Telecommunications designers are encouraged to research local building practices for a sustainable environment and conservation of fossil fuels as part of the design process.

INTRODUCTION to Amendment 1

This document contains requirements and/or recommendations for deployment of single pair balanced cabling on the industrial cabling specified in ISO/IEC 11801-3:2017.

This document also includes end-to-end link requirements for Class D, E and E_A.

INFORMATION TECHNOLOGY – GENERIC CABLING FOR CUSTOMER PREMISES

Part 3: Industrial premises

1 Scope

This part of ISO/IEC 11801 specifies generic cabling for use within industrial premises, or industrial areas within other types of premises, which can comprise single or multiple buildings on a campus. It covers balanced cabling and optical fibre cabling.

This document is optimized for premises in which the maximum distance over which telecommunications services can be distributed is 10 000 m. The principles of this document can be applied to larger installations.

Cabling defined by this document supports a wide range of services, including automation, process control, and monitoring applications. That can also incorporate the supply of power.

This document specifies directly or via reference to ISO/IEC 11801-1

- a) the structure and minimum configuration for generic cabling within industrial premises,
- b) the interfaces at the telecommunications outlet (TO),
- c) the performance requirements for cabling links and channels,
- d) the implementation requirements and options,
- e) the performance requirements for cabling components,
- f) the conformance requirements and verification procedures.

The cabling providing critical automation, process control and monitoring applications within the automation islands is not addressed by this document. Information for this application-specific cabling is provided in the IEC 61784-5 series (design) and in IEC 61918 (installation).

Safety (electrical safety and protection, fire, etc.) and electromagnetic compatibility (EMC) requirements are outside the scope of this document, and are covered by other standards and by regulations. However, information given by this document can be of assistance.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61918, *Industrial communication networks – Installation of communication networks in industrial premises*

IEC 61754-20, *Fibre optic interconnecting devices and passive components – Fibre optic connector interfaces – Part 20: Type LC connector family*

IEC 61784-5 (all parts), *Industrial communication networks – Profiles – Part 5: Installation of fieldbuses – Installation profiles for CPF*

IEC 63171-6, *Connectors for electrical and electronic equipment – Part 6: Detail specification for 2-way and 4-way (data/power), shielded, free and fixed connectors for power and data transmission with frequencies up to 600 MHz*

IEC 61156-11, *Multicore and symmetrical pair/quad cables for digital communications – Part 11: Symmetrical single pair cables with transmission characteristics up to 600 MHz – Horizontal floor wiring – Sectional specification*

IEC 61156-12¹, *Multicore and symmetrical pair/quad cables for digital communications – Part 12: Symmetrical single pair cables with transmission characteristics up to 600 MHz – Work area wiring*

ISO/IEC 11801-1:2017, *Information technology – Generic cabling for customer premises – Part 1: General requirements*

ISO/IEC 11801-2, *Information technology – Generic cabling for customer premises – Part 2: Office premises*

ISO/IEC 14763-2, *Information technology – Implementation and operation of customer premises cabling – Part 2: Planning and installation*

ISO/IEC 14763-4, *Information technology – Implementation and operation of customer premises cabling – Part 4: Measurement of end-to-end (E2E) links, modular plug terminated links (MPTL) and direct attach cabling*

ISO/IEC 30129, *Information technology – Telecommunications bonding networks for buildings and other structures*

¹ Under preparation. Stage at time of publication: IEC CDV 61156-12:2020.