INTERNATIONAL STANDARD

ISO/IEC 14496-15

Fifth edition 2019-09

Information technology — Coding of audio-visual objects —

Part 15:

Carriage of network abstraction layer (NAL) unit structured video in the ISO base media file format

Technologies de l'information — Codage des objets audiovisuels — Partie 15: Transport de vidéo structurée en unités NAL sur la couche réseau au format ISO de base pour les fichiers médias



ISO/IEC 14496-15:2019(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Contents						
Fore	word		vi			
Intr	oductio	n	vii			
1	Scon	e	1			
2	-					
_		Normative references				
3		Terms, definitions and abbreviated terms 3.1 Terms and definitions				
	3.2					
4	4.1	General definitions 4.1 Overview				
	4.1	Elementary stream structure				
	4.3	Sample and configuration definition				
		4.3.1 General				
		4.3.2 Canonical order and restrictions				
		4.3.3 Sample format				
	4.4	4.3.4 Optional boxes in the sample entryVideo track structure				
	4.4 4.5	Template fields used				
	4.6	Visual width and height				
	4.7	Decoding time (DTS) and composition time (CTS)				
	4.8	Sample groups on random access recovery points 'roll' and random access				
		points 'rap '				
	4.9	Hinting				
	4.10 4.11	On change of sample entrySEI information box				
	4.11	4.11.1 Definition				
		4.11.2 Syntax				
		4.11.3 Semantics				
	4.12	Post-decoder requirements scheme for signalling of SEI				
		4.12.1 General				
		4.12.2 Definition	15			
5	AVC	elementary streams and sample definitions				
	5.1	Overview				
	5.2	Elementary stream structure				
	5.3	Sample and configuration definition				
		5.3.2 Canonical order and restrictions				
		5.3.3 Decoder configuration information				
	5.4	Derivation from ISO base media file format				
		5.4.1 AVC file type and identification				
		5.4.2 AVC video stream definition				
		5.4.3 AVC parameter set stream definition	24			
		5.4.4 Parameter sets 5.4.5 Sync sample 5.4.5				
		5.4.6 Shadow sync				
		5.4.7 Layering and sub-sequences				
		5.4.8 Alternate streams and switching pictures				
		5.4.9 Definition of a sub-sample for AVC				
6	SVC	elementary stream and sample definitions	33			
-	6.1	Overview				
	6.2	Elementary stream structure				
	6.3	Use of the plain AVC file format				
	6.4	Sample and configuration definition	35			

ISO/IEC 14496-15:2019(E)

		6.4.1	Overview	
		6.4.2	Canonical order and restrictions	35
	6.5	Deriva	tion from the ISO base media file format	37
		6.5.1	SVC track structure	37
		6.5.2	Data sharing and extraction	
		6.5.3	SVC video stream definition	38
		6.5.4	SVC visual width and height	40
		6.5.5	Sync sample	40
		6.5.6	Shadow sync	
		6.5.7	Independent and disposable samples box	41
		6.5.8	Sample groups on random access recovery points 'roll' and random	
			access points 'rap '	41
		6.5.9	Definition of a sub-sample for SVC	
7	MVC	and MV	D elementary stream and sample definitions	1.3
/	7.1	Overvi	iew	43
	7.1		iew of MVC or MVD storage	
	7.2		nd MVD elementary stream structures	
	7.3 7.4		the plain AVC file format	
	7.4 7.5		e and configuration definition	
	7.3	7.5.1	Overview	
		7.5.1	Canonical order and restriction	
	7.0	7.5.3	Decoder configuration recordtion from the ISO base media file format	40
	7.6			
		7.6.1	MVC and MVD track structures	
		7.6.2	Reconstruction of an access unit	
		7.6.3	Sample entry	
		7.6.4	Sync sample	
		7.6.5	Shadow sync	
		7.6.6	Independent and disposable samples box	05
		7.6.7	Sample groups on random access recovery points 'roll' and random	(-
	7.7	MUC	access points 'rap '	
	7.7		pecific information boxes	
		7.7.1	Overview	
		7.7.2	Multiview information box	
		7.7.3	Multiview group box	
		7.7.4	Multiview group relation box	
		7.7.5	Multiview relation attribute box	
		7.7.6	Multiview scene info box	
		7.7.7	MVC view priority assignment box	/6
8	HEV	C elemer	ntary streams and sample definitions	76
	8.1	Overv	iew	76
	8.2	Eleme	ntary stream structure	77
	8.3	Sampl	e and configuration definition	77
		8.3.1	Overview	
		8.3.2	Canonical order and restrictions	77
		8.3.3	Decoder configuration information	78
	8.4	Deriva	ition from ISO base media file format	
		8.4.1	HEVC video stream definition	82
		8.4.2	Parameter sets in sample entry	83
		8.4.3	Sync sample	
		8.4.4	Sync sample sample grouping	
		8.4.5	Temporal scalability sample grouping	
		8.4.6	Temporal sub-layer access sample grouping	
		8.4.7	Step-wise temporal layer access sample grouping	
		8.4.8	Definition of a sub-sample for HEVC	88
		8.4.9	Handling non-output samples	
0	T			
9	ьауе	reu HEV	C elementary stream and sample definitions	91

	9.1				
	9.2				
	9.3	L-HEVC elementary stream structure	92		
	9.4	Sample and configuration definition			
		9.4.1 Overview			
		9.4.2 Canonical order and restrictions			
		9.4.3 Decoder configuration record			
	9.5	Derivation from the ISO base media file format and the HEVC file format (Clause 8)			
		9.5.1 L-HEVC track structure			
		9.5.2 Data sharing and reconstruction of an L-HEVC bitstream			
		9.5.3 L-HEVC video stream definition			
		9.5.4 L-HEVC visual width and height			
		9.5.5 Sync sample			
		9.5.6 Independent and disposable samples box			
		9.5.7 Stream access point sample group			
		9.5.8 The 'roll', 'rap', 'sync', 'tsas' and 'stsa' sample groups			
		9.5.9 Definition of a sub-sample for L-HEVC			
		9.5.10 Handling non-output samples			
	9.6	L-HEVC specific structures			
		9.6.1 External base layer sample group			
		9.6.2 The operating points information sample group			
		9.6.3 The layer information sample group			
		9.6.4 The layer information sample group			
10	Chama	ge of tiled HEVC and L-HEVC video streams			
10					
	10.1	Overview			
	10.2	NAL unit map entry			
		10.2.2 Syntax			
		10.2.3 Semantics			
	10.3	Tile region group entry			
	10.5	10.3.1 Definition			
		10.3.2 Syntax			
		10.3.3 Semantics			
	10.4	Tile sub track definition			
	10.4	10.4.1 Overview			
		10.4.1 Overview 10.4.2 TileSubTrackGroupBox			
	10.5	HEVC and L-HEVC tile track			
	10.5	10.5.1 Overview			
		10.5.2 Sample entry name and format for HEVC tile tracks			
		10.5.3 Sample entry name and format for L-HEVC tile tracks			
		10.5.4 Bitstream reconstruction from tile base and tile tracks	117		
		10.5.5 Sample entry names for tile base tracks			
Anne	x A (no	rmative) In-stream structures	119		
Anne	x B (no	rmative) SVC, MVC, and MVD sample group and sub-track definitions	128		
Anne	x C (noi	rmative) Temporal metadata support	152		
Anne	x D (no	rmative) File format toolsets and brands	162		
Anne	x E (noi	rmative) Sub-parameters for the MIME type 'codecs' parameter	165		
Anne	x F (info	ormative) Unspecified nal_unit_type value management	170		

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents) or the IEC list of patent declarations received (see http://patents.iec.ch).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 29, *Coding of audio, picture, multimedia and hypermedia information*.

This fifth edition cancels and replaces the fourth edition (ISO/IEC 14496-15:2017), which has been technically revised. It also incorporates Amendments ISO/IEC 14496-15:2017/Amd.1:2018 and ISO/IEC 14496-15:2017/Amd.2:2019.

The main changes compared to the previous edition are as follows:

- additional content incorporated as subclauses 4.11, 4.12, 9.6.4, D.4.3, D.4.4 and D.4.5 and Annex F;
- corrections in <u>Tables 2</u>, <u>3</u> and <u>6</u> and subclause <u>A.1</u>;
- deletion of subclause 5.4.10;
- minor editorial changes to align the document with the drafting rules in ISO/IEC Directives Part 2.

A list of all parts in the ISO/IEC 14496 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

This document defines a storage format based on, and compatible with, the ISO base media file format (ISO/IEC 14496-12), which is used by the MP4 file format (ISO/IEC 14496-14) and the motion JPEG 2000 file format (ISO/IEC 15444-3) among others. This document enables video streams formatted as network adaptation layer units (NAL units) to

- a) be used in conjunction with other media streams, such as audio,
- b) be used in an MPEG-4 systems environment, if desired,
- c) be formatted for delivery by a streaming server, using hint tracks, and
- d) inherit all the use cases and features of the ISO base media file format on which MP4 and MJ2 are based.

This document can be used as a standalone specification; it specifies how NAL unit structured video content is stored in an ISO base media file format compliant format. However, it is normally used in the context of a specification, such as the MP4 file format, derived from the ISO base media file format, that permits the use of NAL unit structured video such as AVC (ISO/IEC 14496-10) video and high efficiency video coding (HEVC, ISO/IEC 23008-2) video.

The ISO base media file format is becoming increasingly common as a general-purpose media container format for the exchange of digital media, and its use in this context should accelerate both adoption and interoperability.

The International Organization for Standardization (ISO) and International Electrotechnical Commission (IEC) draw attention to the fact that it is claimed that compliance with this document may involve the use of patents.

ISO and IEC take no position concerning the evidence, validity and scope of these patent rights. The holders of these patent rights have assured ISO and IEC that they are willing to negotiate licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statements of the holders of these patent rights are registered with ISO and IEC. Informstion may be obtained from:

Fraunhofer-Gesellschaft Hansastr. 27c 80686 München Germany

Nokia Corporation PO Box 86 FIN-24101 Salo Finland

TDVision Systems, Inc. 8001 Irvine Center Drive, Suite 400 Irvine, CA 92618 USA Qualcomm Incorporated 5775 Morehouse Drive, San Diego, CA 92121

Huawei Technologies Co., Ltd. Bantian Longgang District, Shenzhen 518129 China

Telefonaktiebolaget LM Ericsson (publ) Ericsson AB, SE-164 80 Stockholm Sweden

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

Information technology — Coding of audio-visual objects —

Part 15:

Carriage of network abstraction layer (NAL) unit structured video in the ISO base media file format

1 Scope

This document specifies the storage format for streams of video that is structured as NAL units, such as AVC (ISO/IEC 14496-10) and HEVC (ISO/IEC 23008-2) video streams.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 14496-10:2014, Information technology — Coding of audio-visual objects — Part 10: Advanced Video Coding

 ${\rm ISO/IEC}$ 14496-12:2015, Information technology — Coding of audio-visual objects — Part 12: ISO base media file format

ISO/IEC 23008-2:2017, Information technology — High efficiency coding and media delivery in heterogeneous environments — Part 2: High efficiency video coding