

### ISO/IEC 14543-3-2

Edition 1.0 2006-09

# INTERNATIONAL STANDARD

Information technology – Home electronic system (HES) architecture – Part 3-2: Communication layers – Transport, network and general parts of data link layer for network based control of HES Class 1

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ISBN 2-8318-8804-2

Warning! Make sure that you obtained this publication from an authorized distributor.

### CONTENTS

FΟ	REW	ORD		5		
IN٦	ROD	UCTION	N	6		
1	Scop	oe				
2	Norn	native r	eferences	7		
3	Term	Terms, definitions and abbreviations				
	3.1		and definitions			
	3.2		viations			
4			:e			
5	Requirements for the physical layer and independent data link layer					
J	5.1					
	5.1	·				
	5.2	ink layer services				
	5.5	5.3.1	Data link layer modes			
		5.3.2	L Data service			
		5.3.3	L_SystemBroadcast service			
		5.3.4	L_Poll_Data service and protocol			
		5.3.5	L_Busmon service			
		5.3.6	L Service Information service			
	5.4		ink layer protocol			
	0.4	5.4.1	Protocol			
		5.4.2	Recommendations for duplication prevention			
	5.5	·				
	5.6 Specific devices					
	0.0	5.6.1	Layer-2 of a bridge			
		5.6.2	Layer-2 of a router			
6	Requirements for the network layer					
	6.1		ons of the network layer			
	6.2		ork layer services and protocol			
	0.2	6.2.1	Network layer protocol data unit (NPDU)			
		6.2.2	Network layer services			
	6.3	•				
	,		ork layer state machines			
	• • •	6.4.1	Overview			
		6.4.2	State machine of network layer for normal devices			
		6.4.3	State machine of network layer for bridges			
		6.4.4	State machine of network layer for routers			
7	Requirements for the transport layer					
	7.1	Functionality of the transport layer				
	7.2	Transport layer Protocol Data Unit (TPDU)				
	7.3	Overview communication modes				
	-	7.3.1	Point-to-multipoint, connection-less (multicast) communication mode			
		7.3.2	Point-to-domain, connection-less (broadcast) communication mode			
		7.3.3	Point-to-all-points, connection-less (SystemBroadcast) communication mode			
		7.3.4	Point-to-point, connection-less communication mode			
			p,			

		7.3.5	Point-to-point, connection-oriented communication mode	32		
		7.3.6	Algorithm for the identifier of communication	33		
	7.4	Transp	ort layer services	33		
		7.4.1	General	33		
		7.4.2	T_Data_Group service	33		
		7.4.3	T_Data_Tag_Group service	34		
		7.4.4	T_Data_Broadcast service	36		
		7.4.5	T_Data_SystemBroadcast service	37		
		7.4.6	T_Data_Individual service	38		
		7.4.7	T_Connect service	39		
		7.4.8	T_Disconnect service	40		
		7.4.9	T_Data_Connected service	4		
	7.5	Param	eters of transport layer	42		
	7.6	State r	nachine of connection-oriented communication mode	43		
		7.6.1	General	43		
		7.6.2	States	43		
		7.6.3	Required actions	44		
		7.6.4	Transition table of the connection oriented transport layer state machine	46		
		7.6.5	State diagrams	53		
			ative) Examples of transport layer connection oriented state machine	54		
A.1	Conn	ect and	disconnect	54		
	A.1.1	Conne	ct from a remote device	54		
			ct from a remote device during an existing connection			
			nect from a remote device			
	A.1.4 Connect from the local user to an existing device					
	A.1.5 Connect from the local user to a non existing device					
	A.1.6 Connect from the local user during an existing connection					
	A.1.7 Disconnect from the local user					
			nect from the local user without an existing connection			
			ction timeout			
			data			
		•	tion of a correct N Data Individual			
		•	tion of a repeated N_Data_Individual			
		-	tion of data N_Data_Individual with wrong sequence number			
			tion of data N_Data_Individual with wrong source address			
		-	of data			
			A-Request from the local user			
		_	•			
	A.3.2 Reception of a T_ACK_PDU with wrong sequence number					
	A.3.4 Reception of T_NACK_PDU with wrong sequence number					
			tion of T_NACK_PDU with correct sequence numbertion of T_NACK_PDU with correct sequence number			
			tion of T_NACK_PDU with correct sequence numbertion of T_NACK_PDU and maximum number of repetitions is reached			
		-	tion of T_NACK_PDU with wrong connection address			
			tion of T_NACK_FD0 with wrong connection address			
	JUIL	J:   Y				

Figure 1 – Individual address	8
Figure 2 – Group address	8
Figure 3 – Interaction of the data link layer	10
Figure 4 – Exchange of primitives for the L_Data-Service	11
Figure 5 – Frame_format Parameter	14
Figure 6 – Coding of Extended Frame Format	14
Figure 7 – Interaction of the network layer (not for Bridges or Routers)	20
Figure 8 – General functionality of a router or a bridge	20
Figure 9 – Format of the NPDU (Example)	21
Figure 10 – Interaction of the transport layer	30
Figure 11 – Format of the TPDU (Example)	31
Figure 12 – Transport control field	31
Table 1 – Usage of priority	13
Table 2 – Actions of the connection oriented state machine	44
Table 3 – Transition table – Style 1	46
Table 4 – Transition table – Style 1-rationalized	48
Table 5 – Transition table – Style 2	50
Table 6 – Transition table – Style 3	52

## INFORMATION TECHNOLOGY – HOME ELECTRONIC SYSTEM (HES) ARCHITECTURE –

### Part 3-2: Communication layers – Transport, network and general parts of data link layer for network based control of HES Class 1

#### **FOREWORD**

- 1) ISO (International Organization for Standardization) and IEC (International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards. Their preparation is entrusted to technical committees; any ISO and IEC National Committee interested in the subject dealt with may participate in this preparatory work. International governmental and non-governmental organizations liaising with ISO and IEC also participate in this preparation.
- 2) In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.
- 3) The formal decisions or agreements of IEC or ISO on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC and ISO National Committees.
- 4) IEC, ISO or ISO/IEC Publications have the form of recommendations for international use and are accepted by IEC and ISO National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC, ISO or ISO/IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 5) In order to promote international uniformity, IEC and ISO National Committees undertake to apply IEC, ISO or ISO/IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any ISO/IEC Publication and the corresponding national or regional publication should be clearly indicated in the latter.
- 6) ISO or IEC provide no marking procedure to indicate their approval and cannot be rendered responsible for any equipment declared to be in conformity with an ISO/IEC Publication.
- 7) All users should ensure that they have the latest edition of this publication.
- 8) No liability shall attach to IEC or ISO or its directors, employees, servants or agents including individual experts and members of their technical committees and IEC or ISO member bodies for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication of, use of, or reliance upon, this ISO/IEC publication or any other IEC, ISO or ISO/IEC publications
- 9) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 10) Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

International Standard ISO/IEC 14543-3-2 was prepared by subcommittee 25: Interconnection of information technology equipment, of ISO/IEC joint technical committee 1: Information technology.

This International Standard together with ISO/IEC 14543-3-1 cancels and replaces ISO/IEC TR 14543-3, published in 2000. It constitutes a complete revision of the principles outlined in ISO/IEC TR 14543-3 and provides the specifications essential for an international standard.

This International Standard has been approved by vote of the member bodies, and the voting results may be obtained from the address given on the title page.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

#### **INTRODUCTION**

This standard specifies the Media independent requirements for the data link layer and the requirements for the network layer and the transport layer for Home Electronic Systems.

This standard provides the communication stack targeted for providing the services specified in ISO/IEC 14543-3-3 (EN 50090-3-2) "User Process" and ISO/IEC 14543-3-1 "Application Layer for networked based control of HES Class 1". It can be used as communication stack on the physical layers as specified in ISO/IEC 14543-3-5, ISO/IEC 14543-3-6 and ISO/IEC 14543-3-7 (EN 50090-5-x).

Currently, ISO/IEC 14543, Information technology – Home Electronic System (HES) architecture, consists of the following parts:

Part 2-1:	Introduction and device modularity
Part 3-1:	Communication layers – Application layer for network based control of HES Class 1
Part 3-2:	Communication layers – Transport, network and general parts of data link layer for
	network based control of HES Class 1
Part 3-3:	User process for network based control of HES Class 1 (under consideration)
Part 3-4:	System management – Management procedures for network based control of HES
	Class 1 (under consideration)
Part 3-5:	Media and media dependent layers – Power line for network based control of HES
	Class 1 (under consideration)
Part 3-6:	Media and media dependent layers – Twisted pair for network based control of
	HES Class 1 (under consideration)
Part 3-7:	Media and media dependent layers – Radio frequency for network based control of
	HES Class 1 (under consideration)
Part 4:	Home and building automation in a mixed-use building (technical report)
Part 5-1:	Intelligent grouping and resource sharing for HES Class 2 and Class 3 – Core
	ptotocol
Part 5-2:	Intelligent grouping and resource sharing for HES Class 2 and Class 3 – Device
	certification
	Additional parts may be added later.

### INFORMATION TECHNOLOGY – HOME ELECTRONIC SYSTEM (HES) ARCHITECTURE –

## Part 3-2: Communication layers – Transport, network and general parts of data link layer for network based control of HES Class 1

#### 1 Scope

This part of ISO/IEC 14543 specifies the services and protocol in a physical layer independent way for the data link layer and for the network layer and the transport layer for usage in Home Electronic Systems.

#### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 7498 (all parts), Information technology – Open Systems Interconnection – Basic reference model

ISO/IEC 14543-2-1, Information technology – Home Electronic System (HES) Architecture – Part 2-1: Introduction and device modularity

ISO/IEC 14543-3-1 Information technology – Home Electronic System (HES) Architecture – Part 3-1: Communication layers – Application layer for network based control of HES Class 1

NOTE 1 The provisions of the referenced specifications, as identified in this subclause, are valid within the context of this International Standard. The reference to a specification within this International Standard does not give it any further status within ISO/IEC; in particular, it does not give the referenced specification the status of an International Standard.

EN 50090-5 (all parts), Home and Building Electronic Systems (HBES) – Part 5: Media and media dependent layers

NOTE 2 Reference to EN 50090-5-x is to be considered as deleted as soon as ISO/IEC 14543-3-5, ISO/IEC 14543-3-6 and ISO/IEC 14543-3-7 are approved.