



ISO/IEC 14543-4-302

Edition 1.0 2023-04

# INTERNATIONAL STANDARD



---

**Information technology – Home electronic system (HES) architecture –  
Part 4-302: Application protocols for electrical storage systems and controllers**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

---

ICS 35.240.67

ISBN 978-2-8322-6793-6

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references .....	8
3 Terms, definitions and abbreviated terms .....	8
3.1 Terms and definitions.....	8
3.2 Abbreviations .....	9
4 Conformance.....	10
5 Configuration.....	10
5.1 General.....	10
5.2 Configuration and components.....	10
5.3 Connection configuration .....	11
6 Application layer.....	12
6.1 General.....	12
6.2 NECD objects .....	12
6.3 NECD services.....	12
6.4 Object-specific NECD properties.....	12
6.5 Application operation .....	14
6.5.1 General .....	14
6.5.2 Continuous requests .....	14
6.5.3 Response wait time value for controllers.....	15
6.5.4 Resending a frame .....	15
6.5.5 Processing object property counter.....	15
6.5.6 Property values of write requests.....	15
7 Normal operation.....	16
7.1 General.....	16
7.2 Start-up operation.....	18
7.2.1 General .....	18
7.2.2 Start-up processing of NECD nodes .....	18
7.2.3 Search processing.....	18
7.2.4 Obtaining NECD attribute information .....	18
7.2.5 Obtaining electrical storage system attribute information .....	19
7.3 Occasional operation .....	22
7.3.1 General .....	22
7.3.2 Obtaining electrical storage system status.....	22
7.3.3 Setting and updating "AC charge amount target value" property (or "AC discharge amount target value" property).....	25
7.3.4 Setting and updating "Charging electric power setting" property (or "Discharging electric power setting" property) (optional) .....	28
7.3.5 Setting "Charging method" property (or "Discharging method" property) (optional).....	31
7.3.6 Setting "Operation mode setting" property .....	34
7.3.7 Terminating charging (or discharging) operation of the storage battery based on "AC charging amount target value" property (or "AC discharging amount target value" property).....	37
7.4 Fault status notification.....	41
8 Remote control.....	42

8.1	General.....	42
8.2	Setting and updating "AC charge amount target value" property (or "AC discharge amount target value" property) on remote control.....	42
8.3	Setting "Operation mode setting" property when remotely controlling .....	44
9	Considerations on controllers .....	46
9.1	General.....	46
9.2	Restrictions by electrical storage system implementations .....	47
Annex A (informative) Terms and NECD protocol frame format on ISO/IEC 14543-4-3 and IEC 62394.....		48
A.1	Terms correspondence between ISO/IEC 14543-4-3 and IEC 62394.....	48
A.2	NECD protocol frame format .....	48
Annex B (informative) Relationship between ISO/IEC 14543-4 series and the HES gateway, based on ISO/IEC 15045 series and ISO/IEC 18012 series.....		50
Bibliography.....		51
Figure 1 – Relationship between IEC 62394, ISO/IEC 14543-4-3 and ISO/IEC 14543-4-302.....		7
Figure 2 – Example of electrical storage system configuration and components.....		10
Figure 3 – Connection configurations.....		11
Figure 4 – Assumed network stack.....		11
Figure 5 – Summary of normal operation sequences.....		17
Figure 6 – Sequence for obtaining NECD attribute information.....		19
Figure 7 – Sequence of obtaining electrical storage system attribute information .....		21
Figure 8 – Sequence to obtain status of electrical storage systems.....		25
Figure 9 – Sequence for setting "AC charge amount target value" property (or "AC discharge amount target value" property).....		28
Figure 10 – Sequence for setting "Charging electric power setting" property (or "Discharging electric power setting" property).....		31
Figure 11 – Sequence for setting "Charging method" property (or "Discharging method" property).....		33
Figure 12 – Sequence for setting "Charging method" property (or "Discharging method" property) when no response is received from the storage battery.....		34
Figure 13 – Sequence for setting "Operation mode setting" property.....		36
Figure 14 – Sequence for setting "Operation mode setting" property when no response is received from the storage battery .....		37
Figure 15 – Sequence of terminating charging (discharging) operation based on "AC charge amount target value" property ("AC discharge amount target value" property) .....		40
Figure 16 – Sequence of terminating charge (discharge) operation based on "AC charge amount target value" property ("AC discharge amount target value" property) when "Operation mode setting" property is changed .....		41
Figure 17 – Remote control.....		42
Figure 18 – Example of setting sequence for "AC charge amount target value" property ("AC discharge amount target value" property) when "Remote control setting" property is used.....		44
Figure 19 – Example of setting sequence for "Operation mode setting" property when "Remote control setting" property is used.....		45
Figure 20 – Example of setting sequence for "Operation mode setting" property when "Remote control setting" property is used, in case that no response is made by electrical storage system .....		46

Figure A.1 – NECD protocol frame format ..... 49

Table 1 – NECD objects ..... 12

Table 2 – NECD services ..... 12

Table 3 – NECD properties of device object (super class) ..... 13

Table 4 – NECD properties of device object ..... 13

Table 5 – Response wait time values for controllers ..... 15

Table 6 – Re-set wait time for the AC charge (or discharge) amount target value ..... 27

Table 7 – Wait time for re-setting charging and discharging electric power setting ..... 30

Table 8 – Wait time for charging and discharging method for re-setting ..... 32

Table 9 – Wait time for re-setting operation mode ..... 35

Table A.1 – Terms correspondence table between ISO/IEC 14543-4-3 and IEC 62394 ..... 48

Table B.1 – Partial list of the translation between ISO/IEC 14543-4-302 and  
HES gateway lexicon (ISO/IEC 18012-3) ..... 50

## INFORMATION TECHNOLOGY – HOME ELECTRONIC SYSTEM (HES) ARCHITECTURE –

### Part 4-302: Application protocols for electrical storage systems and controllers

#### FOREWORD

- 1) ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.
- 2) The formal decisions or agreements of IEC and ISO on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC and ISO National bodies.
- 3) IEC and ISO documents have the form of recommendations for international use and are accepted by IEC and ISO National bodies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC and ISO documents is accurate, IEC and ISO cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC and ISO National bodies undertake to apply IEC and ISO documents transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC and ISO document and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC and ISO do not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC and ISO marks of conformity. IEC and ISO are not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this document.
- 7) No liability shall attach to IEC and ISO or their directors, employees, servants or agents including individual experts and members of its technical committees and IEC and ISO National bodies for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this ISO/IEC document or any other IEC and ISO documents.
- 8) Attention is drawn to the Normative references cited in this document. Use of the referenced publications is indispensable for the correct application of this document.
- 9) Attention is drawn to the possibility that some of the elements of this ISO/IEC document may be the subject of patent rights. IEC and ISO shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 14543-4-302 has been prepared by subcommittee 25: Interconnection of information technology equipment, of ISO/IEC joint technical committee 1: Information technology. It is an International Standard.

The list of all currently available parts of the ISO/IEC 14543 series, under the general title *Information technology – Home Electronic System (HES) architecture*, can be found on the IEC website and ISO website.

The text of this International Standard is based on the following documents:

Draft	Report on voting
JTC1-SC25/3100/CDV	JTC1-SC25/3130/RVC

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.


This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1, available at [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs) and [www.iso.org/directives](http://www.iso.org/directives).

**IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## INTRODUCTION

This part of ISO/IEC 14543 specifies the detailed procedures and behaviours of both electrical storage systems and controllers at the application level of communications based on ISO/IEC 14543-4-3. This document specifies the message structure, sequences and protocol of the application layer for networked enhanced control devices used in the Home Electronic System (HES). Some services are targeted for communications between devices. Other services are exclusively reserved for management purposes. Some services can be used for both management and run-time communications. This document is applicable for energy management services involving storage batteries, inverters, chargers and related devices.

Figure 1 shows the relationship among IEC 62394, ISO/IEC 14543-4-3 and ISO/IEC 14543-4-302. ISO/IEC 14543-4-3 specifies the message structure, sequences and protocol for general-purpose communications used in network enhanced control devices of the Home Electronic System (HES) Class 1. ISO/IEC 14543-4-3 provides the common interfaces for the use-level process and the services such as energy management, remote maintenance, and other services for easily building a system consisting of multi-vendor devices and equipment. IEC 62394 specifies the detailed lists of control commands on NECD objects (see ISO/IEC 14543-4-3). Annex A shows terms and NECD protocol frame format on ISO/IEC 14543-4-3 and IEC 62394.



**Figure 1 – Relationship between IEC 62394, ISO/IEC 14543-4-3 and ISO/IEC 14543-4-302**

ISO/IEC 14543-4-3 is a general-purpose communications specification that applies to a variety of devices. ISO/IEC 14543-4-3 is the basis for this document, which specifies detailed procedures and behaviours for pre-packaged system solutions that include storage batteries, inverters, chargers and related devices. The procedures and behaviours specified in this document can be used for energy flow inside a home or energy flow between the grid and a home.

In order to enhance interoperability, it is important to specify how to implement ISO/IEC 14543-4-3 for each device and controller at the application level such as command sequences, timeout requirements, required combinations of acceptable commands, etc..

# INFORMATION TECHNOLOGY – HOME ELECTRONIC SYSTEM (HES) ARCHITECTURE –

## Part 4-302: Application protocols for electrical storage systems and controllers

### 1 Scope

This part of ISO/IEC 14543 specifies an application-layer protocol important for ensuring interoperability among the products of various manufacturers regarding communications between electrical storage systems and controllers. It uses the network enhanced communications device (NECD) protocol specified in ISO/IEC 14543-4-3. This protocol is based on UDP using IPv4 or IPv6 (TCP is optional).

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 14543-4-3, *Information technology – Home Electronic System (HES) architecture – Part 4-3: Application layer interface to lower communications layers for network enhanced control devices of HES Class 1*

IEC 62394, *Service diagnostic interface for consumer electronics products and networks – Implementation for ECHONET*