



ISO/IEC 14543-4-3

Edition 1.0 2015-09

INTERNATIONAL STANDARD



**Information technology – Home electronic system (HES) architecture –
Part 4-3: Application layer interface to lower communications layers for
network enhanced control devices of HES Class 1**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 35.240.67

ISBN 978-2-8322-2868-5

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms, definitions and abbreviations	7
3.1 Terms and definitions.....	7
3.2 Abbreviations	9
4 Conformance.....	9
5 Services of the application layer	9
5.1 Positioning in communications layers.....	9
5.1.1 General	9
5.1.2 When using UDP in layer 4 and IP in layer 3.....	10
5.2 Service primitives of the application layer	10
5.2.1 General	10
5.2.2 NECD objects from the viewpoint of application software.....	11
5.2.3 Case 1: Obtaining the status of another node	11
5.2.4 Case 2: Controlling the functions of other nodes.....	12
5.2.5 Case 3: Notifying own node status to other nodes	13
6 Application layer protocol data unit (APDU)	15
6.1 Overview.....	15
6.2 NECD header (NHD).....	16
6.2.1 Overview	16
6.2.2 NECD header 1 (NHD1).....	16
6.2.3 NECD header 2 (NHD2).....	17
6.3 Transaction ID (TID)	17
6.4 NECD data (NDATA).....	17
6.5 NECD object (NOJ).....	17
6.6 NECD Service (NSV)	18
6.6.1 Overview	18
6.6.2 Property value write service (no response required) [0x60, 0x50]	22
6.6.3 Property value write service (response required) [0x61, 0x71, 0x51].....	22
6.6.4 Property value read service [0x62, 0x72, 0x52].....	23
6.6.5 Property value write and read service [0x6E, 0x7E, 0x5E]	24
6.6.6 Property value notification service [0x63, 0x73, 0x53].....	25
6.6.7 Property value notification (response required) [0x74, 0x7A].....	26
6.7 Processing object property counters (OPC, OPCSet and OPCGet)	27
6.8 NECD property (NPC).....	27
6.9 Property data counter (PDC).....	28
6.10 NECD property value data (NDT)	28
7 Basic sequences	29
7.1 General.....	29
7.2 Basic sequences for object control.....	29
7.2.1 Overview	29
7.2.2 Basic sequences for object control in general	29
7.2.3 Basic sequences for service content.....	30

7.3	Basic sequences for node start-up	32
7.3.1	Overview	32
7.3.2	Basic sequence for NECD node start-up	32
8	NECD objects – Detailed specifications	33
8.1	General.....	33
8.2	Types of objects.....	33
8.2.1	Device objects	33
8.2.2	Node profile object	33
8.3	NECD property value data types	33
8.3.1	Overview	33
8.3.2	NECD property value range	34
8.3.3	Class-specific mandatory properties	34
8.3.4	Profiles obliged to have a status change announcement function.....	35
	Bibliography.....	36
	Figure 1 – Communications middleware.....	9
	Figure 2 – Acquisition of status of another node (synchronous type).....	11
	Figure 3 – Acquisition of status of another node (asynchronous type).....	12
	Figure 4 – Objects seen from application software	12
	Figure 5 – Method of controlling other nodes	13
	Figure 6 – Objects seen from application software	13
	Figure 7 – Method of notification to other nodes (synchronous type).....	14
	Figure 8 – Method of notification to other nodes (asynchronous type).....	14
	Figure 9 – Objects seen from application software	14
	Figure 10 – Example of object configuration	15
	Figure 11 – NECD frame format.....	16
	Figure 12 – Bit specifications of NHD 1.....	17
	Figure 13 – Detailed specifications of NHD 2	17
	Figure 14 – Bit specifications of the NOJ code.....	18
	Figure 15 – Bit specifications of the NSV code.....	18
	Figure 16 – Sequence diagram for NSV transmission and reception	21
	Figure 17 – NDATA configuration for property value write service (no response required).....	22
	Figure 18 – NDATA configuration for property value write service (response required)	23
	Figure 19 – NDATA configuration for property value read service	24
	Figure 20 – NDATA configuration for property value write and read service	25
	Figure 21 – NDATA configuration for property value notification service	26
	Figure 22 – NDATA configuration for property value notification (response required) service.....	27
	Figure 23 – Processing target property counter for three requests	27
	Figure 24 – NPC detailed specifications.....	28
	Figure 25 – NPC code allocation.....	28
	Figure 26 – Basic sequence when controlled object does not exist	29
	Figure 27 – Basic sequence when controlled objects exist	30
	Figure 28 – Basic request receiving sequence for NSV = 0x60.....	30

Figure 29 – Basic request receiving sequence for NSV = 0x6* 31

Figure 30 – Basic request receiving sequence for NSV = 0x63..... 31

Figure 31 – Basic property value notification sequence 32

Figure 32 – Basic sequence for NECD node start-up 32

Table 1 – List of NSV Codes for Requests 20

Table 2 – List of NSV codes for response/notification 20

Table 3 – List of NSV codes for “Response not possible” 21

Table 4 – Data types, data sizes and overflow / underflow codes 34

INFORMATION TECHNOLOGY – HOME ELECTRONIC SYSTEM (HES) ARCHITECTURE –

Part 4-3: Application layer interface to lower communications layers for network enhanced control devices of HES Class 1

FOREWORD

- 1) ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.
- 2) The formal decisions or agreements of IEC and ISO on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees and ISO member bodies.
- 3) IEC, ISO and ISO/IEC publications have the form of recommendations for international use and are accepted by IEC National Committees and ISO member bodies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC, ISO and ISO/IEC publications is accurate, IEC or ISO cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees and ISO member bodies undertake to apply IEC, ISO and ISO/IEC publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any ISO, IEC or ISO/IEC publication and the corresponding national or regional publication should be clearly indicated in the latter.
- 5) ISO and IEC do not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. ISO or IEC are not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or ISO or its directors, employees, servants or agents including individual experts and members of their technical committees and IEC National Committees or ISO member bodies for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication of, use of, or reliance upon, this ISO/IEC publication or any other IEC, ISO or ISO/IEC publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this ISO/IEC publication may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

International Standard ISO/IEC 14543-4-3 was prepared by subcommittee 25: Interconnection of information technology equipment, of ISO/IEC joint technical committee 1: Information technology.

The list of all currently available parts of the ISO/IEC 14543 series, under the general title *Information technology – Home electronic system (HES) architecture*, can be found on the IEC web site and ISO web site.

This International Standard has been approved by vote of the member bodies, and the voting results may be obtained from the address given on the second title page.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This part of ISO/IEC 14543 specifies the message structure, sequences and protocol of the application layer for use in the Home Electronic System. Some services are targeted for communications between devices. Other services are exclusively reserved for management purposes. Some services can be used for both management and run-time communications. This standard is applicable for energy management services, mobile access, remote appliance maintenance services, home healthcare services, home security services and comfort control. This standard focuses on the application layers (5th layer to 7th layer of the OSI reference model). This standard specifies a message structure that differs from the 12 message structures specified in ISO/IEC 14543-4-1. This standard allows the use of IP addressing or MAC addressing, while ISO/IEC 14543-4-1 specifies a different non-IP address structure. This part depends on routing functions provided by an external IP layer. ISO/IEC 14543-4-1 uses the routing functions specified in ISO/IEC 14543-4-2. Therefore Part 4-3 is an alternative to Part 3-1 plus Part 3-2.

ISO/IEC 14543, *Information technology – Home Electronic System (HES) architecture, provides*

an introduction to specifications for Home Electronic System (HES):

Part 2-1: Introduction and device modularity

and specifications for three types of HES devices:

Parts 3-x Specifications for network based control of HES Class 1

Parts 4-x Specifications for network enhanced control of HES Class 1

Parts 5-x Specifications for intelligent grouping and resource sharing for HES Class 2 and Class 3

INFORMATION TECHNOLOGY – HOME ELECTRONIC SYSTEM (HES) ARCHITECTURE –

Part 4-3: Application layer interface to lower communications layers for network enhanced control devices of HES Class 1

1 Scope

This part of ISO/IEC 14543 specifies the message structure, sequences and protocol of the application layer for use in network enhanced control devices of the Home Electronic System (HES) Class 1. It provides the services and the interface for the user-level process. This application layer protocol is independent of lower communications layers, which support MAC addressing or IP addressing. The communications sequence is based on the application services.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 14543-2-1, *Information technology – Home electronic system (HES) architecture – Part 2-1: Introduction and device modularity*

ISO/IEC 14543-4-1, *Information technology – Home electronic system (HES) architecture – Part 4-1: Communication layers – Application layer for the network enhanced control devices of HES Class 1*

ISO/IEC 14543-4-2, *Information technology – Home electronic system (HES) architecture – Part 4-2: Communication layers – Transport, network and general parts of data link layer for network enhanced control devices of HES Class 1*