# INTERNATIONAL STANDARD

# ISO/IEC 15444-15

First edition 2019-10

# Information technology — JPEG 2000 image coding system —

Part 15: **High-Throughput JPEG 2000** 

Technologies de l'information — Système de codage d'images JPEG 2000 —

Partie 15: JPEG 2000 à haut débit



## ISO/IEC 15444-15:2019(E)



## **COPYRIGHT PROTECTED DOCUMENT**

## © ISO/IEC 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

#### **Foreword**

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="https://patents.iec.ch">www.iso.org/patents</a>) or the IEC list of patent declarations received (see <a href="https://patents.iec.ch">http://patents.iec.ch</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see <a href="https://www.iso.org/iso/foreword.html">www.iso.org/iso/foreword.html</a>.

This document was prepared by ITU-T as ITU-T T.814 (06/2019) and drafted in accordance with its editorial rules. It was assigned to Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 29, *Coding of audio, picture, multimedia and hypermedia information*.

A list of all parts in the ISO/IEC 15444 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <a href="https://www.iso.org/members.html">www.iso.org/members.html</a>.

# INTERNATIONAL STANDARD ISO/IEC 15444-15 RECOMMENDATION ITU-T T.814

Information technology – JPEG 2000 image coding system: High-throughput JPEG 2000

#### **Summary**

The computational complexity of the block-coding algorithm of Rec. ITU-T T.800 | ISO/IEC 15444-1 can be a challenge in some applications.

Rec. ITU-T T.814 | ISO/IEC 15444-15 specifies a high-throughput (HT) block-coding algorithm that can be used in place of the block-coding algorithm specified in Rec. ITU-T T.800 | ISO/IEC 15444-1.

The HT block-coding algorithm increases decoding and encoding throughput and allows mathematically lossless transcoding to and from the block-coding algorithm specified in Rec. ITU-T T.800 | ISO/IEC 15444-1. This is achieved at the expense of some loss in coding efficiency and substantial elimination of quality scalability.

The HT block-coding algorithm adopts a coding pass structure like that of the block-coding algorithm of Rec. ITU-T T.800 | ISO/IEC 15444-1. No more than three coding passes are required for any given code-block in the final codestream, and arithmetic coding is replaced with a combination of variable length coding tools, adaptive run-length coding and simple bit-packing. The algorithm involves three passes: a significance propagation pass (HT SigProp coding pass), a magnitude refinement pass (HT MagRef coding pass) and a cleanup pass (HT cleanup coding pass).

The HT MagRef coding pass is identical to that of the block-coding algorithm of Rec. ITU-T T.800 | ISO/IEC 15444-1, operating in the bypass mode, except that code bits are packed into bytes with a little-endian bit order. That is, the first code bit in a byte appears in its LSB, as opposed to its MSB.

The HT SigProp coding pass is also very similar to that of the block-coding algorithm of Rec. ITU-T T.800 | ISO/IEC 15444-1, operating in the BYPASS mode, with the following two differences:

- code bits are again packed into bytes of the raw bit-stream with a little-endian bit order, instead of bigendian bit packing order; and
- the significance bits associated with a set of four stripe columns are emitted first, followed by the associated sign bits, before advancing to the next set of stripe columns, instead of inserting any required sign bit immediately after the same sample's magnitude bit.

The HT cleanup coding pass is, however, significantly different from that of the block-coding algorithm of Rec. ITU-T T.800 | ISO/IEC 15444-1, and most of ITU-T T.814 | ISO/IEC 15444-15 is devoted to its description.

Aside from the block-coding algorithm itself and the parsing of packet headers, the HT block-coding algorithm preserves the syntax and semantics of other parts of the codestream specified in Rec. ITU-T T.800 | ISO/IEC 15444-1.

Recommendation ITU-T T.814 (2019) is a common text with ISO/IEC 15444-15:2019, both in their first edition.

#### History

 Edition
 Recommendation
 Approval
 Study Group
 Unique ID\*

 1.0
 ITU-T T.814
 2019-06-13
 16
 11.1002/1000/13912

<sup>\*</sup> To access the Recommendation, type the URL http://handle.itu.int/ in the address field of your web browser, followed by the Recommendation's unique ID. For example, <a href="http://handle.itu.int/11.1002/1000/11830-en">http://handle.itu.int/11.1002/1000/11830-en</a>.

#### **FOREWORD**

The International Telecommunication Union (ITU) is the United Nations specialized agency in the field of telecommunications, information and communication technologies (ICTs). The ITU Telecommunication Standardization Sector (ITU-T) is a permanent organ of ITU. ITU-T is responsible for studying technical, operating and tariff questions and issuing Recommendations on them with a view to standardizing telecommunications on a worldwide basis.

The World Telecommunication Standardization Assembly (WTSA), which meets every four years, establishes the topics for study by the ITU-T study groups which, in turn, produce Recommendations on these topics.

The approval of ITU-T Recommendations is covered by the procedure laid down in WTSA Resolution 1.

In some areas of information technology which fall within ITU-T's purview, the necessary standards are prepared on a collaborative basis with ISO and IEC.

#### NOTE

In this Recommendation, the expression "Administration" is used for conciseness to indicate both a telecommunication administration and a recognized operating agency.

Compliance with this Recommendation is voluntary. However, the Recommendation may contain certain mandatory provisions (to ensure, e.g., interoperability or applicability) and compliance with the Recommendation is achieved when all of these mandatory provisions are met. The words "shall" or some other obligatory language such as "must" and the negative equivalents are used to express requirements. The use of such words does not suggest that compliance with the Recommendation is required of any party.

#### INTELLECTUAL PROPERTY RIGHTS

ITU draws attention to the possibility that the practice or implementation of this Recommendation may involve the use of a claimed Intellectual Property Right. ITU takes no position concerning the evidence, validity or applicability of claimed Intellectual Property Rights, whether asserted by ITU members or others outside of the Recommendation development process.

As of the date of approval of this Recommendation, ITU had received notice of intellectual property, protected by patents, which may be required to implement this Recommendation. However, implementers are cautioned that this may not represent the latest information and are therefore strongly urged to consult the TSB patent database at <a href="http://www.itu.int/ITU-T/ipr/">http://www.itu.int/ITU-T/ipr/</a>.

#### © ITU 2019

All rights reserved. No part of this publication may be reproduced, by any means whatsoever, without the prior written permission of ITU.

#### **CONTENTS**

	P	age
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Abbreviations and symbols	1
5	Convention	2
6	Conformance	2
	6.1 HTJ2K codestream	
	6.2 HTJ2K decoding algorithm	
7	HT block decoding algorithm	
/	7.1 Retrieving bit-streams from HT segments	
	7.2 Quad-based scanning pattern	
	7.3 HT Cleanup decoding algorithm	10
	7.4 HT SigProp decoding procedure	
	7.5 HT MagRef decoding procedure	
	7.6 Sample output values	. 22
8	Constrained codestream sets	
	8.1 Overview	
	8.2 HTONLY, HTDECLARED and MIXED sets	
	8.4 RGN and RGNFREE sets	
	8.5 HOMOGENEOUS and HETEROGENEOUS sets	
	8.6 LOCAL and FRAG sets	
	8.7 Bounded magnitude sets	
	8.8 CPF <sub>N</sub> sets	25
9	Media types	26
Annex A	A (normative) – HTJ2K codestream syntax	27
	A.1 General	
	A.2 SIZ marker segment	
	A.3 CAP marker segment	
	A.4 COD and COC marker segments	
	A.5 RGN marker segment	
	A.6 Corresponding Profile (CPF) marker segment	
Annex I	3 (normative) – HT data organization	
	B.1 HT Sets	
	B.2 HT segments  B.3 Packets, Z blk and S blk	
Annov (	C (normative) – CxtVLC tables	
Annex I	O (normative) – JPH file format	
	D.2 JP2 Header box	
	D.3 File Type box	
	D.4 Colour Specification box	
	D.5 Contiguous Codestream box	
	D.6 Channel Definition box	. 55
Annex I	E (normative) – Media type specifications and registrations	57
	E.1 General	. 57
	E.2 JPH file	
	E.3 Single HTJ2K codestream	. 57
Annex F	F (informative) – HT block encoding procedures	59
	F.1 Overview	59

### ISO/IEC 15444-15:2019 (E)

F.2	Bit-planes, exponents, MagSgn values and EMB patterns	1
	Cleanup pass encoding steps 69	
	Bit-stuffing and byte-stream termination procedures	
Bibliography		2

# INTERNATIONAL STANDARD ITU-T RECOMMENDATION

#### Information technology – JPEG 2000 image coding system: High-throughput JPEG 2000

# 1 Scope

This Recommendation | International Standard specifies an alternate block-coding algorithm that can be used in place of the block-coding algorithm specified in Rec. ITU-T T.800 | ISO/IEC 15444-1. This alternate block-coding algorithm offers a significant increase in throughput at the expense of slightly reduced coding efficiency, while a) allowing mathematically lossless transcoding to and from codestreams that use the block-coding algorithm specified in Rec. ITU-T T.800 | ISO/IEC 15444-1, and b) preserving codestream syntax and features specified in Rec. ITU-T T.800 | ISO/IEC 15444-1.

Recommendation ITU-T T.814 (2019) is a common text with ISO/IEC 15444-15:2019, both in their first edition.

#### 2 Normative references

The following Recommendations and International Standards contain provisions which, through reference in this text, constitute provisions of this Recommendation | International Standard. At the time of publication, the editions indicated were valid. All Recommendations and Standards are subject to revision, and parties to agreements based on this Recommendation | International Standard are encouraged to investigate the possibility of applying the most recent edition of the Recommendations and Standards listed below. Members of IEC and ISO maintain registers of currently valid International Standards. The Telecommunication Standardization Bureau of the ITU maintains a list of currently valid ITU-T Recommendations.

#### 2.1 Identical Recommendations | International Standards

Recommendation ITU-T T.800 (2019) | ISO/IEC 15444-1:2019, Information technology – JPEG 2000 image coding system: Core coding system.

#### 2.2 Paired Recommendations | International Standards equivalent in technical content

- Recommendation ITU-T H.273 (2016), Coding-independent code points for video signal type identification.
- ISO/IEC 23001-8:2016, Information technology MPEG systems technologies Part 8: Codingindependent code points.

### 2.3 Additional references

 ISO/IEC 15076-1, Image technology colour management – Architecture, profile format and data structure – Part 1: Based on ICC.1:2010.