

INTERNATIONAL
STANDARD

ISO/IEC
17594

First edition
2004-07-15

**Information technology — Cases for
120 mm and 80 mm DVD-RAM disks**

*Technologies de l'information — Coffrets pour disques DVD-RAM de
120 mm et 80 mm*

Reference number
ISO/IEC 17594:2004(E)



© ISO/IEC 2004

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO/IEC 2004

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

	Page
Section 1 - General.....	1
1 Scope.....	1
2 Conformance	1
3 Normative references	2
4 Definitions.....	2
5 Conventions and notations.....	2
5.1 Representation of numbers	2
5.2 Names.....	2
6 General description of the case	2
6.1 General description of the Type 1 case (Figure 1)	2
6.2 General description of the Type 2 case (Figure 2)	2
6.3 General description of the Type 3 case (Figure 2)	3
6.4 General description of the Type 4 case (Figure 3)	4
6.5 General description of the Type 5 case (Figure 3)	4
6.6 General description of the Type 6 case (Figure 4)	5
6.7 General description of the Type 7 case (Figure 5)	5
6.8 General description of the Type 8 case (Figure 4)	6
6.9 General description of the Type 9 case (Figure 5)	6
7 General requirements	7
7.1 Environments	7
7.1.1 Test environment	7
7.1.2 Operating environment.....	7
7.1.3 Storage environment	8
7.1.4 Transportation.....	8
7.2 Temperature shock.....	8
7.3 Safety requirement.....	8
7.4 Flammability	8
Section 2 - Dimensional and mechanical characteristics of the case for 120 mm disks	9
8 Dimensional characteristics	9
8.1 Dimensions of the Type 1 case	9
8.1.1 Overall dimensions (Figure 6)	9
8.1.2 Location hole (Figure 6)	10
8.1.3 Alignment hole (Figure 6).....	10
8.1.4 Reference surfaces (Figure 7)	11
8.1.5 Insertion slots (Figure 8)	11
8.1.6 Detents (Figure 8).....	12
8.1.7 Gripper slots (Figure 8)	12
8.1.8 Write-inhibit hole (Figure 9)	13
8.1.9 Sensor holes (Figure 9)	13
8.1.10 Sensing areas (Figure 9)	14
8.1.11 Spindle and head window (Figure 10).....	14
8.1.12 Shutter shape (Figure 11).....	15
8.1.13 Path for shutter opener (Figures 12 and 13)	15
8.1.14 Label areas (Figure 14)	16
8.1.15 Identification marks for Sides A and B (Figure 15)	16
8.2 Dimensions of the Type 2 case	28
8.2.1 Overall dimensions (Figure 16)	28
8.2.2 Location hole (Figure 16)	29

8.2.3	Alignment hole (Figure 16)	29
8.2.4	Reference surfaces (Figure 17).....	29
8.2.5	Insertion slot (Figure 18)	30
8.2.6	Detents (Figure 18)	30
8.2.7	Gripper slots (Figure 18).....	31
8.2.8	Write-inhibit hole (Figure 19).....	31
8.2.9	Sensor holes (Figure 19)	32
8.2.10	Sensing areas (Figure 19).....	32
8.2.11	Spindle and head window (Figure 20).....	33
8.2.12	Shutter shape (Figure 21)	33
8.2.13	Path for shutter opener (Figure 22 and 23).....	34
8.2.14	Label areas (Figure 24)	35
8.2.15	Identification mark for Side A (Figure 25)	35
8.2.16	Opening and opening cover for taking the disk out of the case	35
8.3	Dimensions of the Type 3 case.....	45
8.3.1	Sensor holes	45
8.3.2	Opening and opening cover for taking the disk out of the case	46
8.4	Dimensions of the Type 4 case.....	46
8.4.1	Sensor holes	46
8.4.2	Opening and opening cover for taking the disk out of the case	46
8.5	Dimensions of the Type 5 case.....	47
8.5.1	Sensor holes	47
8.5.2	Opening and opening cover for taking the disk out of the case	47
9	Mechanical characteristics.....	47
9.1	Material	47
9.2	Mass.....	47
9.3	Edge distortion	47
9.4	Compliance	47
9.5	Shutter opening force	47
10	Interface between the case used as cartridge and a drive.....	48
10.1	Capture cylinder (Figure 26).....	48
10.2	Inner dimensions of the case (Figure 27)	49
11	Orientation of the disk in the case.....	50
11.1	Two-sided disk (Type 2S) in case Types 1, 4 and 5	50
11.2	One-sided disk (Type 1S) in case Types 1, 2 and 3	50
Section 3 - Dimensional and Mechanical characteristics of the case for 80 mm disk.....	52	
12	Dimensional characteristics.....	52
12.1	Dimensions of the Type 6 case.....	52
12.1.1	Overall dimensions (Figure 28).....	52
12.1.2	Location hole (Figure 28).....	53
12.1.3	Alignment hole (Figure 28)	53
12.1.4	Reference surfaces (Figure 29).....	54
12.1.5	Mis-insertion protection slots (Figure 30)	54
12.1.6	Detents (Figure 30).....	54
12.1.7	Write-inhibit hole (Figure 31).....	55
12.1.8	Sensor holes (Figure 31)	56
12.1.9	Spindle and head window (Figure 32).....	56
12.1.10	Shutter shape (Figure 33)	57
12.1.11	Path for shutter opener (Figure 34)	58
12.1.12	Label areas (Figure 35)	59
12.1.13	Identification marks for Sides A and B (Figure 36)	59
12.1.14	Disk holder and body (Figures 37 and 38)	60
12.2	Dimensions of the Type 7 case.....	74
12.2.1	Overall dimensions (Figure 39).....	74
12.2.2	Location hole (Figure 40).....	74
12.2.3	Alignment hole (Figure 40)	75
12.2.4	Reference surfaces (Figure 40).....	75

12.2.5 Mis-insertion protection slots (Figure 41)	76
12.2.6 Detents (Figure 41).....	76
12.2.7 Write-inhibit hole (Figure 42)	77
12.2.8 Sensor holes (Figure 42)	77
12.2.9 Spindle and head window (Figure 43).....	78
12.2.10 Shutter shape (Figure 44).....	79
12.2.11 Path for shutter opener (Figure 45).....	80
12.2.12 Label areas (Figure 46)	81
12.2.13 Identification marks for Sides A and B (Figure 47)	81
12.2.14 Disk holder and body (Figure 48)	82
12.3 Dimensions of the Type 8 case	96
12.3.1 Sensor holes.....	96
12.3.2 Disk holder and body.....	96
12.4 Dimensions of the Type 9 case	96
12.4.1 Sensor holes.....	96
12.4.2 Disk holder and body.....	97
13 Mechanical characteristics	97
13.1 Material.....	97
13.2 Mass	97
13.3 Edge distortion.....	97
13.4 Compliance	97
13.5 Shutter opening force.....	97
14 Interface between the case used as cartridge and a drive	97
14.1 Capture cylinder (Figure 50)	97
14.2 Inner dimensions of the case (Figure 51)	97
15 Orientation of the disk in the case	98
15.1 Two-sided disk (Type 2S) in case Types 6 and 8.....	98
15.2 One-sided disk (Type 1S) in case Types 7 and 9.....	98
Annex A (normative) Position of the case for 120 mm disk relative to the Reference Planes	101
Annex B (normative) Edge distortion test of the case for 120 mm disk.....	102
Annex C (normative) Compliance test of the case for 120 mm disk	104
Annex D (normative) Position of the case for 80 mm disk relative to the Reference Planes	106
Annex E (normative) Edge distortion test of the case for 80 mm disk	107
Annex F (normative) Compliance test of the case for 80 mm disk	109
Annex G (normative) Shutter opening force test of the case for 80 mm disk.....	111
Annex H (informative) Examples of an opening cover for a Type 2 case, a Type 3 case, a Type 4 case or a Type 5 case	112
Annex J (informative) Connection between disk holder and body of the case for 80 mm disk.....	114
Annex K (informative) Transportation	115

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 17594 was prepared by Ecma International (as ECMA-331) and was adopted, under a special "fast-track procedure", by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, in parallel with its approval by national bodies of ISO and IEC.

Information technology — Cases for 120 mm and 80 mm DVD-RAM disks

Section 1 - General

1 Scope

This International Standard specifies the characteristics of a case for use with the 120 mm and 80 mm DVD-RAM disks specified in International Standard ISO/IEC 17592. The present International Standard specifies nine related, but different implementations of this case, viz.

- Type 1** A case for a one-sided (Type 1S) or a two-sided (Type 2S) 120 mm DVD-RAM disk such that the disk cannot be removed from the case. This case is reversible.
- Type 2** A case for a one-sided (Type 1S) 120 mm DVD-RAM disk such that the disk may be removed from the case. This case is not reversible.
- Type 3** A case into which a one-sided (Type 1S) or a two-sided (Type 2S) 120 mm DVD-RAM disk may be inserted, then used as a cartridge. This case is not reversible.
- Type 4** A case for a two-sided (Type 2S) 120 mm DVD-RAM disk such that the disk may be removed from the case. This case is reversible.
- Type 5** A case into which a one-sided (Type 1S) or a two-sided (Type 2S) 120 mm DVD-RAM disk may be inserted, then used as a cartridge. This case is reversible.
- Type 6** A case for a two-sided (Type 2S) 80 mm DVD-RAM disk such that the disk may be removed from the case. This case is reversible.
- Type 7** A case for a one-sided (Type 1S) 80 mm DVD-RAM disk such that the disk may be removed from the case. This case is not reversible.
- Type 8** A case into which a two-sided (Type 2S) 80 mm DVD-RAM disk may be inserted, then used as a cartridge. This case is reversible.
- Type 9** A case into which a one-sided (Type 1S) 80 mm DVD-RAM disk may be inserted, then used as a cartridge. This case is not reversible.

This International Standard specifies

- the environments in which the cases are to be operated and stored;
- the dimensional and mechanical characteristics of the case, so as to provide mechanical interchangeability between data processing systems;

This International Standard provides for mechanical interchange between optical disk drives. Together with International Standard ISO/IEC 17592 for 120 mm (4,7 Gbytes per side) and 80 mm (1,46 Gbytes per side) DVD-RAM disks and a standard for volume and file structure, it provides for full data interchange between data processing systems.

2 Conformance

A claim of conformance with this International Standard shall specify the Type implemented. A case shall be in conformance with this International Standard if it meets the mandatory requirements specified herein for its Type.

3 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 17592:2004, *Information technology — 120 mm (4,7 Gbytes per side) and 80 mm (1,46 Gbytes per side) DVD Rewritable Disk (DVD-RAM)*

ECMA-287:2002, *Safety of electronic equipment*