

International Standard

ISO/IEC 17629

Information technology — Office equipment — Method for measuring first print out time for digital printing devices

Technologies de l'information — Équipements de bureau — Méthode de mesure de la première page hors délai d'un dispositif d'impression numérique

Second edition 2025-11



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2025

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Contents			Page	
Fore	word		v	
Intro	oductio	on	vi	
1	Scor	De	1	
2	-	mative references		
3		ns and definitions		
4		parameters and conditions		
	4.1 4.2	Test platformTest platform test setup procedures		
	4.2	4.2.1 Initial platform setup		
		4.2.2 Creation of disk image of test platform (optional)	2	
		4.2.3 Initial test state	3	
	4.3	Printing device system setup		
	4.4	Printing device connection		
	4.5	Printing device condition		
	4.6	Sample size		
	4.7	Paper		
	4.8 4.9	MaintenanceTest files, test suites and software applications		
	4.10	Environment		
	4.11	Voltage		
5	Test method			
3	5.1 5.2	Overview		
		Test measurement procedure		
	0.2	5.2.1 Test setup		
		5.2.2 "FPOT from ready" test		
		5.2.3 "FPOT from sleep" test		
		5.2.4 "FPOT from off" test		
	5.3	Test method process		
		5.3.1 Suggested flow chart		
	5.4	5.3.2 ±5 % consistency criteria		
	5.4	5.4.1 Overview		
		5.4.2 "FPOT from ready" test		
		5.4.3 "FPOT from sleep 60 min" test		
		5.4.4 "FPOT from off" test		
		5.4.5 "FPOT from sleep 15 min" test		
	5.5	Optional special tests	13	
6	Calculations and treatment of data			
	6.1	Overview		
	6.2	Required tests		
		6.2.1 "FPOT from ready" test		
	6.3	6.2.2 "FPOT from sleep 60 min" test Optional tests		
	0.3	6.3.1 "FPOT from off" test		
		6.3.2 "FPOT from sleep 15 min" test		
7	Drog	sentation of results		
		ormative) Test-platform parameters		
	•	ormative) Test suite		
	•			
		formative) Report presentation		
Ann	ev D (ii	oformative) An example of printing device and test settings to record	26	

Annex E (informative) Full detailed report example	27
Annex F (normative) Procedure to establish FPOT from ready delay time	30

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives or www.iso.org/directives<

ISO and IEC draw attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO and IEC take no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO and IEC had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents and https://patents.iec.ch. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html. In the IEC, see www.iec.ch/understanding-standards.

This document was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 28, *Office equipment*.

This second edition cancels and replaces the first edition (ISO/IEC 17629:2014), which has been technically revised.

The main changes are as follows:

- added optional FPOT from sleep 15 min test;
- terms and definitions clause has been modified to remove items already defined in Normative References documents;
- updated FPOT definition to accurately describe all applicable tests;
- harmonized <u>subclause 5.2</u> with other productivity standards;
- harmonized <u>Clause 7</u> with other productivity standards.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html and www.iso.org/members.html and www.iso.org/members.html and

Introduction

Many digital printing devices produce the first printed page at a different rate from subsequent pages. Due to this behaviour, nominal print speeds specified in pages per minute do not generally reflect the time to produce the first page. The degree to which a change in productivity is experienced depends significantly on many parameters of the job stream. The most dominant of the parameters of the job stream are: image quality modes selected, job content, B&W and colour reproduction, host computer, and connection type.

This document provides a general method for measuring first print out time (FPOT) when the above mentioned job stream parameters of digital printing devices are taken into consideration. It allows manufacturers and buyers of digital printing devices to describe the FPOT of various digital printing devices with respect to representative office usage.

Information technology — Office equipment — Method for measuring first print out time for digital printing devices

1 Scope

This document specifies a method for measuring first print out time (FPOT) of digital printing devices. The document is applicable to digital printing devices and multifunctional devices, including black and white (B&W) and colour devices of any underlying marking technology. The document includes instructions for test charts, test setup procedure, test procedure and the reporting requirements for the digital printing measurements.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 24734:2021, Information technology — Office equipment — Method for measuring digital printing productivity