### INTERNATIONAL STANDARD

ISO/IEC 18047-63

First edition 2023-02

# Information technology — Radio frequency identification device conformance test methods —

Part 63:

Test methods for air interface communications at 860 MHz to 960 MHz

Technologies de l'information — Méthodes d'essai de conformité du dispositif d'identification de radiofréquence —

Partie 63: Méthodes d'essai pour des communications d'une interface d'air entre 860 MHz et 960 MHz





### **COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Contents				Page
For	eword			v
Intr	oductio	on		vi
1	Scor	)e		1
2	-		references	
3	Terr 3.1	1		
	3.1		s and definitionsools	
	3.3		eviated terms	
	3.4		tion	
4				
4	Default conditions applicable to the test methods 4.1 Test environment			<b>3</b>
	4.1		conditioning	
	7.2	4.2.1	General	
		4.2.2	Default tolerance	
		4.2.3	Noise floor at test location	
		4.2.4	Total measurement uncertainty	
5	Conf	forman	ce	3
6			ce tests for ISO/IEC 18000-63:2021, Clause 6	
7	Conformance tests for ISO/IEC 18000-63:2021, 7.1 to 7.4			95
	7.1	_	unctional tests	
		7.1.1	General	
		7.1.2	Battery-assisted passive tag persistence time test	
8	Conf	forman	ce tests for ISO/IEC 18000-63:2021, 7.5	97
	8.1	Gene	ral	97
	8.2	Funct	tional tests of interrogator	97
		8.2.1	Interrogator RF envelope parameters	97
		8.2.2	Interrogator activation minimum dwell time, T <sub>A</sub>	98
		8.2.3	Interrogator link timing T2	
		8.2.4	Interrogator link timing T3	
	8.3	8.2.5	Interrogator link timing T4tional tests of tag	
	0.3	8.3.1	Tag demodulation capability	
		8.3.2	Tag link frequency tolerance and variation	
		8.3.3	Tag link timing, T1	
		8.3.4	Tag link timing T2	
		8.3.5	Tag activation time maximum, T <sub>A</sub>	
		8.3.6	Tag stateful hibernate timer	
9	Conf	forman	ce tests for ISO/IEC 18000-63:2021, Clause 8	109
	9.1		ral	
	9.2		le sensor test	
		9.2.1	Purpose	
		9.2.2	Procedure	109
		9.2.3	Test report	110
	9.3		function sensor test	
		9.3.1	Purpose	
		9.3.2	Procedure	
	<i>c</i> .	9.3.3	Test report	
	9.4	-	shot sensor test	
		9.4.1	Purpose	
		9.4.2	Procedure	
		9.4.3	Test report	112

### ISO/IEC 18047-63:2023(E)

Annex A (normative) Setup of test equipment	113
Bibliography	117

### **Foreword**

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="www.iso.org/directives">www.iso.org/directives</a> or <a href="www.iso.org/directives">www.iso.org/directives<

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="https://patents.iec.ch"><u>www.iso.org/patents</u></a>) or the IEC list of patent declarations received (see <a href="https://patents.iec.ch"><u>https://patents.iec.ch</u></a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see <a href="https://www.iso.org/iso/foreword.html">www.iso.org/iso/foreword.html</a>. In the IEC, see <a href="https://www.iec.ch/understanding-standards">www.iec.ch/understanding-standards</a>.

This document was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 31, *Automatic identification and data capture techniques*.

A list of all parts in the ISO/IEC 18047 series can be found on the ISO and IEC websites.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <a href="https://www.iso.org/members.html">www.iso.org/members.html</a> and <a href="https://www.iso.org/members.html">www.iso.org/members.html</a> and <a href="https://www.iso.org/members.html">www.iso.org/members.html</a> and

### Introduction

The ISO/IEC 18000 series defines the air interface for radio frequency identification (RFID) devices used in item management applications. ISO/IEC 18000-61, ISO/IEC 18000-62, ISO/IEC 18000-63 and ISO/IEC 18000-64 define the air interface for RFID devices that operate at frequencies from 860 MHz to 960 MHz

The ISO/IEC 18047 series provides air interface communication test methods to ensure conformance with the different parts of the ISO/IEC 18000 series.

Each part of the ISO/IEC 18047 series contains all measurements required to be made on a product to establish whether it conforms to the corresponding part of the ISO/IEC 18000 series.

NOTE Test methods for interrogator and tag performance are covered by the ISO/IEC 18046 series.

This document specifies the conformance requirements for a passive-backscatter, interrogator-talks-first (ITF), radio-frequency identification (RFID) system operating in the 860 MHz to 960 MHz frequency range. The system comprises interrogators, also known as readers, and tags, also known as labels.

An Interrogator transmits information to a Tag by modulating a radiofrequency (RF) signal in the 860 MHz to 960 MHz frequency range. The Tag receives both information and operating energy from this RF signal. Tags are passive, meaning that they receive all of their operating energy from the Interrogator's RF waveform.

An Interrogator receives information from a Tag by transmitting a continuous-wave (CW) RF signal to the Tag; the Tag responds by modulating the reflection coefficient of its antenna, thereby backscattering an information signal to the Interrogator. The system is ITF, meaning that a Tag modulates its antenna reflection coefficient with an information signal only after being directed to do so by an Interrogator.

Interrogators and Tags are not required to talk simultaneously; rather, communications are half-duplex, meaning that Interrogators talk and Tags listen – or vice versa.

Clause 6 describes and specifies all necessary conformance tests for ISO/IEC 18000-63:2021, Clause 6.

<u>Clause 7</u> describes all necessary conformance tests that are described in ISO/IEC 18000-63:2021, 7.1 to 7.4.

Clause 8 describes all necessary conformance tests for ISO/IEC 18000-63:2021, 7.5.

Clause 9 describes all necessary conformance tests for ISO/IEC 18000-63:2021, Clause 8.

The International Organization for Standardization (ISO) and the International Electrotechnical Commission (IEC) draw attention to the fact that it is claimed that compliance with this document may involve the use of a patent.

ISO and IEC take no position concerning the evidence, validity and scope of this patent right.

The holder of this patent right has assured ISO and IEC that he/she is willing to negotiate licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with ISO and IEC. Information may be obtained from the patent database available at <a href="https://patents.iec.ch"><u>www.iso.org/patents</u></a> or <a href="https://patents.iec.ch"><u>https://patents.iec.ch</u></a>.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those in the patent database. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

## Information technology — Radio frequency identification device conformance test methods —

### Part 63:

### Test methods for air interface communications at 860 MHz to 960 MHz

### 1 Scope

This document specificies test methods for determining the conformance of radio frequency identification (RFID) devices (tags and interrogators) for item management with the specifications given in ISO/IEC 18000-63.

This document does not apply to the testing of conformity with regulatory or similar requirements.

The test methods specify only the verification of the mandatory functions and any optional functions which are implemented. This can, in appropriate circumstances, be supplemented by further, application-specific functionality criteria that are not available in the general case.

The interrogator and tag conformance parameters in this document are the following:

- type-specific conformance parameters including nominal values and tolerances;
- parameters that directly affect system functionality and inter-operability.

Parameters that are already included in regulatory test requirements are not included in this document.

Unless otherwise specified, the tests in this document are intended to be applied exclusively to RFID tags and interrogators defined in ISO/IEC 18000-63.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 18000-63:2021, Information technology — Radio frequency identification for item management — Part 63: Parameters for air interface communications at 860 MHz to 960 MHz Type C

ISO/IEC 19762, Information technology — Automatic identification and data capture (AIDC) techniques — Harmonized vocabulary