

This is a preview - click here to buy the full publication

# STANDARD

**ISO/IEC  
19510**

First edition  
2013-07-01

---

---

## **Information technology — Object Management Group Business Process Model and Notation**

*Technologies de l'information — Modèle de procédé d'affaire et notation de l'OMG*



Reference number  
ISO/IEC 19510:2013(E)

© ISO/IEC 2013

**COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

# Table of Contents

Foreword .....	xxvii
Introduction .....	xxviii
1 Scope .....	1
1.1 General .....	1
2 Conformance .....	1
2.1 General .....	1
2.2 Process Modeling Conformance .....	2
2.2.1 BPMN Process Types .....	2
2.2.2 BPMN Process Elements .....	3
2.2.3 Visual Appearance .....	8
2.2.4 Structural Conformance .....	8
2.2.5 Process Semantics .....	9
2.2.6 Attributes and Model Associations .....	9
2.2.7 Extended and Optional Elements .....	9
2.2.8 Visual Interchange .....	10
2.3 Process Execution Conformance .....	10
2.3.1 Execution Semantics .....	10
2.3.2 Import of Process Diagrams .....	10
2.4 BPEL Process Execution Conformance .....	10
2.5 Choreography Modeling Conformance .....	10
2.5.1 BPMN Choreography Types .....	10
2.5.2 BPMN Choreography Elements .....	11
2.5.3 Visual Appearance .....	11
2.5.4 Choreography Semantics .....	11
2.5.5 Visual Interchange .....	11
2.6 Summary of BPMN Conformance Types .....	12
3 Normative References .....	12
3.1 General .....	12
3.2 Normative .....	13
3.3 Non-Normative .....	13
4 Terms and Definitions .....	16
5 Symbols .....	16
6 Additional Information .....	16
6.1 Conventions .....	16
6.1.1 Typographical and Linguistic Conventions and Style .....	16
6.1.2 Abbreviations .....	17
6.2 Structure of this Document .....	17

6.3 Acknowledgments .....	17
<b>7 Overview .....</b>	<b>19</b>
7.1 General .....	19
7.2 BPMN Scope .....	20
7.2.1 Uses of BPMN .....	21
7.3 BPMN Elements .....	25
7.3.1 Basic BPMN Modeling Elements .....	26
7.3.2 Extended BPMN Modeling Elements .....	29
7.4 BPMN Diagram Types .....	39
7.5 Use of Text, Color, Size, and Lines in a Diagram .....	39
7.6 Flow Object Connection Rules .....	40
7.6.1 Sequence Flow Connections Rules .....	40
7.6.2 Message Flow Connection Rules .....	41
7.7 BPMN Extensibility .....	42
7.8 BPMN Example .....	43
<b>8 BPMN Core Structure .....</b>	<b>47</b>
8.1 General .....	47
8.2 Infrastructure .....	49
8.2.1 Definitions .....	49
8.2.2 Import .....	51
8.2.3 Infrastructure Package XML Schemas.....	52
8.3 Foundation .....	53
8.3.1 Base Element .....	54
8.3.2 Documentation .....	54
8.3.3 Extensibility .....	55
8.3.4 External Relationships .....	59
8.3.5 Root Element .....	62
8.3.6 Foundation Package XML Schemas .....	62
8.4 Common Elements .....	64
8.4.1 Artifacts .....	64
8.4.2 Correlation .....	72
8.4.3 Error .....	79
8.4.4 Escalation .....	80
8.4.5 Events .....	81
8.4.6 Expressions .....	82
8.4.7 Flow Element .....	84
8.4.8 Flow Elements Container .....	86
8.4.9 Gateways .....	88
8.4.10 Item Definition .....	89
8.4.11 Message .....	91
8.4.12 Resources .....	93
8.4.13 Sequence Flow .....	95
8.4.14 Common Package XML Schemas .....	98
8.5 Services .....	101
8.5.1 Interface .....	102
8.5.2 EndPoint .....	103

8.5.3 Operation .....	103
8.5.4 Service Package XML Schemas .....	104
<b>9 Collaboration .....</b>	<b>107</b>
9.1 General .....	107
9.2 Basic Collaboration Concepts .....	110
9.2.1 Use of BPMN Common Elements .....	110
9.3 Pool and Participant .....	111
9.3.1 Participants .....	113
9.3.2 Lanes .....	119
9.4 Message Flow .....	119
9.4.1 Interaction Node .....	122
9.4.2 Message Flow Associations .....	122
9.5 Conversations .....	123
9.5.1 Conversation Node .....	127
9.5.2 Conversation .....	129
9.5.3 Sub-Conversation .....	129
9.5.4 Call Conversation .....	130
9.5.5 Global Conversation .....	131
9.5.6 Conversation Link .....	131
9.5.7 Conversation Association .....	134
9.5.8 Correlations .....	135
9.6 Process within Collaboration .....	136
9.7 Choreography within Collaboration .....	136
9.8 Collaboration Package XML Schemas .....	138
<b>10 Process .....</b>	<b>143</b>
10.1 General .....	143
10.2 Basic Process Concepts .....	147
10.2.1 Types of BPMN Processes .....	147
10.2.2 Use of BPMN Common Elements .....	148
10.3 Activities .....	149
10.3.1 Resource Assignment .....	152
10.3.2 Performer .....	154
10.3.3 Tasks .....	154
10.3.4 Human Interactions .....	163
10.3.5 Sub-Processes .....	171
10.3.6 Call Activity .....	182
10.3.7 Global Task .....	186
10.3.8 Loop Characteristics .....	188
10.3.9 XML Schema for Activities .....	194
10.4 Items and Data .....	202
10.4.1 Data Modeling .....	202
10.4.2 Execution Semantics for Data .....	224
10.4.3 Usage of Data in XPath Expressions .....	225
10.4.4 XML Schema for Data .....	228
10.5 Events .....	232
10.5.1 Concepts .....	233
10.5.2 Start Event .....	237

10.5.3 End Event .....	245
10.5.4 Intermediate Event .....	248
10.5.5 Event Definitions .....	259
10.5.6 Handling Events .....	274
10.5.7 Scopes .....	280
10.5.8 Events Package XML Schemas .....	281
10.6 Gateways .....	286
10.6.1 Sequence Flow Considerations .....	288
10.6.2 Exclusive Gateway .....	289
10.6.3 Inclusive Gateway .....	291
10.6.4 Parallel Gateway .....	292
10.6.5 Complex Gateway .....	294
10.6.6 Event-Based Gateway .....	296
10.6.7 Gateway Package XML Schemas .....	300
10.7 Compensation .....	301
10.7.1 Compensation Handler .....	302
10.7.2 Compensation Triggering .....	303
10.7.3 Relationship between Error Handling and Compensation .....	304
10.8 Lanes .....	304
10.9 Process Instances, Unmodeled Activities, and Public Processes .....	308
10.10 Auditing .....	310
10.11 Monitoring .....	310
10.12 Process Package XML Schemas .....	311
<b>11 Choreography .....</b>	<b>315</b>
11.1 General .....	315
11.2 Basic Choreography Concepts .....	317
11.3 Data .....	319
11.4 Use of BPMN Common Elements .....	319
11.4.1 Sequence Flow .....	320
11.4.2 Artifacts .....	321
11.5 Choreography Activities .....	321
11.5.1 Choreography Task .....	323
11.5.2 Sub-Choreography .....	328
11.5.3 Call Choreography .....	333
11.5.4 Global Choreography Task .....	335
11.5.5 Looping Activities .....	335
11.5.6 The Sequencing of Activities .....	335
11.6 Events .....	339
11.6.1 Start Events .....	339
11.6.2 Intermediate Events .....	340
11.6.3 End Events .....	343
11.7 Gateways .....	344
11.7.1 Exclusive Gateway .....	344
11.7.2 Event-Based Gateway .....	349
11.7.3 Inclusive Gateway .....	351
11.7.4 Parallel Gateway .....	358
11.7.5 Complex Gateway .....	360

11.7.6 Chaining Gateways .....	361
<b>11.8 Choreography within Collaboration .....</b>	<b>361</b>
11.8.1 Participants .....	361
11.8.2 Swimlanes .....	362
11.9 XML Schema for Choreography .....	363
<b>12 BPMN Notation and Diagrams .....</b>	<b>367</b>
12.1 BPMN Diagram Interchange (BPMN DI) .....	367
12.1.1 Scope .....	367
12.1.2 Diagram Definition and Interchange .....	367
12.1.3 How to Read this Clause .....	368
12.2 BPMN Diagram Interchange (DI) Meta-model .....	368
12.2.1 Overview .....	368
12.2.2 Abstract Syntax .....	368
12.2.3 Classifier Descriptions .....	370
12.2.4 Complete BPMN DI XML Schema .....	378
12.3 Notational Depiction Library and Abstract Element Resolutions .....	380
12.3.1 Labels .....	381
12.3.2 BPMNShape .....	381
12.3.3 BPMNEdge .....	410
12.4 Example(s) .....	412
12.4.1 Depicting Content in a Sub-Process .....	412
12.4.2 Multiple Lanes and Nested Lanes .....	417
12.4.3 Vertical Collaboration .....	418
12.4.4 Conversation .....	419
12.4.5 Choreography .....	421
<b>13 BPMN Execution Semantics .....</b>	<b>425</b>
13.1 General .....	425
13.2 Process Instantiation and Termination .....	426
13.3 Activities .....	426
13.3.1 Sequence Flow Considerations .....	427
13.3.2 Activity .....	428
13.3.3 Task .....	430
13.3.4 Sub-Process/Call Activity .....	430
13.3.5 Ad-Hoc Sub-Process .....	431
13.3.6 Loop Activity .....	432
13.3.7 Multiple Instances Activity .....	432
13.4 Gateways .....	434
13.4.1 Parallel Gateway (Fork and Join) .....	434
13.4.2 Exclusive Gateway (Exclusive Decision (data-based) and Exclusive Merge) .....	434
13.4.3 Inclusive Gateway (Inclusive Decision and Inclusive Merge) .....	435
13.4.4 Event-based Gateway (Exclusive Decision (event-based)) .....	437
13.4.5 Complex Gateway (related to Complex Condition and Complex Merge) .....	437
13.5 Events .....	439
13.5.1 Start Events .....	439
13.5.2 Intermediate Events .....	440
13.5.3 Intermediate Boundary Events .....	440
13.5.4 Event Sub-Processes .....	440

13.5.5 Compensation .....	441
13.5.6 End Events .....	443
<b>14 Mapping BPMN Models to WS-BPEL .....</b>	<b>445</b>
14.1 General .....	445
14.2 Basic BPMN-BPEL Mapping .....	446
14.2.1 Process .....	447
14.2.2 Activities .....	448
14.2.3 Events .....	455
14.2.4 Gateways and Sequence Flows .....	461
14.2.5 Handling Data .....	465
14.3 Extended BPMN-BPEL Mapping .....	469
14.3.1 End Events .....	469
14.3.2 Loop/Switch Combinations From a Gateway .....	469
14.3.3 Interleaved Loops .....	470
14.3.4 Infinite Loops .....	473
14.3.5 BPMN Elements that Span Multiple WSBPEL Sub-Elements .....	473
<b>15 Exchange Formats .....</b>	<b>475</b>
15.1 Interchanging Incomplete Models .....	475
15.2 Machine Readable Files .....	475
15.3 XSD .....	475
15.3.1 Document Structure .....	475
15.3.2 References within the BPMN XSD .....	476
15.4 XMI .....	477
15.5 XSLT Transformation between XSD and XMI .....	477
<b>Annex A - Changes from v1.2.....</b>	<b>479</b>
<b>Annex B - Diagram Interchange.....</b>	<b>481</b>
<b>Annex C - Glossary.....</b>	<b>499</b>
<b>Annex D - Legal Information .....</b>	<b>505</b>

# List of Figures

- Figure 7.1 – Example of a private Business Process 21  
Figure 7.2 – Example of a public Process 22  
Figure 7.3 – An example of a Collaborative Process 23  
Figure 7.4 – An example of a Choreography 23  
Figure 7.5 – An example of a Conversation diagram 24  
Figure 7.6 – An example of a Collaboration diagram with black-box Pools 43  
Figure 7.7 – An example of a stand-alone Choreography diagram 44  
Figure 7.8 – An example of a stand-alone Process (Orchestration) diagram 45  
Figure 8.1 – A representation of the BPMN Core and Layer Structure 47  
Figure 8.2 – Class diagram showing the core packages 48  
Figure 8.3 – Class diagram showing the organization of the core BPMN elements 49  
Figure 8.4 – Definitions class diagram 50  
Figure 8.5 – Classes in the Foundation package 53  
Figure 8.6 – Extension class diagram 55  
Figure 8.7 – External Relationship Metamodel 60  
Figure 8.8 – Artifacts Metamodel 64  
Figure 8.9 – An Association 65  
Figure 8.10 – The Association Class Diagram 65  
Figure 8.11 – A Directional Association 66  
Figure 8.12 – An Association of Text Annotation 66  
Figure 8.13 – A Group Artifact 67  
Figure 8.14 – A Group around Activities in different Pools 67  
Figure 8.15 – The Group class diagram 68  
Figure 8.16 – A Text Annotation 69  
Figure 8.17 – The Correlation Class Diagram 74  
Figure 8.18 – Error class diagram 79  
Figure 8.19 – Escalation class diagram 80  
Figure 8.20 – Event class diagram 82  
Figure 8.21 – Expression class diagram 83  
Figure 8.22 – FlowElement class diagram 85  
Figure 8.23 – FlowElementContainers class diagram 87  
Figure 8.24 – Gateway class diagram 88  
Figure 8.25 – ItemDefinition class diagram 90  
Figure 8.26 – A Message 91  
Figure 8.27 – A non-initiating Message 91  
Figure 8.28 – Messages Association overlapping Message Flows 92  
Figure 8.29 – Messages shown Associated with a Choreography Task 92  
Figure 8.30 – The Message class diagram 93  
Figure 8.31 – Resource class diagram 94  
Figure 8.32 – A Sequence Flow 95  
Figure 8.33 – A Conditional Sequence Flow 95  
Figure 8.34 – A Default Sequence Flow 96

- Figure 8.35 – SequenceFlow class diagram 96  
Figure 8.36 – The Service class diagram 102  
Figure 9.1 – Classes in the Collaboration package 108  
Figure 9.2 – A Pool 111  
Figure 9.3 – Message Flows connecting to the boundaries of two Pools 112  
Figure 9.4 – Message Flows connecting to Flow Objects within two Pools 112  
Figure 9.5 – Main (Internal) Pool without boundaries 113  
Figure 9.6 – Pools with a Multi-Instance Participant Markers 113  
Figure 9.7 – The Participant Class Diagram 114  
Figure 9.8 – A Pool with a Multiple Participant 116  
Figure 9.9 – The Participant Multiplicity class diagram 116  
Figure 9.10 – ParticipantAssociation class diagram 118  
Figure 9.11 – A Message Flow 119  
Figure 9.12 – A Message Flow with an Attached Message 120  
Figure 9.13 – A Message Flow passing through a Choreography Task 120  
Figure 9.14 – The Message Flow Class Diagram 121  
Figure 9.15 – MessageFlowAssociation class diagram 123  
Figure 9.16 – A Conversation diagram 124  
Figure 9.17 – A Conversation diagram where the Conversation is expanded into Message Flows 124  
Figure 9.18 – Conversation diagram depicting several conversations between Participants in a related domain 125  
Figure 9.19 – An example of a Sub-Conversation 126  
Figure 9.20 – An example of a Sub-Conversation expanded to a Conversation and Message Flow 126  
Figure 9.21 – An example of a Sub-Conversation that is fully expanded 127  
Figure 9.22 – Metamodel of ConversationNode Related Elements 128  
Figure 9.23 – A Communication element 129  
Figure 9.24 – A compound Conversation element 130  
Figure 9.25 – A Call Conversation calling a GlobalConversation 130  
Figure 9.26 – A Call Conversation calling a Collaboration 130  
Figure 9.27 – A Conversation Link element 131  
Figure 9.28 – Conversation links to Activities and Events 132  
Figure 9.29 – Metamodel of Conversation Links related elements 133  
Figure 9.30 – Call Conversation Links 134  
Figure 9.31 – The ConversationAssociation class diagram 135  
Figure 9.32 – An example of a Choreography within a Collaboration 137  
Figure 9.33 – Choreography within Collaboration class diagram 138  
Figure 10.1 – An Example of a Process 143  
Figure 10.2 – Process class diagram 144  
Figure 10.3 – Process Details class diagram 145  
Figure 10.4 – Example of a private Business Process 148  
Figure 10.5 – Example of a public Process 148  
Figure 10.6 – Activity class diagram 149  
Figure 10.7 – The class diagram for assigning Resources 152  
Figure 10.8 – A Task object 154  
Figure 10.9 – Task markers 155  
Figure 10.10 – The Task class diagram 155  
Figure 10.11 – A Service Task Object 156  
Figure 10.12 – The Service Task class diagram 157

- Figure 10.13 – A Send Task Object 158  
Figure 10.14 – The Send Task and Receive Task class diagram 158  
Figure 10.15 – A Receive Task Object 159  
Figure 10.16 – A Receive Task Object that instantiates a Process 160  
Figure 10.17 – A User Task Object 161  
Figure 10.18 – A Manual Task Object 161  
Figure 10.19 – A Business Rule Task Object 162  
Figure 10.20 – A Script Task Object 162  
Figure 10.21 – Manual Task class diagram 163  
Figure 10.22 – User Task class diagram 164  
Figure 10.23 – HumanPerformer class diagram 165  
Figure 10.24 – Procurement Process Example 168  
Figure 10.25 – A Sub-Process object (collapsed) 171  
Figure 10.26 – A Sub-Process object (expanded) 172  
Figure 10.27 – Expanded Sub-Process used as a “Parallel Box” 172  
Figure 10.28 – Collapsed Sub-Process Markers 173  
Figure 10.29 – The Sub-Process class diagram 173  
Figure 10.30 – An Event Sub-Process object (Collapsed) 175  
Figure 10.31 – An Event Sub-Process object (expanded) 175  
Figure 10.32 – An example that includes Event Sub-Processes 176  
Figure 10.33 – A Transaction Sub-Process 177  
Figure 10.34 – A Collapsed Transaction Sub-Process 177  
Figure 10.35 – A collapsed Ad-Hoc Sub-Process 179  
Figure 10.36 – An expanded Ad-Hoc Sub-Process 179  
Figure 10.37 – An Ad-Hoc Sub-Process for writing a book chapter 181  
Figure 10.38 – An Ad-Hoc Sub-Process with data and sequence dependencies 182  
Figure 10.39 – A Call Activity object calling a Global Task 183  
Figure 10.40 – A Call Activity object calling a Process (Collapsed) 183  
Figure 10.41 – A Call Activity object calling a Process (Expanded) 183  
Figure 10.42 – The Call Activity class diagram 184  
Figure 10.43 – CallableElement class diagram 185  
Figure 10.44 – Global Tasks class diagram 187  
Figure 10.45 – LoopCharacteristics class diagram 188  
Figure 10.46 – A Task object with a Standard Loop Marker 189  
Figure 10.47 – A Sub-Process object with a Standard Loop Marker 189  
Figure 10.48 – Activity Multi-Instance marker for parallel instances 190  
Figure 10.49 – Activity Multi-Instance marker for sequential instances 190  
Figure 10.50 – ItemAware class diagram 203  
Figure 10.51 – DataObject class diagram 204  
Figure 10.52 – A DataObject 206  
Figure 10.53 – A DataObject that is a collection 206  
Figure 10.54 – A Data Store 207  
Figure 10.55 – DataStore class diagram 207  
Figure 10.56 – Property class diagram 209  
Figure 10.57 – InputOutputSpecification class diagram 211  
Figure 10.58 – A DataInput 213  
Figure 10.59 – Data Input class diagram 213

- Figure 10.60 – A Data Output 215  
Figure 10.61 – Data Output class diagram 215  
Figure 10.62 – InputSet class diagram 218  
Figure 10.63 – OutputSet class diagram 219  
Figure 10.64 – DataAssociation class diagram 221  
Figure 10.65 – A Data Association 221  
Figure 10.66 – A Data Association used for an Outputs and Inputs into an Activities 221  
Figure 10.67 – A Data Object shown as an output and an inputs 223  
Figure 10.68 – A Data Object associated with a Sequence Flow 224  
Figure 10.69 – The Event Class Diagram 233  
Figure 10.70 – Start Event 238  
Figure 10.71 – End Event 245  
Figure 10.72 – Intermediate Event 249  
Figure 10.73 – EventDefinition Class Diagram 261  
Figure 10.74 – Cancel Events 262  
Figure 10.75 – Compensation Events 262  
Figure 10.76 – CompensationEventDefinition Class Diagram 262  
Figure 10.77 – Conditional Events 263  
Figure 10.78 – ConditionalEventDefinition Class Diagram 264  
Figure 10.79 – Error Events 264  
Figure 10.80 – ErrorEventDefinition Class Diagram 265  
Figure 10.81 – Escalation Events 265  
Figure 10.82 – EscalationEventDefinition Class Diagram 266  
Figure 10.83 – Link Events 266  
Figure 10.84 – Link Events Used as Off-Page Connector 267  
Figure 10.85 – A Process with a long Sequence Flow 268  
Figure 10.86 – A Process with Link Intermediate Events used as Go To Objects 268  
Figure 10.87 – Link Events Used for looping 269  
Figure 10.88 – Message Events 269  
Figure 10.89 – MessageEventDefinition Class Diagram 270  
Figure 10.90 – Multiple Events 271  
Figure 10.91 – None Events 271  
Figure 10.92 – Multiple Events 272  
Figure 10.93 – SignalEventDefinition Class Diagram 272  
Figure 10.94 – Signal Events 272  
Figure 10.95 – Terminate Event 273  
Figure 10.96 – Timer Events 273  
Figure 10.97 – Exclusive start of a Process 274  
Figure 10.98 – A Process initiated by an Event-Based Gateway 275  
Figure 10.99 – Event synchronization at Process start 275  
Figure 10.100 – Example of inline Event Handling via Event Sub-Processes 277  
Figure 10.101 – Example of boundary Event Handling 278  
Figure 10.102 – A Gateway 286  
Figure 10.103 – The Different types of Gateways 287  
Figure 10.104 – Gateway class diagram 288  
Figure 10.105 – An Exclusive Data-Based Decision (Gateway) Example without the Internal Indicator 289  
Figure 10.106 – A Data-Based Exclusive Decision (Gateway) Example with the Internal Indicator 290

- Figure 10.107 – Exclusive Gateway class diagram 290  
Figure 10.108 – An example using an Inclusive Gateway 291  
Figure 10.109 – Inclusive Gateway class diagram 292  
Figure 10.110 – An example using an Parallel Gateway 293  
Figure 10.111 – An example of a synchronizing Parallel Gateway 293  
Figure 10.112 – Parallel Gateway class diagram 294  
Figure 10.113 – An example using a Complex Gateway 294  
Figure 10.114 – Complex Gateway class diagram 295  
Figure 10.115 – Event-Based Gateway 296  
Figure 10.116 – An Event-Based Gateway example using Message Intermediate Events 297  
Figure 10.117 – An Event-Based Gateway example using Receive Tasks 297  
Figure 10.118 – Exclusive Event-Based Gateway to start a Process 298  
Figure 10.119 – Parallel Event-Based Gateway to start a Process 298  
Figure 10.120 – Event-Based Gateway class diagram 299  
Figure 10.121 – Compensation through a boundary Event 302  
Figure 10.122 – Monitoring Class Diagram 303  
Figure 10.123 – Two Lanes in a Vertical Pool 305  
Figure 10.124 – Two Lanes in a horizontal Pool 305  
Figure 10.125 – An Example of Nested Lanes 306  
Figure 10.126 – The Lane class diagram 307  
Figure 10.127 – One Process supporting to another 309  
Figure 10.128 – Auditing Class Diagram 310  
Figure 10.129 – Monitoring Class Diagram 311  
Figure 11.1 – The Choreography metamodel 316  
Figure 11.2 – An example of a Choreography 317  
Figure 11.3 – A Collaboration diagram logistics example 318  
Figure 11.4 – The corresponding Choreography diagram logistics example 319  
Figure 11.5 – The use of Sequence Flows in a Choreography 320  
Figure 11.6 – The metamodel segment for a Choreography Activity 322  
Figure 11.7 – A Collaboration view of Choreography Task elements 323  
Figure 11.8 – A Choreography Task 323  
Figure 11.9 – A Collaboration view of a Choreography Task 324  
Figure 11.10 – A two-way Choreography Task 324  
Figure 11.11 – A Collaboration view of a two-way Choreography Task 325  
Figure 11.12 – Choreography Task Markers 326  
Figure 11.13 – The Collaboration view of a looping Choreography Task 326  
Figure 11.14 – The Collaboration view of a Parallel Multi-Instance Choreography Task 327  
Figure 11.15 – A Choreography Task with a multiple Participant 327  
Figure 11.16 – A Collaboration view of a Choreography Task with a multiple Participant 328  
Figure 11.17 – A Sub-Choreography 329  
Figure 11.18 – A Collaboration view of a Sub-Choreography 329  
Figure 11.19 – An expanded Sub-Choreography 330  
Figure 11.20 – A Collaboration view of an expanded Sub-Choreography 330  
Figure 11.21 – Sub-Choreography (Collapsed) with More than Two Participants 331  
Figure 11.22 – Sub-Choreography Markers 332  
Figure 11.23 – Sub-Choreography Markers with a multi-instance Participant 332  
Figure 11.24 – A Call Choreography calling a Global Choreography Task 333

- Figure 11.25 – A Call Choreography calling a Choreography (Collapsed) 333  
Figure 11.26 – A Call Choreography calling a Choreography (expanded) 334  
Figure 11.27 – The Call Choreography class diagram 334  
Figure 11.28 – A valid sequence of Choreography Activities 336  
Figure 11.29 – The corresponding Collaboration for a valid Choreography sequence 337  
Figure 11.30 – A valid sequence of Choreography Activities with a two-way Activity 337  
Figure 11.31 – The corresponding Collaboration for a valid Choreography sequence with a two-way Activity 338  
Figure 11.32 – An invalid sequence of Choreography Activities 338  
Figure 11.33 – The corresponding Collaboration for an invalid Choreography sequence 339  
Figure 11.34 – An example of the Exclusive Gateway 345  
Figure 11.35 – The relationship of Choreography Activity Participants across the sides of the Exclusive Gateway shown through a Collaboration 346  
Figure 11.36 – Different Receiving Choreography Activity Participants on the output sides of the Exclusive Gateway 347  
Figure 11.37 – The corresponding Collaboration view of the above Choreography Exclusive Gateway configuration 348  
Figure 11.38 – An example of an Event Gateway 349  
Figure 11.39 – The corresponding Collaboration view of the above Choreography Event Gateway configuration 350  
Figure 11.40 – An example of a Choreography Inclusive Gateway configuration 352  
Figure 11.41 – The corresponding Collaboration view of the above Choreography Inclusive Gateway configuration 353  
Figure 11.42 – An example of a Choreography Inclusive Gateway configuration 354  
Figure 11.43 – The corresponding Collaboration view of the above Choreography Inclusive Gateway configuration 355  
Figure 11.44 – Another example of a Choreography Inclusive Gateway configuration 356  
Figure 11.45 – The corresponding Collaboration view of the above Choreography Inclusive Gateway configuration 357  
Figure 11.46 – The relationship of Choreography Activity Participants across the sides of the Parallel Gateway 358  
Figure 11.47 – The corresponding Collaboration view of the above Choreography Parallel Gateway configuration 359  
Figure 11.48 – An example of a Choreography Complex Gateway configuration 360  
Figure 11.49 – The corresponding Collaboration view of the above Choreography Complex Gateway configuration 361  
Figure 11.50 – An example of a Choreography Process combined with Black Box Pools 362  
Figure 11.51 – An example of a Choreography Process combined with Pools that contain Processes 363  
Figure 12.1 – BPMN Diagram 369  
Figure 12.2 – BPMN Plane 369  
Figure 12.3 – BPMN Shape 369  
Figure 12.4 – BPMN Edge 370  
Figure 12.5 – BPMN Label 370  
Figure 12.6 – Depicting a Label for a DataObjectReference with its state 381  
Figure 12.7 – Combined Compensation and Loop Characteristic Marker Example 384  
Figure 12.8 – Expanded Sub-Process Example 413  
Figure 12.9 – Start and End Events on the Border Example 414  
Figure 12.10 – Collapsed Sub-Process 415  
Figure 12.11 – Contents of Collapsed Sub-Process 416

- Figure 12.12 – Nested Lanes Example 417  
Figure 12.13 – Vertical Collaboration Example 418  
Figure 12.14 – Conversation Example 420  
Figure 12.15 – Choreography Example 422  
Figure 13.1 – Behavior of multiple outgoing Sequence Flows of an Activity 427  
Figure 13.2 – The Lifecycle of a BPMN Activity 428  
Figure 13.3 – Merging and Branching Sequence Flows for a Parallel Gateway 434  
Figure 13.4 – Merging and Branching Sequence Flows for an Exclusive Gateway 434  
Figure 13.5 – Merging and Branching Sequence Flows for an Inclusive Gateway 435  
Figure 13.6 – Merging and branching Sequence Flows for an Event-Based Gateway 437  
Figure 13.7 – Merging and branching Sequence Flows for a Complex Gateway 437  
Figure 14.1 – A BPMN orchestration process and its block hierarchy 446  
Figure 14.2 – An example of distributed token recombination 469  
Figure 14.3 – An example of a loop from a decision with more than two alternative paths 470  
Figure 14.4 – An example of interleaved loops 471  
Figure 14.5 – An example of the WSBPEL pattern for substituting for the derived Process 472  
Figure 14.6 – An example of a WSBPEL pattern for the derived Process 472  
Figure 14.7 – An example: An infinite loop 473  
Figure 14.8 – An example: Activity that spans two paths of a WSBPEL structured element 474  
Figure B.1 – Diagram Definition Architecture 483  
Figure B.2 – The Primitive Types 483  
Figure B.3 – Diagram Definition Architecture 484  
Figure B.4 – Diagram Definition Architecture 484  
Figure B.5 – Dependencies of the DI package 488  
Figure B.6 – Diagram Element 488  
Figure B.7 – Node 488  
Figure B.8 – Edge 489  
Figure B.9 – Diagram 489  
Figure B.10 – Plane 489  
Figure B.11 – Labeled Edge 490  
Figure B.12 – Labeled Shape 490  
Figure B.13 – Shape 490

(Blank page)

## List of Tables

- Table 2.1 – Descriptive Conformance Sub-Class Elements and Attributes 3  
 Table 2.2 – Analytic Conformance Sub-Class Elements and Attributes 4  
 Table 2.3 – Common Executable Conformance Sub-Class Elements and Attributes 6  
 Table 2.4 – Common Executable Conformance Sub-Class Supporting Classes 7  
 Table 2.5 – Types of BPMN Conformance 12  
 Table 7.1 – Basic Modeling Elements 27  
 Table 7.2 – BPMN Extended Modeling Elements 29  
 Table 7.3 – Sequence Flow Connection Rules 40  
 Table 7.4 – Message Flow Connection Rules 42  
 Table 8.1 – Definitions attributes and model associations 50  
 Table 8.2 – Import attributes 52  
 Table 8.3 – Definitions XML schema 52  
 Table 8.4 – Import XML schema 53  
 Table 8.5 – BaseElement attributes and model associations 54  
 Table 8.6 – Documentation attributes 54  
 Table 8.7 – Extension attributes and model associations 56  
 Table 8.8 – ExtensionDefinition attributes and model associations 57  
 Table 8.9 – ExtensionAttributeDefinition attributes 57  
 Table 8.10 – ExtensionAttributeValue model associations 57  
 Table 8.11 – Extension XML schema 58  
 Table 8.12 – Example Core XML schema 58  
 Table 8.13 – Example Extension XML schema 59  
 Table 8.14 – Sample XML instance 59  
 Table 8.15 – Relationship attributes 61  
 Table 8.16 – Reengineer XML schema 61  
 Table 8.17 – BaseElement XML schema 62  
 Table 8.18 – RootElement XML schema 63  
 Table 8.19 – Relationship XML schema 63  
 Table 8.20 – Association attributes and model associations 66  
 Table 8.21 – Group model associations 68  
 Table 8.22 – Category model associations 69  
 Table 8.23 – CategoryValue attributes and model associations 69  
 Table 8.24 – Text Annotation attributes 70  
 Table 8.25 – Artifact XML schema 70  
 Table 8.26 – Association XML schema 70  
 Table 8.27 – Category XML schema 70  
 Table 8.28 – CategoryValue XML schema 71  
 Table 8.29 – Group XML schema 71  
 Table 8.30 – Text Annotation XML schema 71  
 Table 8.31 – CorrelationKey model associations 75  
 Table 8.32 – CorrelationProperty model associations 75  
 Table 8.33 – CorrelationPropertyRetrievalExpression model associations 76

- Table 8.34 – CorrelationSubscription model associations 76  
Table 8.35 – CorrelationPropertyBinding model associations 77  
Table 8.36 – Correlation Key XML schema 77  
Table 8.37 – Correlation Property XML schema 77  
Table 8.38 – Correlation Property Binding XML schema 78  
Table 8.39 – Correlation Property Retrieval Expression XML schema 78  
Table 8.40 – Correlation Subscription XML schema 78  
Table 8.41 – Error attributes and model associations 80  
Table 8.42 – Escalation attributes and model associations 81  
Table 8.43 – FormalExpression attributes and model associations 84  
Table 8.44 – FlowElement attributes and model associations 86  
Table 8.45 – FlowElementsContainer model associations 87  
Table 8.46 – Gateway attributes 89  
Table 8.47 – ItemDefinition attributes & model associations 90  
Table 8.48 – Message attributes and model associations 93  
Table 8.49 – Resource attributes and model associations 94  
Table 8.50 – ResourceParameter attributes and model associations 95  
Table 8.51 – SequenceFlow attributes and model associations 97  
Table 8.52 – FlowNode model associations 98  
Table 8.53 – Error XML schema 98  
Table 8.54 – Escalation XML schema 98  
Table 8.55 – Expression XML schema 98  
Table 8.56 – FlowElement XML schema 99  
Table 8.57 – FlowNode XML schema 99  
Table 8.58 – FormalExpression XML schema 99  
Table 8.59 – InputOutputBinding XML schema 99  
Table 8.60 – ItemDefinition XML schema 100  
Table 8.61 – Message XML schema 100  
Table 8.62 – Resources XML schema 100  
Table 8.63 – ResourceParameter XML schema 101  
Table 8.64 – SequenceFlow XML schema 101  
Table 8.65 – Interface attributes and model associations 103  
Table 8.66 – Operation attributes and model associations 104  
Table 8.67 – Interface XML schema 104  
Table 8.68 – Operation XML schema 104  
Table 8.69 – EndPoint XML schema 105  
Table 9.1 – Collaboration Attributes and Model Associations 108  
Table 9.2 – Participant attributes and model associations 115  
Table 9.3 – PartnerEntity attributes 115  
Table 9.4 – PartnerRole attributes 116  
Table 9.5 – ParticipantMultiplicity attributes 117  
Table 9.6 – ParticipantMultiplicity Instance attributes 117  
Table 9.7 – ParticipantAssociation model associations 119  
Table 9.8 – Message Flow attributes and model associations 122  
Table 9.9 – MessageFlowAssociation attributes and model associations 123  
Table 9.10 – ConversationNode Model Associations 129  
Table 9.11 – Sub-Conversation Model Associations 130

- Table 9.12 – Call Conversation Model Associations 131  
 Table 9.13 – Conversation Link Attributes and Model Associations 133  
 Table 9.14 – ConversationAssociation Model Associations 135  
 Table 9.15 – Call Conversation XML schema 138  
 Table 9.16 – Collaboration XML schema 138  
 Table 9.17 – Conversation XML schema 139  
 Table 9.18 – ConversationAssociation XML schema 139  
 Table 9.19 – ConversationAssociation XML schema 139  
 Table 9.20 – ConversationNode XML schema 140  
 Table 9.21 – Conversation Node XML schema 140  
 Table 9.22 – Global Conversation XML schema 140  
 Table 9.23 – MessageFlow XML schema 140  
 Table 9.24 – MessageFlowAssociation XML schema 141  
 Table 9.25 – Participant XML schema 141  
 Table 9.26 – ParticipantAssociation XML schema 141  
 Table 9.27 – ParticipantMultiplicity XML schema 142  
 Table 9.28 – PartnerEntity XML schema 142  
 Table 9.29 – PartnerRole XML schema 142  
 Table 9.30 – Sub-Conversation XML schema 142  
 Table 10.1 – Process Attributes & Model Associations 145  
 Table 10.2 – Process instance attributes 147  
 Table 10.3 – Activity attributes and model associations 150  
 Table 10.4 – Activity instance attributes 151  
 Table 10.5 – Resource Role model associations 153  
 Table 10.6 – ResourceAssignmentExpression model associations 153  
 Table 10.7 – ResourceParameterBinding model associations 154  
 Table 10.8 – Service Task model associations 157  
 Table 10.9 – Send Task model associations 159  
 Table 10.10 – Receive Task attributes and model associations 160  
 Table 10.11 – Business Rule Task attributes and model associations 162  
 Table 10.12 – Script Task attributes 163  
 Table 10.13 – User Task attributes and model associations 164  
 Table 10.14 – User Task instance attributes 165  
 Table 10.15 – ManualTask XML schema 166  
 Table 10.16 – UserTask XML schema 167  
 Table 10.17 – HumanPerformer XML schema 168  
 Table 10.18 – PotentialOwner XML schema 168  
 Table 10.19 – XML serialization of Buyer process 169  
 Table 10.20 – Sub-Process attributes 174  
 Table 10.21 – Transaction Sub-Process attributes and model associations 178  
 Table 10.22 – Ad-hoc Sub-Process model associations 180  
 Table 10.23 – CallActivity model associations 185  
 Table 10.24 – CallableElement attributes and model associations 186  
 Table 10.25 – InputOutputBinding model associations 186  
 Table 10.26 – Global Task model associations 187  
 Table 10.27 – Loop Activity instance attributes 189  
 Table 10.28 – StandardLoopCharacteristics attributes and model associations 190

- Table 10.29 – MultiInstanceLoopCharacteristics attributes and model associations 191  
Table 10.30 – Multi-instance Activity instance attributes 193  
Table 10.31 – ComplexBehaviorDefinition attributes and model associations 194  
Table 10.32 – Activity XML schema 194  
Table 10.33 – AdHocSubProcess XML schema 195  
Table 10.34 – BusinessRuleTask XML schema 195  
Table 10.35 – CallableElement XML schema 196  
Table 10.36 – CallActivity XML schema 196  
Table 10.37 – GlobalBusinessRuleTask XML schema 196  
Table 10.38 – GlobalScriptTask XML schema 197  
Table 10.39 – GlobalTask XML schema 197  
Table 10.40 – LoopCharacteristics XML schema 197  
Table 10.41 – MultiInstanceLoopCharacteristics XML schema 198  
Table 10.42 – ReceiveTask XML schema 199  
Table 10.43 – ResourceRole XML schema 199  
Table 10.44 – ScriptTask XML schema 200  
Table 10.45 – SendTask XML schema 200  
Table 10.46 – ServiceTask XML schema 200  
Table 10.47 – StandardLoopCharacteristics XML schema 201  
Table 10.48 – SubProcess XML schema 201  
Table 10.49 – Task XML schema 201  
Table 10.50 – Transaction XML schema 202  
Table 10.51 – ItemAwareElement model associations 203  
Table 10.52 – DataObject attributes 205  
Table 10.53 – DataObjectReference attributes and model associations 205  
Table 10.54 – DataState attributes and model associations 205  
Table 10.55 – Data Store attributes 208  
Table 10.56 – Data Store attributes 208  
Table 10.57 – Property attributes 209  
Table 10.58 – InputOutputSpecification Attributes and Model Associations 212  
Table 10.59 – DataInput attributes and model associations 214  
Table 10.60 – DataOutput attributes and associations 216  
Table 10.61 – InputSet attributes and model associations 218  
Table 10.62 – OutputSet attributes and model associations 220  
Table 10.63 – DataAssociation model associations 222  
Table 10.64 – Assignment attributes 223  
Table 10.65 – XPath Extension Function for Data Objects 226  
Table 10.66 – XPath Extension Function for Data Inputs and Data Outputs 226  
Table 10.67 – XPath Extension Functions for Properties 227  
Table 10.68 – XPath extension functions for instance attributes 228  
Table 10.69 – Assignment XML schema 228  
Table 10.70 – DataAssociation XML schema 229  
Table 10.71 – DataInput XML schema 229  
Table 10.72 – DataInputAssociation XML schema 229  
Table 10.73 – DataObject XML schema 230  
Table 10.74 – DataState XML schema 230  
Table 10.75 – DataOutput XML schema 230

- Table 10.76 – DataOutputAssociation XML schema 230  
 Table 10.77 – InputOutputSpecification XML schema 231  
 Table 10.78 – InputSet XML schema 231  
 Table 10.79 – OutputSet XML schema 232  
 Table 10.80 – Property XML schema 232  
 Table 10.81 – Event model associations 235  
 Table 10.82 – CatchEvent attributes and model associations 235  
 Table 10.83 – ThrowEvent attributes and model associations 236  
 Table 10.84 – Top-Level Process Start Event Types 239  
 Table 10.85 – Sub-Process Start Event Types 241  
 Table 10.86 – Event Sub-Process Start Event Types 241  
 Table 10.87 – Start Event attributes 244  
 Table 10.88 – End Event Types 246  
 Table 10.89 – Intermediate Event Types in Normal Flow 250  
 Table 10.90 – Intermediate Event Types Attached to an Activity Boundary 253  
 Table 10.91 – Boundary Event attributes 257  
 Table 10.92 – Possible Values of the cancelActivity Attribute 257  
 Table 10.93 – Types of Events and their Markers 260  
 Table 10.94 – CompensationEventDefinition attributes and model associations 263  
 Table 10.95 – ConditionalEventDefinition model associations 264  
 Table 10.96 – ErrorEventDefinition attributes and model associations 265  
 Table 10.97 – EscalationEventDefinition attributes and model associations 266  
 Table 10.98 – LinkEventDefinition attributes 269  
 Table 10.99 – MessageEventDefinition model associations 270  
 Table 10.100 – SignalEventDefinition model associations 272  
 Table 10.101 – TimerEventDefinition model associations 273  
 Table 10.102 – BoundaryEvent XML schema 281  
 Table 10.103 – CancelEventDefinition XML schema 281  
 Table 10.104 – CatchEvent XML schema 281  
 Table 10.105 – CancelEventDefinition XML schema 281  
 Table 10.106 – CompensateEventDefinition XML schema 282  
 Table 10.107 – ConditionalEventDefinition XML schema 282  
 Table 10.108 – ErrorEventDefinition XML schema 282  
 Table 10.109 – EscalationEventDefinition XML schema 282  
 Table 10.110 – Event XML schema 283  
 Table 10.111 – EventDefinition XML schema 283  
 Table 10.112 – ImplicitThrowEvent XML schema 283  
 Table 10.113 – IntermediateCatchEvent XML schema 283  
 Table 10.114 – IntermediateThrowEvent XML schema 283  
 Table 10.115 – LinkEventDefinition XML schema 283  
 Table 10.116 – MessageEventDefinition XML schema 284  
 Table 10.117 – Signal XML schema 284  
 Table 10.118 – SignalEventDefinition XML schema 284  
 Table 10.119 – StartEvent XML schema 285  
 Table 10.120 – TerminateEventDefinition XML schema 285  
 Table 10.121 – ThrowEvent XML schema 285  
 Table 10.122 – TimerEventDefinition XML schema 285

- Table 10.123 – ExclusiveGateway Attributes & Model Associations 291  
Table 10.124 – InclusiveGateway Attributes & Model Associations 292  
Table 10.125 – Complex Gateway model associations 295  
Table 10.126 – Instance attributes related to the Complex Gateway 296  
Table 10.127 – EventBasedGateway Attributes & Model Associations 299  
Table 10.128 – ComplexGateway XML schema 300  
Table 10.129 – EventBasedGateway XML schema 300  
Table 10.130 – ExclusiveGateway XML schema 300  
Table 10.131 – Gateway XML schema 300  
Table 10.132 – InclusiveGateway XML schema 301  
Table 10.133 – ParallelGateway XML schema 301  
Table 10.134 – LaneSet attributes and model associations 307  
Table 10.135 – Lane attributes and model associations 308  
Table 10.136 – Process XML schema 311  
Table 10.137 – Auditing XML schema 312  
Table 10.138 – GlobalTask XML schema 312  
Table 10.139 – Lane XML schema 312  
Table 10.140 – LaneSet XML schema 312  
Table 10.141 – Monitoring XML schema 313  
Table 10.142 – Performer XML schema 313  
Table 11.1 – Choreography Activity Model Associations 322  
Table 11.2 – Choreography Task Model Associations 328  
Table 11.3 – Sub-Choreography Model Associations 332  
Table 11.4 – Call Choreography Model Associations 335  
Table 11.5 – Global Choreography Task Model Associations 335  
Table 11.6 – Use of Start Events in Choreography 340  
Table 11.7 – Use of Intermediate Events in Choreography 340  
Table 11.8 – Use of End Events in Choreography 343  
Table 11.9 – Choreography XML schema 363  
Table 11.10 – GlobalChoreographyTask XML schema 364  
Table 11.11 – ChoreographyActivity XML schema 364  
Table 11.12 – ChoreographyTask XML schema 364  
Table 11.13 – CallChoreography XML schema 365  
Table 11.14 – SubChoreography XML schema 365  
Table 12.1 – BPMNDiagram XML schema 371  
Table 12.2 – BPMNPlane XML schema 372  
Table 12.3 – BPMNShape XML schema 374  
Table 12.4 – BPMNEdge XML schema 376  
Table 12.5 – BPMNLabel XML schema 377  
Table 12.6 – BPMNLabelStyle XML schema 378  
Table 12.7 – Complete BPMN DI XML schema 378  
Table 12.8 – Depiction Resolution for Loop Compensation Marker 382  
Table 12.9 – Depiction Resolution for Tasks 385  
Table 12.10 – Depiction Resolution for Collapsed Sub-Processes 386  
Table 12.11 – Depiction Resolution for Expanded Sub-Processes 386  
Table 12.12 – Depiction Resolution for Collapsed Ad Hoc Sub-Processes 387  
Table 12.13 – Depiction Resolution for Expanded Ad Hoc Sub-Processes 387

Table 12.14 – Depiction Resolution for Collapsed Transactions	387
Table 12.15 – Depiction Resolution for Tasks	388
Table 12.16 – Depiction Resolution for Collapsed Event Sub-Processes	388
Table 12.17 – Depiction Resolution for Expanded Event Sub-Processes	391
Table 12.18 – Depiction Resolution for Call Activities (Calling a Global Task)	391
Table 12.19 – Depiction Resolution for Collapsed Call Activities (Calling a Process)	392
Table 12.20 – Depiction Resolution for Expanded Call Activities (Calling a Process)	392
Table 12.21 – Depiction Resolution for Data	393
Table 12.22 – Depiction Resolution for Events	394
Table 12.23 – Depiction Resolution for Gateways	400
Table 12.24 – Depiction Resolution for Artifacts	401
Table 12.25 – Depiction Resolution for Lanes	401
Table 12.26 – Depiction Resolution for Pools	402
Table 12.27 – Depiction Resolution for Choreography Tasks	403
Table 12.28 – Depiction Resolution for Sub-Choreographies (Collapsed)	404
Table 12.29 – Depiction Resolution for Sub-Choreographies (Expanded)	405
Table 12.30 – Depiction Resolution for Call Choreographies (Calling a Global Choreography Task)	405
Table 12.31 – Depiction Resolution for Collapsed Call Choreographies (Calling a Choreography)	406
Table 12.32 – Depiction Resolution for Expanded Call Choreographies (Calling a Choreography)	407
Table 12.33 – Depiction Resolution for Choreography Participant Bands	408
Table 12.34 – Depiction Resolution for Conversations	410
Table 12.35 – Depiction Resolution for Connecting Objects	411
Table 12.36 – Expanded Sub-Process BPMN DI instance	413
Table 12.37 – Start and End Events on the Border BPMN DI instance	414
Table 12.38 – Collapsed Sub-Process BPMN DI instance	416
Table 12.39 – Sub-Process Content BPMN DI instance	416
Table 12.40 – Multiple Lanes and Nested Lanes BPMN DI instance	417
Table 12.41 – Vertical Collaboration BPMN DI instance	418
Table 12.42 – Conversation BPMN DI instance	420
Table 12.43 – Choreography BPMN DI instance	422
Table 13.1 – Parallel Gateway Execution Semantics	434
Table 13.2 – Exclusive Gateway Execution Semantics	435
Table 13.3 – Inclusive Gateway Execution Semantics	436
Table 13.4 – Event-Based Gateway Execution Semantics	437
Table 13.5 – Semantics of the Complex Gateway	438
Table 14.1 – Common Activity Mappings to WS-BPEL	448
Table 14.2 – Expressions mapping to WS-BPEL	468

(Blank page)

## **Foreword**

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 19510 was prepared by the Object Management Group (OMG), as the OMG Business Process Model and Notation (BPMN), version 2.0.1, and was adopted, under the PAS procedure, by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, in parallel with its approval by national bodies of ISO and IEC.

## **Introduction**

The primary goal of BPMN is to provide a notation that is readily understandable by all business users, from the business analysts that create the initial drafts of the processes, to the technical developers responsible for implementing the technology that will perform those processes, and finally, to the business people who will manage and monitor those processes. Thus, BPMN creates a standardized bridge for the gap between the business process design and process implementation.

This specification represents the amalgamation of best practices within the business modeling community to define the notation and semantics of Collaboration diagrams, Process diagrams, and Choreography diagrams. The intent of BPMN is to standardize a business process model and notation in the face of many different modeling notations and viewpoints. In doing so, BPMN will provide a simple means of communicating process information to other business users, process implementers, customers, and suppliers.

The specification provided by this International Standard is identical to OMG BPMN 2.0.1.

---

## Information technology - Object Management Group Business Process Model and Notation

# 1 Scope

## 1.1 General

The **Object Management Group** (OMG) has developed a standard **Business Process Model and Notation (BPMN)**. The primary goal of **BPMN** is to provide a notation that is readily understandable by all business users, from the business analysts that create the initial drafts of the processes, to the technical developers responsible for implementing the technology that will perform those processes, and finally, to the business people who will manage and monitor those processes. Thus, **BPMN** creates a standardized bridge for the gap between the business process design and process implementation.

Another goal, but no less important, is to ensure that XML languages designed for the execution of business processes, such as **WSBPEL** (Web Services Business Process Execution Language), can be visualized with a business-oriented notation.

This International Standard represents the amalgamation of best practices within the business modeling community to define the notation and semantics of **Collaboration** diagrams, **Process** diagrams, and **Choreography** diagrams. The intent of **BPMN** is to standardize a business process model and notation in the face of many different modeling notations and viewpoints. In doing so, **BPMN** will provide a simple means of communicating process information to other business users, process implementers, customers, and suppliers.

The membership of the OMG has brought forth expertise and experience with many existing notations and has sought to consolidate the best ideas from these divergent notations into a single standard notation. Examples of other notations or methodologies that were reviewed are UML Activity Diagram, UML EDOC Business Processes, IDEF, ebXML BPSS, Activity-Decision Flow (ADF) Diagram, RosettaNet, LOVeM, and Event-Process Chains (EPCs).

# 2 Conformance

## 2.1 General

Software can claim compliance or conformance with **BPMN 2.0** if and only if the software fully matches the applicable compliance points as stated in the International Standard. Software developed only partially matching the applicable compliance points can claim only that the software was based on this International Standard, but cannot claim compliance or conformance with this International Standard. The International Standard defines four types of conformance namely **Process Modeling Conformance**, **Process Execution Conformance**, **BPEL Process Execution Conformance**, and **Choreography Modeling Conformance**.

The implementation claiming conformance to **Process Modeling Conformance** type is NOT REQUIRED to support **Choreography Modeling Conformance** type and vice-versa. Similarly, the implementation claiming **Process Execution Conformance** type is NOT REQUIRED to be conformant to the **Process Modeling** and **Choreography Conformance** types.

The implementation claiming conformance to the **Process Modeling Conformance type** SHALL comply with all of the requirements set forth in sub clause 2.1. The implementation claiming conformance to the **Process Execution Conformance type** SHALL comply with all of the requirements set forth in sub clause 2.2. The implementation claiming conformance to the **BPEL Process Execution Semantics Conformance type** SHALL comply with all of the requirements set forth in sub clause 2.3. The implementation claiming conformance to the **Choreography Conformance type** SHALL comply with all of the requirements set forth in sub clause 2.4. The implementation is said to have **BPMN Complete Conformance** if it complies with all of the requirements stated in sub clauses 2.1, 2.2, 2.3, and 2.4.

## 2.2 Process Modeling Conformance

The next eight sub clauses describe **Process Modeling Conformance**.

### 2.2.1 BPMN Process Types

The implementations claiming **Process Modeling Conformance** MUST support the following **BPMN** packages:

- ◆ The **BPMN** core elements, which include those defined in the *Infrastructure*, *Foundation*, *Common*, and *Service* packages (see Clause 8).
- ◆ **Process** diagrams, which include the elements defined in the **Process**, **Activities**, **Data**, and **Human Interaction** packages (see Clause 10).
- ◆ **Collaboration** diagrams, which include **Pools** and **Message Flow** (see Clause 9).
- ◆ **Conversation** diagrams, which include **Pools**, **Conversations**, and **Conversation Links** (see Clause 9).

As an alternative to full **Process Modeling Conformance**, there are three conformance sub-classes defined:

- ◆ **Descriptive**
- ◆ **Analytic**
- ◆ **Common Executable**

**Descriptive** is concerned with visible elements and attributes used in high-level modeling. It should be comfortable for analysts who have used BPA flowcharting tools.

**Analytic** contains all of **Descriptive** and in total about half of the constructs in the full **Process Modeling Conformance** Class. It is based on experience gathered in BPMN training and an analysis of user-patterns in the Department of Defense Architecture Framework and planned standardization for that framework.

Both **Descriptive** and **Analytic** focus on visible elements and a minimal subset of supporting attributes/elements.

**Common Executable** focuses on what is needed for executable process models.

Elements and attributes not in these sub-classes are contained in the full **Process Modeling Conformance** class.

The elements for each sub-class are defined in the next sub clause.

## 2.2.2 BPMN Process Elements

The **Process Modeling Conformance** type set consists of **Collaboration** and **Process** diagram elements, including all **Task** types, *embedded Sub-Processes*, **CallActivity**, all **Gateway** types, all **Event** types (**Start**, **Intermediate**, and **End**), **Lane**, **Participants**, **Data Object** (including **DataInput** and **DataOutput**), **Message**, **Group**, **Text Annotation**, **Sequence Flow** (including *conditional* and *default* flows), **Message Flow**, **Conversations** (limited to grouping **Message Flow**, and associating *correlations*), **Correlation**, and **Association** (including **Compensation Association**). The set also includes markers (**Loop**, **Multi-Instance**, **Transaction**, **Compensation**) for **Tasks** and *embedded Sub-Processes*).

**NOTE:** Implementations are not expected to support **Choreography** modeling elements such as **Choreography Task** and **Sub-Choreography**.

For a tool to claim support for a sub-class the following criteria MUST be satisfied:

- ◆ All the elements in the sub-class MUST be supported.
- ◆ For each element, all the listed attributes MUST be supported.
- ◆ In general, if the sub-class doesn't mention an attribute and it is NOT REQUIRED by the schema, then it is not in the subclass. Exceptions to this rule are noted.

### Descriptive Conformance Sub-Class

The **Descriptive** conformance sub-class elements are shown in Table 2.1.

**Table 2.1 – Descriptive Conformance Sub-Class Elements and Attributes**

Element	Attributes
participant (pool)	id, name, processRef
laneSet	id, lane with name, childLaneSet, flowElementRef
sequenceFlow (unconditional)	id, name, sourceRef, targetRef
messageFlow	id, name, sourceRef, targetRef
exclusiveGateway	id, name
parallelGateway	id, name
task (None)	id, name
userTask	id, name
serviceTask	id, name
subProcess (expanded)	id, name, flowElement
subProcess (collapsed)	id, name, flowElement
CallActivity	id, name, calledElement
DataObject	id, name

**Table 2.1 – Descriptive Conformance Sub-Class Elements and Attributes**

TextAnnotation	id, text
association/dataAssociation <sup>a</sup>	id, name, sourceRef, targetRef, associationDirection <sup>b</sup>
dataStoreReference	id, name, dataStoreRef
startEvent (None)	id, name
endEvent (None)	id, name
messageStartEvent	id, name, messageEventDefinition
messageEndEvent	id, name, messageEventDefinition
timerStartEvent	id, name, timerEventDefinition
terminateEndEvent	id, name, terminateEventDefinition
documentation <sup>c</sup>	text
Group	id, categoryRef

- a. **Data Association** is ABSTRACT: **Data Input Association** and **Data Output Association** will appear in the XML serialization. These both have REQUIRED attributes [sourceRef and targetRef] which refer to itemAwareElements. To be consistent with the metamodel, this will require the following additional elements: ioSpecification, inputSet, outputSet, **Data Input**, **Data Output**. When a **BPMN** editor draws a **Data Association** to an **Activity** or **Event** it should generate this supporting invisible substructure. Otherwise, the metamodel would have to be changed to make sourceRef and targetRef optional or allow reference to non-itemAwareElements, e.g., **Activity** and **Event**.
- b. associationDirection not specified for **Data Association**
- c. Documentation is not a visible element. It is an attribute of most elements.

### Analytic Conformance Sub-Class

The **Analytic** conformance sub-class contains all the elements of the **Descriptive** conformance sub-class plus the elements shown in Table 2.2.

**Table 2.2 – Analytic Conformance Sub-Class Elements and Attributes**

Element	Attributes
sequenceFlow (conditional)	id, name, sourceRef, targetRef, conditionExpression <sup>a</sup>
sequenceFlow (default)	id, name, sourceRef, targetRef, default <sup>b</sup>
sendTask	id, name
receiveTask	id, name
Looping Activity	standardLoopCharacteristics
MultInstance Activity	multilnstanceLoopCharacteristics

**Table 2.2 – Analytic Conformance Sub-Class Elements and Attributes**

exclusiveGateway	Add default attribute
inclusiveGateway	id, name, eventGatewayType
eventBasedGateway	id, name, eventGatewayType
Link catch/throw Intermediate Event	Id, name, linkEventDefinition
signalStartEvent	id, name, signalEventDefinition
signalEndEvent	id, name, signalEventDefinition
Catching message Intermediate Event	id, name, messageEventDefinition
Throwing message Intermediate Event	id, name, messageEventDefinition
Boundary message Intermediate Event	id, name, attachedToRef, messageEventDefinition
Non-interrupting Boundary message Intermediate Event	id, name, attachedToRef, cancelActivity=false, messageEventDefinition
Catching timer Intermediate Event	id, name, timerEventDefinition
Boundary timer Intermediate Event	id, name, attachedToRef, timerEventDefinition
Non-interrupting Boundary timer Intermediate Event	id, name, attachedToRef, cancelActivity=false, timerEventDefinition
Boundary error Intermediate Event	id, name, attachedToRef, errorEventDefinition
errorEndEvent	id, name, errorEventDefinition
Non-interrupting Boundary escalation Intermediate Event	id, name, attachedToRef, cancelActivity=false, escalationEventDefinition
Throwing escalation Intermediate Event	id, name, escalationEventDefinition
escalationEndEvent	id, name, escalationEventDefinition
Catching signal Intermediate Event	id, name, signalEventDefinition
Throwing signal Intermediate Event	id, name, signalEventDefinition
Boundary signal Intermediate Event	id, name, attachedToRef, signalEventDefinition
Non-interrupting Boundary signal Intermediate Event	id, name, attachedToRef, cancelActivity=false, signalEventDefinition
conditionalStartEvent	id, name, conditionalEventDefinition

**Table 2.2 – Analytic Conformance Sub-Class Elements and Attributes**

Catching conditional Intermediate Event	id, name, conditionalEventDefinition
Boundary conditional Intermediate Event	id, name, conditionalEventDefinition
Non-interrupting Boundary conditional Intermediate Event	id, name, cancelActivity=false, conditionalEventDefinition
message <sup>c</sup>	id, name, add messageRef attribute to messageFlow

- a. ConditionExpression, allowed only for **Sequence Flow** out of **Gateways**, MAY be null.
- b. Default is an attribute of a sourceRef (exclusive or inclusive) **Gateway**.
- c. Note that messageRef, an attribute of various message **Events**, is optional and not in the sub-class.

### Common Executable Conformance Sub-Class

This conformance sub-class is intended for modeling tools that can emit executable models.

- ◆ Data type definition language MUST be XML Schema.
- ◆ Service Interface definition language MUST be WSDL.
- ◆ Data access language MUST be XPath.

The **Common Executable** conformance sub-class elements are shown in Table 2.3 and its supporting classes in Table 2.4.

**Table 2.3 – Common Executable Conformance Sub-Class Elements and Attributes**

Element	Attributes
sequenceFlow (unconditional)	id, (name), sourceRef <sup>a</sup> , targetRef <sup>b</sup>
sequenceFlow (conditional)	id, name, sourceRef, targetRef, conditionExpression <sup>c</sup>
sequenceFlow (default)	id, name, sourceRef, targetRef, default <sup>d</sup>
subProcess (expanded)	id, name, flowElement, loopCharacteristics, boundaryEventRefs
exclusiveGateway	id, name, gatewayDirection (only converging and diverging), default
parallelGateway	id, name, gatewayDirection (only converging and diverging)
startEvent (None)	id, name
endEvent (None)	id, name
eventBasedGateway	id, name, gatewayDirection, eventGatewayType
userTask	id, name, renderings, implementation, resources, ioSpecification, dataInputAssociations, dataOutputAssociations, loopCharacteristics, boundaryEventRefs

**Table 2.3 – Common Executable Conformance Sub-Class Elements and Attributes**

serviceTask	id, name, implementation, operationRef, ioSpecification, dataInputAssociations, dataOutputAssociations, loopCharacteristics, boundaryEventRefs
callActivity	id, name, calledElement, ioSpecification, dataInputAssociations, dataOutputAssociations, loopCharacteristics, boundaryEventRefs
dataObject	id, name, isCollection, itemSubjectRef
textAnnotation	id, text
dataAssociation	id, name, sourceRef, targetRef, assignment
messageStartEvent	id, name, messageEventDefinition (either ref or contained), dataOutput, dataOutputAssociations
messageEndEvent	id, name, messageEventDefinition, (either ref or contained), dataInput, dataInputAssociations
terminateEndEvent	(Terminating trigger in combination with one of the other end events)
Catching message Intermediate Event	id, name, messageEventDefinition (either ref or contained), dataOutput, dataOutputAssociations
Throwing message Intermediate Event	id, name, messageEventDefinition (either ref or contained), dataInput, dataInputAssociations
Catching timer Intermediate Event	id, name, timerEventDefinition (contained)
Boundary error Intermediate Event	id, name, attachedToRef, errorEventDefinition, (contained or referenced), dataOutput, dataOutputAssociations

- a. Multiple outgoing connections are only allowed for converging **Gateways**.
- b. Multiple outgoing connections are only allowed for diverging **Gateways**.
- c. ConditionExpression, allowed only for **Sequence Flow** out of **Gateways**, MAY be null.
- d. Default is an attribute of a sourceRef (exclusive or inclusive) **Gateway**.

**Table 2.4 – Common Executable Conformance Sub-Class Supporting Classes**

Element	Attributes
StandardLoopCharacteristics	id, loopCondition
MultiInstanceLoopCharacteristics	id, isSequential, loopDataInput, inputDataItem
Rendering	
Resource	id, name
ResourceRole	id, resourceRef, resourceAssignmentExpression
InputOutputSpecification	id, dataInputs, dataOutputs
DataInput	id, name, isCollection, itemSubjectRef

**Table 2.4 – Common Executable Conformance Sub-Class Supporting Classes**

DataOutput	id, name, isCollection, itemSubjectRef
ItemDefinition	id, structure or import <sup>a</sup>
Operation	id, name, inMessageRef, outMessageRef, errorRefs
Message	id, name, structureRef
Error	id, structureRef
Assignment	id, from, to <sup>b</sup>
MessageEventDefinition	id, messageRef, operationRef
TerminateEventDefinition	id
TimerEventDefinition	id, timeDate

a. Structure MUST be defined by an XSD Complex Type

b. Structure MUST be defined by an XSD Complex Type

### 2.2.3 Visual Appearance

A key element of **BPMN** is the choice of shapes and icons used for the graphical elements identified in this International Standard. The intent is to create a standard visual language that all process modelers will recognize and understand. An implementation that creates and displays **BPMN Process** Diagrams SHALL use the graphical elements, shapes, and markers illustrated in this International Standard.

**NOTE:** There is flexibility in the size, color, line style, and text positions of the defined graphical elements, except where otherwise specified (see page 41).

The following extensions to a **BPMN** Diagram are permitted:

- ◆ New markers or indicators MAY be added to the specified graphical elements. These markers or indicators could be used to highlight a specific attribute of a **BPMN** element or to represent a new subtype of the corresponding concept.
- ◆ A new shape representing a kind of **Artifact** MAY be added to a Diagram, but the new **Artifact** shape SHALL NOT conflict with the shape specified for any other **BPMN** element or marker.
- ◆ Graphical elements MAY be colored, and the coloring MAY have specified semantics that extend the information conveyed by the element as specified in this International Standard.
- ◆ The line style of a graphical element MAY be changed, but that change SHALL NOT conflict with any other line style REQUIRED by this International Standard.
- ◆ An extension SHALL NOT change the specified shape of a defined graphical element or marker (e.g., changing a square into a triangle, or changing rounded corners into squared corners, etc.).

### 2.2.4 Structural Conformance

An implementation that creates and displays **BPMN** diagrams SHALL conform to the specifications and restrictions with respect to the connections and other diagrammatic relationships between graphical elements. Where permitted or requested connections are specified as conditional and based on attributes of the corresponding concepts, the implementation SHALL ensure the correspondence between the connections and the values of those attributes.

**NOTE:** In general, these connections and relationships have specified semantic interpretations, which specify interactions among the process concepts represented by the graphical elements. Conditional relationships based on attributes represent specific variations in behavior. Structural conformance therefore guarantees the correct interpretation of the diagram as a specification of process, in terms of flows of control and information. Throughout the document, structural specifications will appear in paragraphs using a special shaped bullet: Example: ♦ A **TASK** MAY be a target for **Sequence Flow**; it can have multiple *incoming* Flows. An *incoming* Flow MAY be from an alternative path and/or parallel paths.

## 2.2.5 Process Semantics

This International Standard defines many semantic concepts used in defining **Processes**, and associates them with graphical elements, markers, and connections. To the extent that an implementation provides an interpretation of the **BPMN** diagram as a semantic specification of **Process**, the interpretation SHALL be consistent with the semantic interpretation herein specified. In other words, the implementation claiming **BPMN Process Modeling Conformance** has to support the semantics surrounding the diagram elements expressed in Clause 10.

**NOTE:** The implementations claiming **Process Modeling Conformance** are not expected to support the **BPMN** execution semantics described in Clause 13.

## 2.2.6 Attributes and Model Associations

This International Standard defines a number of attributes and properties of the semantic elements represented by the graphical elements, markers, and connections. Some of these attributes are purely representational and are so marked, and some have mandated representations. Some attributes are specified as mandatory, but have no representation or only optional representation. And some attributes are specified as optional. For every attribute or property that is specified as mandatory, a conforming implementation SHALL provide some mechanism by which values of that attribute or property can be created and displayed. This mechanism SHALL permit the user to create or view these values for each **BPMN** element specified to have that attribute or property. Where a graphical representation for that attribute or property is specified as REQUIRED, that graphical representation SHALL be used. Where a graphical representation for that attribute or property is specified as optional, the implementation MAY use either a graphical representation or some other mechanism. If a graphical representation is used, it SHALL be the representation specified. Where no graphical representation for that attribute or property is specified, the implementation MAY use either a graphical representation or some other mechanism. If a graphical representation is used, it SHALL NOT conflict with the specified graphical representation of any other **BPMN** element.

## 2.2.7 Extended and Optional Elements

A conforming implementation is NOT REQUIRED to support any element or attribute that is specified herein to be non-normative or informative. In each instance in which this International Standard defines a feature to be “optional,” it specifies whether the option is in:

- how the feature will be displayed,
- whether the feature will be displayed,
- whether the feature will be supported.

A conforming implementation is NOT REQUIRED to support any feature whose support is specified to be optional. If an implementation supports an optional feature, it SHALL support it as specified. A conforming implementation SHALL support any “optional” feature for which the option is only in whether or how it SHALL be displayed.

## 2.2.8 Visual Interchange

One of the main goals of this International Standard is to provide an interchange format that can be used to exchange **BPMN** definitions (both domain model and diagram layout) between different tools. The implementation should support the metamodel for **Process** types specified in sub clause 13.1 to enable portability of process diagrams so that users can take business process definitions created in one vendor's environment and use them in another vendor's environment.

# 2.3 Process Execution Conformance

The next two sub clauses describe **Process Execution Conformance**.

## 2.3.1 Execution Semantics

The **BPMN** execution semantics have been fully formalized in this version of the International Standard. The tool claiming **BPMN Execution Conformance** type MUST fully support and interpret the operational semantics and **Activity** life-cycle specified in sub clause 14.2.2. Non-operational elements listed in Clause 14 MAY be ignored by implementations claiming **BPMN Execution Conformance** type. Conformant implementations MUST fully support and interpret the underlying metamodel.

**NOTE:** The tool claiming **Process Execution Conformance type** is not expected to support and interpret **Choreography** models. The tool claiming **Process Execution Conformance type** is not expected to support **Process Modeling Conformance**. More precisely, the tool is not required to support graphical syntax and semantics defined in this International Standard. It MAY use different graphical elements, shapes and markers, than those defined in this International Standard.

## 2.3.2 Import of Process Diagrams

The tool claiming **Process Execution Conformance type** MUST support import of **BPMN Process** diagram types including its definitional **Collaboration** (see Table 10.1).

# 2.4 BPEL Process Execution Conformance

Special type of Process Execution Conformance that supports the **BPMN** mapping to WS-BPEL as specified in sub clause 15.1 can claim **BPEL Process Execution Conformance**.

**NOTE:** The tool claiming **BPEL Process Execution Conformance** MUST fully support **Process Execution Conformance**. The tool claiming **BPEL Process Execution Conformance** is not expected to support and interpret **Choreography** models. The tool claiming **BPEL Process Execution Conformance** is not expected to support **Process Modeling Conformance**.

# 2.5 Choreography Modeling Conformance

The next five sub clauses describe **Choreography Conformance**.

## 2.5.1 BPMN Choreography Types

The implementations claiming **Choreography Conformance** type MUST support the following **BPMN** packages:

- ◆ The **BPMN** core elements, which include those defined in the Infrastructure, Foundation, Common, and Service packages (see Clause 8).

- ◆ **Choreography** diagrams, which includes the elements defined in the **Choreography**, and **Choreography** packages (see Clause 11).
- ◆ **Collaboration** diagrams, which include **Pools** and **Message Flow** (see Clause 9).

## 2.5.2 BPMN Choreography Elements

The **Choreography Conformance** set includes **Message**, **Choreography Task**, **Global Choreography Task**, **Sub-Choreography** (expanded and collapsed), certain types of **Start Events** (e.g., **None**, **Timer**, **Conditional**, **Signal**, and **Multiple**), certain types of **Intermediate Events** (**None**, **Message**) attached to **Activity** boundary, **Timer** – normal as well as attached to **Activity** boundary, **Timer** used in **Event Gateways**, **Cancel** attached to an **Activity** boundary, **Conditional**, **Signal**, **Multiple**, **Link**, etc.) and certain types of **End Events** (**None** and **Terminate**), and **Gateways**. In addition, to enable **Choreography** within **Collaboration** it should support **Pools** and **Message Flow**.

## 2.5.3 Visual Appearance

An implementation that creates and displays **BPMN Choreography** Diagrams SHALL use the graphical elements, shapes, and markers as specified in the **BPMN** International Standard. The use of text, color, size and lines for **Choreography** diagram types are listed in sub clause 7.4.

## 2.5.4 Choreography Semantics

The tool claiming **Choreography Conformance** should fully support and interpret the graphical and execution semantics surrounding **Choreography** diagram elements and **Choreography** diagram types.

## 2.5.5 Visual Interchange

The implementation should support import/export of **Choreography** diagram types and **Collaboration** diagram types that depict **Choreography** within **collaboration** as specified in sub clause 9.4 to enable portability of **Choreography** definitions, so that users can take **BPMN** definitions created in one vendor's environment and use them in another vendor's environment.

## 2.6 Summary of BPMN Conformance Types

Table 2.5 summarizes the requirements for **BPMN** Conformance.

**Table 2.5 – Types of BPMN Conformance**

Category	Process Modeling Conformance	Process Execution Conformance	BPEL Process Execution Conformance	Choreography Conformance
Visual representation of BPMN Diagram Types	Process diagram types and Collaboration diagram types depicting collaborations among Process diagram types.	N/A	N/A	Choreography diagram types and Collaboration diagram types depicting collaboration among Choreography diagram types.
BPMN Diagram Elements that need to be supported.	All Task types, embedded Sub-Process, Call Activity, all Event types, all Gateway types, Pool, Lane, Data Object (including DataInput and DataOutput), Message, Group, Artifacts, markers for Tasks and Sub-Processes, Sequence Flow, Associations, and Message Flow.	N/A	N/A	Message, Choreography Task, Global Choreography Task, Sub-Choreography (expanded and collapsed), certain types of Start, Intermediate, and End Events, Gateways, Pools and Message Flow.
Import/Export of diagram types	Yes for Process and Collaboration diagrams that depict Process within Collaboration.	Yes for Process diagrams	Yes for Process diagrams	Yes for Choreography and Collaboration diagrams depicting choreography within Collaboration.
Support for Graphical syntax and semantics	Process and Collaboration diagrams that depict Process within Collaboration.	N/A	N/A	Choreography and Collaboration diagrams depicting Choreography within Collaboration.
Support for Execution Semantics	N/A	Yes for Process diagrams	Yes for Process diagrams	Choreography execution semantics

## 3 Normative References

### 3.1 General

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

## 3.2 Normative

### OMG UML

- OMG Unified Modeling Language (OMG UML), Superstructure, V2.1.2 -  
<http://www.omg.org/spec/UML/2.1.2/Superstructure>

### OMG MOF

- Object Management Group - Meta Object Facility (MOF) Core Specification, V2.0  
<http://www.omg.org/spec/MOF/2.0>

### RFC-2119

- Key words for use in RFCs to Indicate Requirement Levels, S. Bradner, IETF RFC 2119, March 1997  
<http://www.ietf.org/rfc/rfc2119.txt>

## 3.3 Non-Normative

### Activity Service

- Additional Structuring Mechanism for the OTS Specification, OMG, June 1999  
<http://www.omg.org>
- J2EE Activity Service for Extended Transactions (JSR 95), JCP  
<http://www.jcp.org/jsr/detail/95.jsp>

### BPEL4People

- WS-BPEL Extension for People (BPEL4People) Specification Version 1.1, Committee Specification, 17 August 2010  
<http://docs.oasis-open.org/bpel4people/bpel4people-1.1-spec-cs-01.html>

### Business Process Definition Metamodel

- OMG, May 2008,  
<http://www.omg.org/docs/dtc/08-05-07.pdf>

### Business Process Modeling

- Jean-Jacques Dubray, “A Novel Approach for Modeling Business Process Definitions,” 2002  
<http://www.ebpml.org/ebpml2.2.doc>

### Business Transaction Protocol

- OASIS BTP Technical Committee, June, 2002  
[http://www.oasis-open.org/committees/download.php/1184/2002-06-03.BTP\\_ctee\\_spec\\_1.0.pdf](http://www.oasis-open.org/committees/download.php/1184/2002-06-03.BTP_ctee_spec_1.0.pdf)

## **Dublin Core Meta Data**

- Dublin Core Metadata Element Set, Dublin Core Metadata Initiative  
<http://dublincore.org/documents/dces/>

## **ebXML BPSS**

- Jean-Jacques Dubray, “A new model for ebXML BPSS Multi-party Collaborations and Web Services Choreography,” 2002  
<http://www.ebpml.org/ebpml.doc>

## **Open Nested Transactions**

- Concepts and Applications of Multilevel Transactions and Open Nested Transactions, Gerhard Weikum, Hans-J. Schek, 1992  
<http://citeseer.nj.nec.com/weikum92concepts.html>

## **RDF**

- RDF Vocabulary Description Language 1.0: RDF Schema, W3C Working Draft  
<http://www.w3.org/TR/rdf-schema/>

## **SOAP 1.2**

- SOAP Version 1.2 Part 1: Messaging Framework, W3C Working Draft  
<http://www.w3.org/TR/soap12-part1/>
- SOAP Version 1.2 Part21: Adjuncts, W3C Working Draft  
<http://www.w3.org/TR/soap12-part2/>

## **UDDI**

- Universal Description, Discovery and Integration, Ariba, IBM and Microsoft, UDDI.org.  
<http://www.uddi.org>

## **URI**

- Uniform Resource Identifiers (URI): Generic Syntax, T. Berners-Lee, R. Fielding, L. Masinter, IETF RFC 2396, August 1998  
<http://www.ietf.org/rfc/rfc2396.txt>

## **WfMC Glossary**

- Workflow Management Coalition Terminology and Glossary  
<http://www.wfmc.org/wfmc-standards-framework.html>

## **Web Services Transaction**

- (WS-Transaction) 1.1, OASIS, 12 July 2007,  
<http://www.oasis-open.org/committees/ws-tx/>

## **Workflow Patterns**

- Russell, N., ter Hofstede, A.H.M., van der Aalst W.M.P., & Mulyar, N. (2006). Workflow Control-Flow Patterns: A Revised View. BPM Center Report BPM-06-22, BPMcentre.org  
<http://www.workflowpatterns.com/>

## **WSBPEL**

- Web Services Business Process Execution Language (WSBPEL) 2.0, OASIS Standard, April 2007  
<http://docs.oasis-open.org/wsbpel/2.0/OS/wsbpel-v2.0-OS.html>

## **WS-Coordination**

- Web Services Coordination (WS-Coordination) 1.1, OASIS Standard, July 2007  
<http://www.oasis-open.org/committees/ws-tx/>

## **WSDL**

- Web Services Description Language (WSDL) 2.0, W3C Proposed Recommendation, June 2007  
<http://www.w3.org/TR/wsdl20/>

## **WS-HumanTask**

- Web Services Human Task (WS-HumanTask) 1.1, August 2010  
<http://docs.oasis-open.org/bpel4people/ws-humantask-1.1-spec-cs-01.html>

## **XML 1.0 (Second Edition)**

- Extensible Markup Language (XML) 1.0, Second Edition, Tim Bray et al., eds., W3C, 6 October 2000  
<http://www.w3.org/TR/REC-xml>

## **XML-Namespace**

- Namespaces in XML, Tim Bray et al., eds., W3C, 14 January 1999  
<http://www.w3.org/TR/REC-xml-names>

## **XML-Schema**

- XML Schema Part 1: Structures, Henry S. Thompson, David Beech, Murray Maloney, Noah Mendelsohn, W3C, 2 May 2001  
<http://www.w3.org/TR/xmlschema-1/>
- XML Schema Part 2: Datatypes, Paul V. Biron and Ashok Malhotra, eds., W3C, 2 May 2001  
<http://www.w3.org/TR/xmlschema-2/>

## **XPath**

- XML Path Language (XPath) 1.0, James Clark and Steve DeRose, eds., W3C, 16 November 1999  
<http://www.w3.org/TR/xpath>

**XPDL**

- Workflow Management Coalition XML Process Definition Language, version 2.0.  
<http://www.wfmc.org/wfmc-standards-framework.html>