

INTERNATIONAL
STANDARD

ISO/IEC
19540-1

First edition
2022-03

**Information technology — Object
Management Group Unified
Architecture Framework (OMG
UAF) —**

**Part 1:
Domain Metamodel (DMM)**



Reference number
ISO/IEC 19540-1:2022(E)

© ISO/IEC 2022



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
FOREWORD	xii
PREFACE.....	xiii
1 SCOPE	1
1.1 INTRODUCTION	1
1.2 UAF BACKGROUND	1
1.3 INTENDED USAGE	2
1.4 RELATED DOCUMENTS.....	2
2 CONFORMANCE	3
3 REFERENCES	4
3.1 NORMATIVE REFERENCES	4
3.2 OMG DOCUMENTS (NORMATIVE REFERENCES)	4
3.3 OTHER NORMATIVE REFERENCES.....	4
3.4 INFORMATIVE REFERENCES	5
4 TERMS AND DEFINITIONS	6
5 SYMBOLS.....	7
6 ADDITIONAL INFORMATION	9
6.1 CHANGES TO ADOPTED OMG SPECIFICATIONS.....	9
6.2 LANGUAGE ARCHITECTURE	9
6.3 PHILOSOPHY	9
6.4 CORE PRINCIPLES.....	9
7 UAF GRID	11
7.1 DESCRIPTIONS OF DOMAINS AND MODEL KINDS.....	12
7.2 DOMAIN INTERRELATIONSHIPS	13
7.3 DOMAIN METAMODEL DIAGRAM LEGEND	14
8 DOMAIN METAMODEL DIAGRAMS	15
8.1 VIEW SPECIFICATIONS.....	15
8.1.1 <i>View Specifications::Metadata</i>	15
8.1.2 <i>View Specifications::Strategic</i>	16
8.1.3 <i>View Specifications::Operational</i>	24
8.1.4 <i>View Specifications::Services</i>	34
8.1.5 <i>View Specifications::Personnel</i>	43
8.1.6 <i>View Specifications::Resources</i>	56
8.1.7 <i>View Specifications::Security</i>	68
8.1.8 <i>View Specifications::Projects</i>	76
8.1.9 <i>View Specifications::Standards</i>	81
8.1.10 <i>View Specifications::Actual Resources</i>	84
8.1.11 <i>View Specifications::Dictionary</i>	87
8.1.12 <i>View Specifications::Summary & Overview</i>	88
8.1.13 <i>View Specifications::Requirements</i>	89
8.1.14 <i>View Specifications::Information</i>	90
8.1.15 <i>View Specifications::Parameters</i>	90
8.1.16 <i>View Specifications::Other</i>	93

9 DOMAIN METAMODEL (DMM) ELEMENTS.....	96
9.1 DOMAIN METAMODEL	96
9.1.1 <i>Domain MetaModel::Metadata</i>	96
9.1.2 <i>Domain MetaModel::Strategic</i>	109
9.1.3 <i>Domain MetaModel::Operational</i>	120
9.1.4 <i>Domain MetaModel::Services</i>	134
9.1.5 <i>Domain MetaModel::Personnel</i>	142
9.1.6 <i>Domain MetaModel::Resources</i>	149
9.1.7 <i>Domain MetaModel::Security</i>	166
9.1.8 <i>Domain MetaModel::Projects</i>	181
9.1.9 <i>Domain MetaModel::Standards</i>	188
9.1.10 <i>Domain MetaModel::Actual Resources</i>	190
9.1.11 <i>Domain MetaModel::Dictionary</i>	196
9.1.12 <i>Domain MetaModel::Summary & Overview</i>	198
9.1.13 <i>Domain MetaModel::Information</i>	202
9.1.14 <i>Domain MetaModel::Parameters</i>	203

TABLE OF FIGURES

Figure 7:1 - UAF Grid	11
Figure 7:2 - Domain Interrelationships	13
Figure 7:3 - Legend of color codes for element types defined in UAF	14
Figure 8:2 - Strategic Structure	18
Figure 8:3 - Strategic Connectivity	19
Figure 8:4 - Strategic States	20
Figure 8:5 - Strategic Constraints	21
Figure 8:6 - Strategic Roadmap: Deployment	22
Figure 8:7 - Strategic Roadmap: Phasing	23
Figure 8:8 - Strategic Traceability	24
Figure 8:9 - Operational Taxonomy	25
Figure 8:10 - Operational Structure	26
Figure 8:11 - Operational Connectivity	27
Figure 8:12 - Operational Processes	28
Figure 8:13 - Operational Processes BPMN Semantics	29
Figure 8:14 - Operational States	31
Figure 8:15 - Operational Interaction Scenarios	32
Figure 8:16 - Operational Constraints	33
Figure 8:17 - Operational Traceability	34
Figure 8:18 - Services Taxonomy	35
Figure 8:19 - Services Structure	36
Figure 8:20 - Services Connectivity	37
Figure 8:21 - Services Processes	38
Figure 8:22 - Services Processes BPMN Semantics	39
Figure 8:23 - Services States	40
Figure 8:24 - Services Interaction Scenarios	41
Figure 8:25 - Services Constraints	42
Figure 8:26 - Services Roadmap	42
Figure 8:27 - Services Traceability	43
Figure 8:28 - Personnel Taxonomy	44
Figure 8:29 - Personnel Structure	45
Figure 8:30 - Personnel Connectivity	46
Figure 8:31 - Personnel Processes	47
Figure 8:32 - Personnel States	48
Figure 8:33 - Personnel Interaction Scenarios	49
Figure 8:34 - Personnel Constraints: Competence	50
Figure 8:35 - Personnel Constraints: Drivers	51
Figure 8:36 - Personnel Constraints: Performance	52
Figure 8:37 - Personnel Roadmap: Availability	53
Figure 8:38 - Personnel Roadmap: Evolution	54
Figure 8:39 - Personnel Roadmap: Forecast	55
Figure 8:40 - Personnel Traceability	56
Figure 8:41 - Resources Taxonomy	57
Figure 8:42 - Resources Structure	58
Figure 8:43 - Resources Connectivity	59
Figure 8:44 - Resources Processes	60
Figure 8:45 - Resources Processes BPMN Semantics	62
Figure 8:46 - Resources States	63
Figure 8:47 - Resources Interaction Scenarios	64
Figure 8:48 - Resources Constraints	65
Figure 8:49 - Resources Roadmap: Evolution	66
Figure 8:50 - Resources Roadmap: Forecast	67
Figure 8:51 - Resources Traceability	68
Figure 8:52 - Security Taxonomy	69
Figure 8:53 - Security Structure	70
Figure 8:54 - Security Connectivity	71
Figure 8:55 - Security Processes	72
Figure 8:56 - Security Constraints	74
Figure 8:57 - Security Traceability	75

Figure 8:58 - Project Taxonomy	76
Figure 8:59 - Project Structure	77
Figure 8:60 - Project Connectivity	78
Figure 8:61 - Project Processes.....	79
Figure 8:62 - Project Roadmap.....	80
Figure 8:63 - Project Traceability.....	81
Figure 8:64 - Standards Taxonomy	82
Figure 8:65 - Standards Structure	83
Figure 8:66 - Standards Roadmap	83
Figure 8:67 - Standards Traceability	84
Figure 8:68 - Actual Resources Structure.....	85
Figure 8:69 - Actual Resources Connectivity.....	86
Figure 8:70 - Actual Resources Traceability	86
Figure 8:71 - Dictionary	87
Figure 8:72 - Summary & Overview	88
Figure 8:73 - Requirements	89
Figure 8:74 - Information Model	90
Figure 8:75 - Parameters: Environment.....	91
Figure 8:76 - Parameters: Measurements	92
Figure 8:77 - BPMN.....	93
Figure 8:78 - IEPPV	94
Figure 8:79 - NIEM	95
Figure 9:1 - ArchitectureMetadata.....	96
Figure 9:2 - InteractionScenarioGeneralization.....	97
Figure 9:3 - Metadata	97
Figure 9:4 - ProcessGeneralization.....	98
Figure 9:5 - PropertySetGeneralization	98
Figure 9:6 - StateDescriptionGeneralization	99
Figure 9:7 - EnvironmentProperty.....	99
Figure 9:8 - Exchange.....	100
Figure 9:9 - ExchangeItem	100
Figure 9:10 - Resource	101
Figure 9:11 - ActivityPerformableUnderCondition.....	101
Figure 9:12 - IsCapableToPerform.....	102
Figure 9:13 - PerformsInContext.....	102
Figure 9:14 - Process	103
Figure 9:15 - Process	103
Figure 9:16 - ProcessEdge	104
Figure 9:17 - ProcessOperation	104
Figure 9:18 - ProcessParameter	104
Figure 9:19 - ProcessUsage	105
Figure 9:20 - StateDescription.....	105
Figure 9:21 - InteractionRole.....	106
Figure 9:22 - InteractionScenario	107
Figure 9:23 - Information	107
Figure 9:24 - Rule.....	108
Figure 9:25 - ArchitecturalReference	108
Figure 9:26 - Implements	109
Figure 9:27 - Capability.....	110
Figure 9:28 - CapabilityGeneralization	110
Figure 9:29 - ActualEnduringTask	111
Figure 9:30 - ActualEnterprisePhase	111
Figure 9:31 - CapabilityRole	112
Figure 9:32 - EnduringTask.....	112
Figure 9:33 - EnterpriseGoal	112
Figure 9:34 - EnterprisePhase.....	113
Figure 9:35 - EnterpriseVision	113
Figure 9:36 - StructuralPart	114
Figure 9:37 - TemporalPart	114
Figure 9:38 - VisionStatement.....	114
Figure 9:39 - WholeLifeEnterprise	115

Figure 9:40 - CapabilityDependency	115
Figure 9:41 - CapabilityRoleDependency	116
Figure 9:42 - AchievedEffect	116
Figure 9:43 - Achiever	117
Figure 9:44 - DesiredEffect	117
Figure 9:45 - Desirer	118
Figure 9:46 - CapabilityForTask	118
Figure 9:47 - CapableElement	119
Figure 9:48 - Exhibits	119
Figure 9:49 - MapsToCapability	120
Figure 9:50 - OrganizationInEnterprise	120
Figure 9:51 - ArbitraryConnector	121
Figure 9:52 - ConceptItem	121
Figure 9:53 - HighLevelOperationalConcept	122
Figure 9:54 - KnownResource	122
Figure 9:55 - OperationalAgent	123
Figure 9:56 - OperationalArchitecture	123
Figure 9:57 - OperationalMethod	124
Figure 9:58 - OperationalParameter	124
Figure 9:59 - OperationalPerformer	125
Figure 9:60 - OperationalRole	125
Figure 9:61 - ProblemDomain	126
Figure 9:62 - OperationalConnector	126
Figure 9:63 - OperationalExchange	127
Figure 9:64 - OperationalExchangeItem	127
Figure 9:65 - OperationalInterface	128
Figure 9:66 - OperationalPort	128
Figure 9:67 - OperationalSignal	129
Figure 9:68 - OperationalActivity	129
Figure 9:69 - OperationalActivityAction	130
Figure 9:70 - OperationalActivityEdge	130
Figure 9:71 - StandardOperationalActivity	131
Figure 9:72 - OperationalStateDescription	131
Figure 9:73 - OperationalInteractionScenario	132
Figure 9:74 - OperationalMessage	132
Figure 9:75 - InformationElement	133
Figure 9:76 - OperationalConstraint	133
Figure 9:77 - SubjectOfOperationalConstraint	134
Figure 9:78 - ServiceSpecification	134
Figure 9:79 - ServiceSpecificationGeneralization	135
Figure 9:80 - ServiceConnector	135
Figure 9:81 - ServiceMethod	136
Figure 9:82 - ServiceParameter	136
Figure 9:83 - ServiceSpecificationRole	137
Figure 9:84 - ServiceInterface	137
Figure 9:85 - ServicePort	138
Figure 9:86 - ServiceFunction	138
Figure 9:87 - ServiceFunctionAction	139
Figure 9:88 - ServiceFunctionEdge	139
Figure 9:89 - ServiceStateDescription	140
Figure 9:90 - ServiceInteractionScenario	140
Figure 9:91 - ServiceMessage	141
Figure 9:92 - ServicePolicy	141
Figure 9:93 - Consumes	142
Figure 9:94 - Organization	142
Figure 9:95 - OrganizationalResource	143
Figure 9:96 - Person	143
Figure 9:97 - Post	144
Figure 9:98 - Responsibility	144
Figure 9:99 - PostRole	145
Figure 9:100 - SubOrganization	145

Figure 9:101 - Command.....	146
Figure 9:102 - Control.....	146
Figure 9:103 - ResourceInteractionScenario	147
Figure 9:104 - Competence	147
Figure 9:105 - CompetenceForRole	148
Figure 9:106 - RequiresCompetence	148
Figure 9:107 - FillsPost	149
Figure 9:108 - CompetenceToConduct.....	149
Figure 9:109 - CapabilityConfiguration	150
Figure 9:110 - NaturalResource.....	150
Figure 9:111 - PhysicalResource.....	150
Figure 9:112 - ResourceArchitecture.....	151
Figure 9:113 - ResourceArtifact	151
Figure 9:114 - ResourcePerformer	152
Figure 9:115 - Software.....	152
Figure 9:116 - System.....	153
Figure 9:117 - ResourceMethod	153
Figure 9:118 - ResourceParameter	154
Figure 9:119 - ResourcePort.....	154
Figure 9:120 - ResourceRole	155
Figure 9:121 - ResourceConnector	156
Figure 9:122 - ResourceExchange.....	156
Figure 9:123 - ResourceExchangeItem.....	157
Figure 9:124 - ResourceInterface	158
Figure 9:125 - ResourceSignal	158
Figure 9:126 - Function	159
Figure 9:127 - FunctionAction	159
Figure 9:128 - FunctionEdge	160
Figure 9:129 - ResourceStateDescription	160
Figure 9:130 - ResourceMessage.....	161
Figure 9:131 - DataElement	161
Figure 9:132 - DataRole	162
Figure 9:133 - ResourceConstraint	162
Figure 9:134 - SubjectOfResourceConstraint.....	162
Figure 9:135 - Forecast.....	163
Figure 9:136 - SubjectOfForecast.....	163
Figure 9:137 - Technology	164
Figure 9:138 - VersionedElement.....	164
Figure 9:139 - VersionOfConfiguration	165
Figure 9:140 - VersionSuccession	165
Figure 9:141 - WholeLifeConfiguration.....	166
Figure 9:142 - ProtocolImplementation	166
Figure 9:143 - Asset	167
Figure 9:144 - OperationalAsset	167
Figure 9:145 - OperationalMitigation	168
Figure 9:146 - ResourceAsset.....	168
Figure 9:147 - ResourceMitigation	168
Figure 9:148 - SecurityEnclave	169
Figure 9:149 - AssetRole	169
Figure 9:150 - InformationRole	170
Figure 9:151 - EnhancedSecurityControl	170
Figure 9:152 - Enhances	171
Figure 9:153 - Protects	171
Figure 9:154 - ProtectsInContext	172
Figure 9:155 - SecurityProcess	172
Figure 9:156 - SecurityProcessAction	173
Figure 9:157 - ActualRisk	173
Figure 9:158 - Caveat	174
Figure 9:159 - Risk	174
Figure 9:160 - SecurityAvailability	174
Figure 9:161 - SecurityCategory	175

Figure 9:162 - SecurityClassification.....	175
Figure 9:163 - SecurityClassificationKind.....	176
Figure 9:164 - SecurityConstraint.....	176
Figure 9:165 - SecurityControl	177
Figure 9:166 - SecurityControlFamily	177
Figure 9:167 - SecurityIntegrity	178
Figure 9:168 - SecurityMeasurement	178
Figure 9:169 - SubjectOfSecurityConstraint.....	179
Figure 9:170 - Affects	179
Figure 9:171 - AffectsInContext	179
Figure 9:172 - Mitigates.....	180
Figure 9:173 - OwnsRisk	180
Figure 9:174 - OwnsRiskInContext	181
Figure 9:175 - Project	181
Figure 9:176 - ProjectMilestone.....	182
Figure 9:177 - ActualProjectMilestoneRole.....	182
Figure 9:178 - ProjectMilestoneRole	183
Figure 9:179 - ProjectStatus.....	183
Figure 9:180 - ProjectTheme	184
Figure 9:181 - StatusIndicators	184
Figure 9:182 - MilestoneDependency	185
Figure 9:183 - ProjectActivity	185
Figure 9:184 - ProjectActivityAction.....	185
Figure 9:185 - ProjectSequence	186
Figure 9:186 - ActualProject.....	186
Figure 9:187 - ActualProjectMilestone	187
Figure 9:188 - ResponsibleFor.....	187
Figure 9:189 - Protocol	188
Figure 9:190 - ProtocolStack	188
Figure 9:191 - Standard.....	189
Figure 9:192 - ProtocolLayer	189
Figure 9:193 - ActualOrganization	190
Figure 9:194 - ActualOrganizationalResource	191
Figure 9:195 - ActualPerson	191
Figure 9:196 - ActualPost	192
Figure 9:197 - ActualResource	192
Figure 9:198 - ActualResourceRelationship	193
Figure 9:199 - ActualResponsibility	193
Figure 9:200 - ActualResponsibleResource	194
Figure 9:201 - FieldedCapability	194
Figure 9:202 - ActualService	195
Figure 9:203 - ProvidedServiceLevel	195
Figure 9:204 - ProvidesCompetence	195
Figure 9:205 - RequiredServiceLevel	196
Figure 9:206 - Alias	196
Figure 9:207 - Definition	197
Figure 9:208 - SameAs	197
Figure 9:209 - ArchitecturalDescription	198
Figure 9:210 - Architecture	199
Figure 9:211 - Concern	199
Figure 9:212 - Stakeholder.....	200
Figure 9:213 - UAFEElement.....	201
Figure 9:214 - View	201
Figure 9:215 - Viewpoint	202
Figure 9:216 - DataModel	202
Figure 9:217 - ActualCondition	203
Figure 9:218 - ActualEnvironment	203
Figure 9:219 - ActualLocation	204
Figure 9:220 - ActualMeasurement.....	205
Figure 9:221 - ActualMeasurementSet	205
Figure 9:222 - ActualPropertySet	206

Figure 9:223 - ActualState.....	206
Figure 9:224 - Condition	207
Figure 9:225 - Environment	207
Figure 9:226 - GeoPoliticalExtentType.....	208
Figure 9:227 - ISO8601DateTime	208
Figure 9:228 - Location	209
Figure 9:229 - LocationHolder	209
Figure 9:230 - MeasurableElement	210
Figure 9:231 - Measurement.....	211
Figure 9:232 - MeasurementSet.....	211
Figure 9:233 - PropertySet	212

TABLE OF TABLES

Table 1:1 - Table of Related Documents	2
Table 5:1 - Description of acronyms used in this specification	7
Table 7:1 - Definitions for the Domains	12
Table 7:2 - Definitions of the Model Kinds	13

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted (see www.iso.org/directives or www.iec.ch/members_experts/refdocs).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents) or the IEC list of patent declarations received (see patents.iec.ch).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html. In the IEC, see www.iec.ch/understanding-standards.

This document was prepared by the Object Management Group (OMG) (as Unified Architecture Framework [UAF] Domain Metamodel, Version 1.1) and drafted in accordance with its editorial rules. It was adopted, under the JTC 1 PAS procedure, by Joint Technical Committee ISO/IEC JTC 1, *Information technology*.

A list of all parts in the ISO/IEC 19540 series can be found on the ISO and IEC websites.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html and www.iec.ch/national-committees.

Preface

OMG

Founded in 1989, the Object Management Group, Inc. (OMG) is an open membership, not-for-profit computer industry standards consortium that produces and maintains computer industry specifications for interoperable, portable and reusable enterprise applications in distributed, heterogeneous environments. Membership includes Information Technology vendors, end users, government agencies and academia. OMG member companies write, adopt, and maintain its specifications following a mature, open process. OMG's specifications implement the Model Driven Architecture® (MDA®), maximizing ROI through a full-lifecycle approach to enterprise integration that covers multiple operating systems, programming languages, middleware and networking infrastructures, and software development environments. OMG's specifications include: UML® (Unified Modeling Language™); CORBA® (Common Object Request Broker Architecture); CWM™ (Common Warehouse Metamodel); and industry-specific standards for dozens of vertical markets. More information on the OMG is available at <https://www.omg.org/>.

OMG Specifications

As noted, OMG specifications address middleware, modeling and vertical domain frameworks. All OMG Specifications are available from this URL: <https://www.omg.org/spec>

Specifications are organized by the following categories:

Business Modeling Specifications^[1]

Middleware Specifications

- CORBA/IOP
- Data Distribution Services
- Specialized CORBA IDL/Language Mapping Specifications

Modeling and Metadata Specifications

- UML, MOF, CWM, XMI
- UML Profile Specifications

Platform Independent Model (PIM) - Platform Specific Model (PSM) - Interface Specifications

- CORBAServices
- CORBAFacilities
- OMG Domain Specifications
- CORBA Embedded Intelligence Specifications
- CORBA Security Specifications

All of OMG's formal specifications may be downloaded without charge from our website. (Products implementing OMG specifications are available from individual suppliers.) Copies of specifications, available in PostScript and PDF format, may be obtained from the Specifications Catalog cited above or by contacting the Object Management Group, Inc. at: OMG Headquarters 109 Highland Avenue, Needham, MA 02494 USA Tel: +1- 781-444-0404 Fax: +1-781-444-0320 Email: pubs@omg.org

Certain OMG specifications are also available as ISO standards. Please consult <http://www.iso.org>

Information technology — Object Management Group Unified Architecture Framework (OMG UAF) —

Part 1: Domain Metamodel (DMM)

1 Scope

1.1 Introduction

There are four parts to this specification, two are normative and two informative. The normative parts are:

1. The UAF Domain Metamodel (DMM) (this document) that provides the definition of concepts, relationships and viewpoints for the framework. The UAF DMM is the basis for any implementation of UAF including non-UML/SysML implementations.
2. The UAF Profile (UAFP) (see document dtc/19-06-15) is a UML/SysML implementation of the UAF DMM

The informative parts are:

3. The UAF Traceability, Annex A (see document dtc/19-06-17), which details the mappings between the UAF and the various frameworks and languages that contribute to the UAF.
4. The UAF Example Model, Annex B (see document dtc/19-06-18), which illustrates a practical usage of UAF.

1.2 UAF Background

UAF evolved from the Unified Profile for DoDAF and MODAF (UPDM), version 2.1. UAF extends the scope of UPDM and generalizes it to make it applicable to commercial as well as military architectures. The intent of UAF is to provide a standard representation for describing enterprise architectures using a Model Based Systems Engineering (MBSE) approach.

The core concepts in the UAF are based upon the DoDAF 2.0.2 Domain Metamodel (DM2) and the MODAF ontological data exchange mechanism (MODEM), Security Views from Canada's Department of National Defense Architecture Framework (DNDAF) and the North Atlantic Treaty Organization (NATO) Architecture Framework (NAF) v 4.

UAF models describe a system¹ from a set of stakeholders' concerns such as security or information through a set of predefined viewpoints. Developed models can also reflect custom viewpoints or users can develop more formal extensions for new viewpoints.

¹ The term system is used from: "Systems and software engineering -- Architecture description," http://www.iso.org/iso/catalogue_detail.htm?csnumber=50508

The UAFP can be used to develop architectures compliant with:

- Department of Defense Architecture Framework (DoDAF) version 2.02
- Ministry of Defence Architecture Framework (MODAF) version 1.3
- North Atlantic Treaty Organization (NATO) Architecture Framework (NAF) version 3.1
- North Atlantic Treaty Organization (NATO) Architecture Framework (NAF) version 4

UAF v 1.1 supports the capability to:

- model architectures for a broad range of complex systems, which may include hardware, software, data, personnel, and facility elements,
- model consistent architectures for system-of-systems (SoS) down to lower levels of design and implementation,
- support the analysis, specification, design, and verification of complex systems; and
- improve the ability to exchange architecture information among related tools that are SysML based.

1.3 Intended Usage

The UAF enables the modeling of strategic capabilities, operational scenarios, services, resources, personnel, security, projects, standards, measures and requirements; which supports best practices through, separation of concerns and abstractions. In addition, the UAF enables the modeling of related architecture concepts such as:

- System of Systems (SoS),
- information exchanges consistent with the National Information Exchange Model (NIEM),
- DoD's doctrine, organization, training material, leadership & education, personnel, and facilities (DOTMLPF)
- UK Ministry of Defence Lines of Development (DLOD) elements,
- Human Computer Interfaces (HCI).

Further, The UAF conforms to terms defined in the ISO/IEC/IEEE 42010 standard for architecture description, where the terms: architecture, architecture description (AD), architecture framework, architecture view, architecture viewpoint, concern, environment, model kind, stakeholder [ISO/IEC/IEEE 42010:2011] form correspondence rules specified as constraints on UAF.

1.4 Related Documents

The specification includes a metamodel and description as separate documents. Other appendices are also provided as separate documents. The table below provides a listing of these documents:

Table 1:1 - Table of Related Documents

dtc/19-06-16	The UAF Domain MetaModel (DMM)
dtc/19-06-15	The UAF Profile (UAFP)
dtc/19-06-17	Appendix A that contains a separate traceability subsection from UAFP to each of the frameworks listed in Section 1.2 of this specification
dtc/19-06-18	Appendix B: An example of how the language can be used to represent a UAFP architecture
dtc/19-06-19	UAF XMI file
dtc/19-06-20	UAF XMI Measurements library
dtc/19-05-14	Attachments