

INTERNATIONAL
STANDARD

ISO/IEC
19540-2

First edition
2022-03

**Information technology — Object
Management Group Unified
Architecture Framework (OMG
UAF) —**

Part 2:
**Unified Architecture Framework
Profile (UAFP)**



Reference number
ISO/IEC 19540-2:2022(E)

© ISO/IEC 2022



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

FOREWORD	X
PREFACE	XI
1 SCOPE	1
1.1 INTRODUCTION	1
1.1.1 <i>Overview</i>	1
2 ADDITIONAL INFORMATION	1
2.1 LANGUAGE ARCHITECTURE	1
2.2 CORE PRINCIPLES	1
2.3 REPRESENTING STEREOTYPE CONSTRAINTS	2
2.3.1 <i>Metaconstraint dependency</i>	2
2.3.2 <i>Metarelationship dependency</i>	3
2.3.3 <i>Stereotyped relationship dependency</i>	4
3 UAF STEREOTYPES	5
3.1 UAF	5
3.1.1 <i>UAF::Dictionary</i>	5
3.1.2 <i>UAF::Parameters</i>	6
3.1.3 <i>UAF::Metadata</i>	19
3.1.4 <i>UAF::Strategic</i>	31
3.1.5 <i>UAF::Operational</i>	43
3.1.6 <i>UAF::Services</i>	61
3.1.7 <i>UAF::Personnel</i>	69
3.1.8 <i>UAF::Resources</i>	76
3.1.9 <i>UAF::Security</i>	99
3.1.10 <i>UAF::Projects</i>	113
3.1.11 <i>UAF::Standards</i>	122
3.1.12 <i>UAF::Actual Resources</i>	125
3.1.13 <i>UAF::Summary and Overview</i>	134
4 UAF VIEW SPECIFICATIONS	141
4.1 VIEW SPECIFICATIONS	141
4.1.1 <i>View Specifications::Strategic</i>	141
4.1.2 <i>View Specifications::Operational</i>	147
4.1.3 <i>View Specifications::Services</i>	155
4.1.4 <i>View Specifications::Personnel</i>	162
4.1.5 <i>View Specifications::Resources</i>	174
4.1.6 <i>View Specifications::Security</i>	182
4.1.7 <i>View Specifications::Projects</i>	189
4.1.8 <i>View Specifications::Standards</i>	194
4.1.9 <i>View Specifications::Actual Resources</i>	197
4.1.10 <i>View Specifications::Dictionary</i>	199
4.1.11 <i>View Specifications::Requirements</i>	200
4.1.12 <i>View Specifications::Summary & Overview</i>	201
4.1.13 <i>View Specifications::Information</i>	202
4.1.14 <i>View Specifications::Parameters</i>	203
5 MEASUREMENT LIBRARY	207

TABLE OF FIGURES

Figure 2:1 – MapsToCapability Stereotype..... 2
 Figure 2:2 – Connector Extension 2
 Figure 2:3 – Capabilities Generalization 3
 Figure 2:4 – Visualizing «metarelationship»..... 3
 Figure 2:5 – Use of the AchievedEffect «stereotyped relationship» dependency..... 4
 Figure 3:1 - Alias 5
 Figure 3:2 - Definition 6
 Figure 3:3 - SameAs 6
 Figure 3:4 - ActualCondition..... 7
 Figure 3:5 - ActualEnvironment..... 7
 Figure 3:6 - ActualLocation 8
 Figure 3:7 - ActualMeasurement 9
 Figure 3:8 - ActualMeasurementSet..... 10
 Figure 3:9 - ActualPropertySet..... 10
 Figure 3:10 - Condition 11
 Figure 3:11 - Environment 11
 Figure 3:12 - EnvironmentProperty..... 12
 Figure 3:13 - GeoPoliticalExtentType..... 13
 Figure 3:14 - Location 14
 Figure 3:15 - LocationHolder 15
 Figure 3:16 - MeasurableElement 17
 Figure 3:17 - Measurement..... 18
 Figure 3:18 - MeasurementSet 18
 Figure 3:19 - PropertySet 19
 Figure 3:20 - ActualState..... 20
 Figure 3:21 - ISO8601DateTime 20
 Figure 3:22 - Exchange..... 21
 Figure 3:23 - Resource 21
 Figure 3:24 - Activity 22
 Figure 3:25 - CapableElement 22
 Figure 3:26 - IsCapableToPerform..... 23
 Figure 3:27 - PerformsInContext..... 24
 Figure 3:28 - ArchitectureMetadata 25
 Figure 3:29 - DataModel 25
 Figure 3:30 - Information 26
 Figure 3:31 - Metadata 27
 Figure 3:32 - Rule..... 28
 Figure 3:33 - ArchitecturalReference 29
 Figure 3:34 - Implements 30
 Figure 3:35 - ActualEnterprisePhase 32
 Figure 3:36 - Capability..... 33
 Figure 3:37 - EnterpriseGoal 33
 Figure 3:38 - EnterprisePhase..... 34
 Figure 3:39 - EnterpriseVision 35
 Figure 3:40 - VisionStatement..... 35
 Figure 3:41 - WholeLifeEnterprise..... 36
 Figure 3:42 - CapabilityRole 36
 Figure 3:43 - StructuralPart 37
 Figure 3:44 - TemporalPart 37

Figure 3:45 - ActualEnduringTask.....	38
Figure 3:46 - CapabilityForTask.....	38
Figure 3:47 - EnduringTask.....	39
Figure 3:48 - AchievedEffect.....	39
Figure 3:49 - Achiever.....	40
Figure 3:50 - DesiredEffect.....	40
Figure 3:51 - Desirer.....	41
Figure 3:52 - Exhibits.....	41
Figure 3:53 - MapsToCapability.....	42
Figure 3:54 - OrganizationInEnterprise.....	42
Figure 3:55 - ArbitraryConnector.....	43
Figure 3:56 - ConceptItem.....	44
Figure 3:57 - ConceptRole.....	44
Figure 3:58 - HighLevelOperationalConcept.....	45
Figure 3:59 - KnownResource.....	45
Figure 3:60 - OperationalAgent.....	46
Figure 3:61 - OperationalArchitecture.....	47
Figure 3:62 - OperationalMethod.....	47
Figure 3:63 - OperationalParameter.....	48
Figure 3:64 - OperationalPerformer.....	48
Figure 3:65 - OperationalPort.....	49
Figure 3:66 - OperationalRole.....	50
Figure 3:67 - ProblemDomain.....	50
Figure 3:68 - OperationalConnector.....	51
Figure 3:69 - OperationalExchange.....	52
Figure 3:70 - OperationalExchangeItem.....	53
Figure 3:71 - OperationalInterface.....	54
Figure 3:72 - OperationalSignal.....	54
Figure 3:73 - OperationalSignalProperty.....	55
Figure 3:74 - OperationalActivity.....	55
Figure 3:75 - OperationalActivityAction.....	56
Figure 3:76 - OperationalActivityEdge.....	56
Figure 3:77 - OperationalControlFlow.....	57
Figure 3:78 - OperationalObjectFlow.....	57
Figure 3:79 - StandardOperationalActivity.....	58
Figure 3:80 - OperationalStateDescription.....	58
Figure 3:81 - OperationalMessage.....	59
Figure 3:82 - InformationElement.....	59
Figure 3:83 - OperationalConstraint.....	60
Figure 3:84 - SubjectOfOperationalConstraint.....	60
Figure 3:85 - ServiceSpecification.....	61
Figure 3:86 - ServiceMethod.....	62
Figure 3:87 - ServiceParameter.....	62
Figure 3:88 - ServicePort.....	63
Figure 3:89 - ServiceSpecificationRole.....	64
Figure 3:90 - ServiceConnector.....	65
Figure 3:91 - ServiceInterface.....	65
Figure 3:92 - ServiceFunction.....	66
Figure 3:93 - ServiceFunctionAction.....	66
Figure 3:94 - ServiceStateDescription.....	67

Figure 3:95 - ServiceMessage 67
Figure 3:96 - ServicePolicy 68
Figure 3:97 - Consumes..... 68
Figure 3:98 - Organization 69
Figure 3:99 - OrganizationalResource..... 70
Figure 3:100 - Person 70
Figure 3:101 - Post 71
Figure 3:102 - Responsibility 71
Figure 3:103 - Command..... 72
Figure 3:104 - Control 72
Figure 3:105 - CompetenceToConduct 73
Figure 3:106 - Competence 74
Figure 3:107 - CompetenceForRole 74
Figure 3:108 - RequiresCompetence 75
Figure 3:109 - ResponsibleFor 76
Figure 3:110 - CapabilityConfiguration 77
Figure 3:111 - NaturalResource 77
Figure 3:112 - PhysicalResource 78
Figure 3:113 - ResourceArchitecture 78
Figure 3:114 - ResourceArtifact 79
Figure 3:115 - ResourcePerformer 79
Figure 3:116 - Software..... 80
Figure 3:117 - System..... 80
Figure 3:118 - ResourceMethod 81
Figure 3:119 - ResourceParameter 81
Figure 3:120 - ResourcePort..... 82
Figure 3:121 - ResourceRole 83
Figure 3:122 - ResourceConnector..... 85
Figure 3:123 - ResourceExchange..... 86
Figure 3:124 - ResourceExchangeItem 87
Figure 3:125 - ResourceInterface 88
Figure 3:126 - ResourceSignal 88
Figure 3:127 - ResourceSignalProperty 89
Figure 3:128 - Function 89
Figure 3:129 - FunctionAction 90
Figure 3:130 - FunctionControlFlow..... 91
Figure 3:131 - FunctionEdge..... 91
Figure 3:132 - FunctionObjectFlow 92
Figure 3:133 - ResourceStateDescription..... 92
Figure 3:134 - ResourceMessage 93
Figure 3:135 - DataElement 93
Figure 3:136 - ResourceConstraint..... 94
Figure 3:137 - SubjectOfResourceConstraint..... 94
Figure 3:138 - Forecast..... 95
Figure 3:139 - SubjectOfForecast..... 95
Figure 3:140 - Technology 96
Figure 3:141 - VersionedElement..... 96
Figure 3:142 - VersionOfConfiguration 97
Figure 3:143 - VersionSuccession 97
Figure 3:144 - WholeLifeConfiguration..... 98

Figure 3:145 - ProtocolImplementation	99
Figure 3:146 - Asset	100
Figure 3:147 - OperationalAsset	100
Figure 3:148 - OperationalMitigation	101
Figure 3:149 - ResourceAsset	101
Figure 3:150 - ResourceMitigation	102
Figure 3:151 - SecurityEnclave	102
Figure 3:152 - AssetRole	103
Figure 3:153 - DataRole	103
Figure 3:154 - InformationRole	104
Figure 3:155 - EnhancedSecurityControl	104
Figure 3:156 - Enhances	105
Figure 3:157 - Protects	105
Figure 3:158 - ProtectsInContext	106
Figure 3:159 - SecurityProcess	106
Figure 3:160 - SecurityProcessAction	107
Figure 3:161 - ActualRisk	107
Figure 3:162 - Risk	108
Figure 3:163 - SecurityConstraint	108
Figure 3:164 - SecurityControl	109
Figure 3:165 - SecurityControlFamily	110
Figure 3:166 - SubjectOfSecurityConstraint	110
Figure 3:167 - Affects	111
Figure 3:168 - AffectsInContext	111
Figure 3:169 - Mitigates	112
Figure 3:170 - OwnsRisk	112
Figure 3:171 - OwnsRiskInContext	113
Figure 3:172 - Project	114
Figure 3:173 - ProjectMilestone	115
Figure 3:174 - ProjectMilestoneRole	115
Figure 3:175 - ProjectRole	116
Figure 3:176 - ProjectStatus	116
Figure 3:177 - ProjectTheme	117
Figure 3:178 - StatusIndicators	117
Figure 3:179 - MilestoneDependency	118
Figure 3:180 - ProjectSequence	118
Figure 3:181 - ProjectActivity	119
Figure 3:182 - ProjectActivityAction	119
Figure 3:183 - ActualProject	120
Figure 3:184 - ActualProjectMilestone	121
Figure 3:185 - ActualProjectMilestoneRole	121
Figure 3:186 - ActualProjectRole	122
Figure 3:187 - Protocol	123
Figure 3:188 - ProtocolStack	123
Figure 3:189 - Standard	124
Figure 3:190 - ProtocolLayer	124
Figure 3:191 - ActualOrganization	125
Figure 3:192 - ActualOrganizationalResource	126
Figure 3:193 - ActualPerson	126
Figure 3:194 - ActualPost	127

Figure 3:195 - ActualResource.....	127
Figure 3:196 - ActualResponsibility.....	128
Figure 3:197 - ActualResponsibleResource	129
Figure 3:198 - FieldedCapability.....	129
Figure 3:199 - ActualOrganizationRole	130
Figure 3:200 - ActualResourceRole	130
Figure 3:201 - ActualResourceRelationship.....	131
Figure 3:202 - FillsPost	131
Figure 3:203 - ActualService.....	132
Figure 3:204 - ProvidedServiceLevel.....	133
Figure 3:205 - ProvidesCompetence	133
Figure 3:206 - RequiredServiceLevel.....	133
Figure 3:207 - OwnsProcess.....	134
Figure 3:208 - ArchitecturalDescription.....	135
Figure 3:209 - Architecture	136
Figure 3:210 - Concern.....	136
Figure 3:211 - Stakeholder	137
Figure 3:212 - UAFEElement	138
Figure 3:213 - View.....	139
Figure 3:214 - Viewpoint	139
Figure 4:1 - Strategic Taxonomy.....	141
Figure 4:2 - Strategic Structure	142
Figure 4:3 - Strategic Connectivity	142
Figure 4:4 - Strategic States.....	143
Figure 4:5 - Strategic Constraints.....	144
Figure 4:6 - Strategic Roadmap: Deployment.....	145
Figure 4:7 - Strategic Roadmap: Phasing	146
Figure 4:8 - Strategic Traceability.....	147
Figure 4:9 - Operational Taxonomy	148
Figure 4:10 - Operational Structure.....	149
Figure 4:11 - Operational Connectivity.....	150
Figure 4:12 - Operational Processes	151
Figure 4:13 - Operational States	152
Figure 4:14 - Operational Interaction Scenarios.....	153
Figure 4:15 - Operational Constraints	154
Figure 4:16 - Operational Traceability	155
Figure 4:17 - Services Taxonomy	156
Figure 4:18 - Services Structure	157
Figure 4:19 - Services Connectivity	158
Figure 4:20 - Services Processes	159
Figure 4:21 - Services States	159
Figure 4:22 - Services Interaction Scenarios.....	160
Figure 4:23 - Services Constraints.....	160
Figure 4:24 - Services Roadmap	161
Figure 4:25 - Services Traceability	162
Figure 4:26 - Personnel Taxonomy	162
Figure 4:27 - Personnel Sructure	163
Figure 4:28 - Personnel Connectivity.....	164
Figure 4:29 - Personnel Processes	165
Figure 4:30 - Personnel States	166

Figure 4:31 - Personnel Interaction Scenarios	167
Figure 4:32 - Personnel Constraints: Competence	168
Figure 4:33 - Personnel Constraints: Drivers	169
Figure 4:34 - Personnel Constraints: Performance	170
Figure 4:35 - Personnel Roadmap: Availability	171
Figure 4:36 - Personnel Roadmap: Evolution	172
Figure 4:37 - Personnel Roadmap: Forecast	173
Figure 4:38 - Personnel Traceability	173
Figure 4:39 - Resources Taxonomy	174
Figure 4:40 - Resources Structure	175
Figure 4:41 - Resources Connectivity	176
Figure 4:42 - Resources Processes	177
Figure 4:43 - Resources States	178
Figure 4:44 - Resources Interaction Scenarios	178
Figure 4:45 - Resources Constraints	179
Figure 4:46 - Resources Roadmap: Evolution	180
Figure 4:47 - Resources Roadmap: Forecast	181
Figure 4:48 - Resources Traceability	182
Figure 4:49 - Security Taxonomy	183
Figure 4:50 - Security Structure	184
Figure 4:51 - Security Connectivity	185
Figure 4:52 - Security Processes	186
Figure 4:53 - Security Constraints	187
Figure 4:54 - Security Traceability	188
Figure 4:55 - Project Taxonomy	189
Figure 4:56 - Project Structure	190
Figure 4:57 - Project Connectivity	191
Figure 4:58 - Project Processes	192
Figure 4:59 - Project Roadmap	193
Figure 4:60 - Project Traceability	194
Figure 4:61 - Standards Taxonomy	195
Figure 4:62 - Standards Structure	196
Figure 4:63 - Standards Roadmap	196
Figure 4:64 - Standards Traceability	197
Figure 4:65 - Actual Resources Structure	198
Figure 4:66 - Actual Resources Connectivity	199
Figure 4:67 - Actual Resources Traceability	199
Figure 4:68 - Dictionary	200
Figure 4:69 - Requirements	201
Figure 4:70 - Summary & Overview	201
Figure 4:71 - Information Model	202
Figure 4:72 - Parameters: Environment	203
Figure 4:73 - Parameters: Measurements	204

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted (see www.iso.org/directives or www.iec.ch/members_experts/refdocs).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents) or the IEC list of patent declarations received (see patents.iec.ch).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html. In the IEC, see www.iec.ch/understanding-standards.

This document was prepared by the Object Management Group (OMG) (as Unified Architecture Framework [UAF] Domain Metamodel, Version 1.1) and drafted in accordance with its editorial rules. It was adopted, under the JTC 1 PAS procedure, by Joint Technical Committee ISO/IEC JTC 1, *Information technology*.

A list of all parts in the ISO/IEC 19540 series can be found on the ISO and IEC websites.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html and www.iec.ch/national-committees.

Preface

OMG

Founded in 1989, the Object Management Group, Inc. (OMG) is an open membership, not-for-profit computer industry standards consortium that produces and maintains computer industry specifications for interoperable, portable and reusable enterprise applications in distributed, heterogeneous environments. Membership includes Information Technology vendors, end users, government agencies and academia. OMG member companies write, adopt, and maintain its specifications following a mature, open process. OMG's specifications implement the Model Driven Architecture® (MDA®), maximizing ROI through a full-lifecycle approach to enterprise integration that covers multiple operating systems, programming languages, middleware and networking infrastructures, and software development environments. OMG's specifications include: UML® (Unified Modeling Language™); CORBA® (Common Object Request Broker Architecture); CWM™ (Common Warehouse Metamodel); and industry-specific standards for dozens of vertical markets. More information on the OMG is available at <https://www.omg.org/>.

OMG Specifications

As noted, OMG specifications address middleware, modeling and vertical domain frameworks. All OMG Specifications are available from this URL: <https://www.omg.org/spec>

Specifications are organized by the following categories:

Business Modeling Specifications^[1]_{SEP}

Middleware Specifications

- CORBA/IIOP
- Data Distribution Services
- Specialized CORBA IDL/Language Mapping Specifications

Modeling and Metadata Specifications

- UML, MOF, CWM, XMI
- UML Profile Specifications

Platform Independent Model (PIM) - Platform Specific Model (PSM) - Interface Specifications

- CORBAServices
- CORBAFacilities
- OMG Domain Specifications
- CORBA Embedded Intelligence Specifications
- CORBA Security Specifications

All of OMG's formal specifications may be downloaded without charge from our website. (Products implementing OMG specifications are available from individual suppliers.) Copies of specifications, available in PostScript and PDF format, may be obtained from the Specifications Catalog cited above or by contacting the Object Management Group, Inc. at: OMG Headquarters 109 Highland Avenue, Needham, MA 02494 USA Tel: +1- 781-444-0404 Fax: +1-781-444-0320 Email: pubs@omg.org

Certain OMG specifications are also available as ISO standards. Please consult <http://www.iso.org>

Information technology — Object Management Group Unified Architecture Framework (OMG UAF) —

Part 2: Unified Architecture Framework Profile (UAFP)

1 Scope

1.1 Introduction

1.1.1 Overview

This document is a normative supplement to the UAF DMM document (c4i/19-06-16).

This document specifies a UAF profile to enable practitioners to express architectural model elements and organize them in a set of domains, model kinds, and view specification (specified in the UAF DMM) that support the specific needs of end users in defense and commercial industry.

UAFP 1.1 defines a set of stereotypes and model elements and relationships to satisfy the requirements of the UPDM 3.0 RFP and the UAF DMM. The profile specification documents the language architecture in terms of UML profiling mechanism.

A number of UAFP stereotypes inherit from SysML stereotypes where reuse of SysML semantics is necessary. The reusable portions of the SysML specification are not included directly in the specification but are made explicit through the stereotype inheritance.