



**International  
Standard**

**ISO/IEC 19757-3**

**Information technology —  
Document Schema Definition  
Languages (DSDL) —**

**Part 3:  
Rule-based validation using  
Schematron**

*Technologies de l'information — Langages de définition de  
schéma de documents (DSDL) —*

*Partie 3: Validation basée sur des règles à l'aide de Schematron*

**Fourth edition  
2025-09**



**COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2025

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

Page

<b>Foreword</b>	<b>v</b>
<b>Introduction</b>	<b>vi</b>
<b>1 Scope</b>	<b>1</b>
<b>2 Normative references</b>	<b>1</b>
<b>3 Terms and definitions</b>	<b>2</b>
<b>4 Notation</b>	<b>4</b>
<b>5 Syntax</b>	<b>4</b>
5.1 Well-formedness	4
5.2 Namespace	4
5.3 Whitespace	4
5.4 Core elements	5
5.4.1 General	5
5.4.2 <b>active</b> element	5
5.4.3 <b>assert</b> element	5
5.4.4 <b>extends</b> element	5
5.4.5 <b>group</b> element	6
5.4.6 <b>include</b> element	6
5.4.7 <b>let</b> element	6
5.4.8 <b>library</b> element	6
5.4.9 <b>name</b> element	6
5.4.10 <b>ns</b> element	6
5.4.11 <b>param</b> element	7
5.4.12 <b>pattern</b> element	7
5.4.13 <b>phase</b> element	7
5.4.14 <b>report</b> element	8
5.4.15 <b>rule</b> element	8
5.4.16 <b>rules</b> element	8
5.4.17 <b>schema</b> element	8
5.4.18 <b>value-of</b> element	9
5.5 Ancillary elements and attributes	9
5.5.1 <b>diagnostic</b> element	9
5.5.2 <b>diagnostics</b> attribute	9
5.5.3 <b>diagnostics</b> element	9
5.5.4 <b>dir</b> element	9
5.5.5 <b>emph</b> element	9
5.5.6 <b>flag</b> attribute	9
5.5.7 <b>from</b> attribute	10
5.5.8 <b>fpi</b> attribute	10
5.5.9 <b>icon</b> attribute	10
5.5.10 <b>p</b> element	10
5.5.11 <b>properties</b> attribute	10
5.5.12 <b>properties</b> element	10
5.5.13 <b>property</b> element	10
5.5.14 <b>role</b> attribute	11
5.5.15 <b>schematronEdition</b> attribute	11
5.5.16 <b>severity</b> attribute	11
5.5.17 <b>see</b> attribute	11
5.5.18 <b>span</b> element	11
5.5.19 <b>subject</b> attribute	11
5.5.20 <b>title</b> element	12
5.5.21 <b>visit-each</b> attribute	12
5.5.22 <b>when</b> attribute	12
<b>6 Semantics</b>	<b>12</b>

6.1	Validation function .....	12
6.2	Minimal syntax.....	13
6.3	Processing model .....	13
6.4	Abstract pattern processing.....	14
6.5	Query language binding.....	16
6.6	Order and side-effects.....	16
6.7	Localization and language fixup.....	17
6.8	Base URI fixup.....	17
<b>7</b>	<b>Conformance .....</b>	<b>17</b>
7.1	Simple conformance .....	17
7.2	Full conformance.....	17
<b>Annex A (normative) RELAX NG schema for Schematron .....</b>		<b>19</b>
<b>Annex B (normative) Schematron schema for additional constraints.....</b>		<b>23</b>
<b>Annex C (normative) Default query language binding .....</b>		<b>25</b>
<b>Annex D (informative) Schematron Validation Report Language .....</b>		<b>26</b>
<b>Annex E (informative) Design requirements .....</b>		<b>35</b>
<b>Annex F (informative) Use of Schematron as a vocabulary.....</b>		<b>36</b>
<b>Annex G (informative) Use of Schematron for multi-lingual schemas .....</b>		<b>37</b>
<b>Annex H (normative) Query language binding for XSLT2.....</b>		<b>38</b>
<b>Annex I (normative) Query language binding for XPath2 .....</b>		<b>40</b>
<b>Annex J (normative) Query language binding for XSLT3 .....</b>		<b>41</b>
<b>Annex K (normative) Query language binding for XPath3 .....</b>		<b>43</b>
<b>Annex L (normative) Query language binding for XPath31 .....</b>		<b>44</b>
<b>Annex M (normative) Query language binding for XQuery3 .....</b>		<b>45</b>
<b>Annex N (normative) Query language binding for XQuery31.....</b>		<b>47</b>
<b>Annex O (informative) Example usage of Schematron properties.....</b>		<b>49</b>
<b>Bibliography .....</b>		<b>51</b>

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <https://www.iso.org/directives> or [https://www.iec.ch/members\\_experts/refdocs](https://www.iec.ch/members_experts/refdocs)).

ISO and IEC draw attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO and IEC take no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO and IEC had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://www.iso.org/patents> and <https://patents.iec.ch>. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see <https://www.iso.org/iso/foreword.html>. In the IEC, see <https://www.iec.ch/understanding-standards>.

This document was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 34, *Document description and processing languages*.

This fourth edition cancels and replaces the third edition (ISO/IEC 19757-3:2020 [\[1\]](#)), which has been technically revised.

The main changes are as follows:

- a query language binding has been added for XQuery3 ([Annex M](#));
- new elements `group` ([5.4.5](#)), `library` ([5.4.8](#)) and `rules` ([5.4.16](#)) have been added;
- new attribute `as` has been added to element `let` ([5.4.7](#)), to enable datatyping of variables;
- new attributes `schematronEdition` ([5.5.15](#)) and `severity` ([5.5.16](#)) have been added;
- `param` elements ([5.4.11](#)) are now allowed for schemas and abstract patterns and in the latter case their value can act as a default;
- attributes `flag` ([5.5.6](#)), `role` ([5.5.14](#)) and `severity` ([5.5.16](#)) are dynamically evaluated if their value is a variable reference;
- element `extends` ([5.4.4](#)) is made available at the top level of a schema;
- the methods of base URI fixup ([6.8](#)) and language fixup ([6.7](#)) are specified;
- a mapping of schema to SVRL structures is provided in [Annex D](#).

A list of all parts in the ISO/IEC 19757 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).

## Introduction

ISO/IEC 19757 (all parts) [\[2\]](#) defines a set of Document Schema Definition Languages (DSDL) that can be used to specify one or more validation processes performed against Extensible Markup Language (XML 1.0 [\[3\]](#)) or Standard Generalized Markup Language (SGML) documents. [XML is an application profile SGML (see ISO 8879 [\[4\]](#)).

A document model is an expression of the constraints to be placed on the structure and content of documents to be validated with the model. A number of technologies have been developed through various formal and informal consortia since the development of Document Type Definitions (DTDs) as part of ISO 8879 [\[4\]](#), notably by the World Wide Web Consortium (W3C) and the Organization for the Advancement of Structured Information Standards (OASIS). A number of validation technologies are standardized in DSDL to complement those already available as standards or from the industry.

Through the validation that a structured document conforms to specified constraints in structure and content, the potentially many applications acting on the document are relieved from duplicating the task of confirming that such requirements have been met. Historically, such tasks and expressions have been developed and utilized in isolation, without consideration of how the features and functionality available in other technologies can enhance validation objectives.

The main objective of ISO/IEC 19757 (all parts) [\[2\]](#) is to bring together different validation-related tasks and expressions to form a single extensible framework that allows technologies to work in series or in parallel to produce a single or a set of validation results. The extensibility of DSDL accommodates validation technologies not yet designed or specified.

In the past, different design and use criteria have led users to choose different validation technologies for different portions of their information. Bringing together information within a single XML document sometimes prevents existing document models from being used to validate sections of data. By providing an integrated suite of constraint description languages that can be applied to different subsets of a single XML document, ISO/IEC 19757 (all parts) [\[2\]](#) allows different validation technologies to be integrated under a well-defined validation policy.

The structure of this document is as follows. [Clause 5](#) describes the syntax of a Schematron schema. [Clause 6](#) describes the semantics of a correct Schematron schema; the semantics specify when a document is valid with respect to a Schematron schema. [Clause 7](#) describes conformance requirements for implementations of Schematron validators. [Annex A](#) provides the ISO/IEC 19757-2 [\[5\]](#) (RELAX NG) schema for Schematron. [Annex B](#) provides the Schematron schema for constraints in Schematron that cannot be expressed by the schema of [Annex A](#). [Annex C](#) provides the default query language binding to XSLT1. [Annex D](#) provides an ISO/IEC 19757-2 [\[5\]](#) (RELAX NG compact syntax) schema and corresponding Schematron schema for a simple XML language Schematron Validation Report Language. [Annex E](#) provides motivating design requirements for Schematron. [Annex F](#) specifies certain Schematron elements to be used in external vocabularies. [Annex G](#) provides a simple example of a multi-lingual schema. [Annex H](#) to [Annex M](#) provide query language bindings. [Annex O](#) shows example usage of Schematron properties.

This edition is backwards compatible with ISO/IEC 19757-3:2020 [\[1\]](#) to the extent that validation results produced by existing schemas are unaffected by the changes this edition makes, supersedes it and provides extra query language bindings, for XQuery3.

Considered as a document type, a Schematron schema contains natural-language assertions concerning a set of documents, marked up with various elements and attributes for testing these natural-language assertions and for simplifying and grouping assertions.

Considered theoretically, a Schematron schema reduces to a non-chaining rule system whose terms are Boolean functions invoking an external query language on the instance and other visible XML documents, with syntactic features to reduce specification size and to allow efficient implementation.

Considered analytically, Schematron has two characteristic high-level abstractions: the pattern and the phase. These allow the representation of non-regular, non-sequential constraints that ISO/IEC 19757-2 [\[5\]](#) cannot specify and various dynamic or contingent constraints.

This document is based on the Schematron<sup>[6]</sup> assertion language. The `let` element is based on XCSL<sup>[7]</sup>. Other features arise from the half-dozen early open-source implementations of Schematron in diverse programming languages and from discussions in electronic forums by Schematron users and implementers.





# Information technology — Document Schema Definition Languages (DSDL) —

## Part 3: Rule-based validation using Schematron

### 1 Scope

This document specifies Schematron, a schema language for XML. This document establishes requirements for Schematron schemas and specifies when an XML document matches the patterns specified by a Schematron schema. Schematron uses query languages such as XPath for writing assertions.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

Extensible Markup Language (XML) 1.0 (Fifth Edition), 26 November 2008, <https://www.w3.org/TR/2008/REC-xml-20081126/>

ISO/IEC 19757-2, *Information technology — Document Schema Definition Language (DSDL) — Part 2: Regular-grammar-based validation — RELAX NG*

XML 1.1, *Extensible Markup Language (XML) 1.1 (Second Edition)*, 16 August 2006, <https://www.w3.org/TR/2006/REC-xml11-20060816/>

XML Inclusions (XInclude) Version 1.0 (Second Edition), 15 November 2006, <https://www.w3.org/TR/2006/REC-xinclude-20061115/>

XML Path Language (XPath) 2.0, W3C Recommendation, 23 January 2007, <https://www.w3.org/TR/xpath20/>

XML Path Language (XPath) 3.0, W3C Recommendation, 8 April 2014, <https://www.w3.org/TR/xpath-30/>

XML Path Language (XPath) 3.1, 21 March 2017, <https://www.w3.org/TR/xpath-31/>

XML Path Language (XPath) Version 1.0, W3C Recommendation, 16 November 1999, <https://www.w3.org/TR/xpath-10/>

XPath and XQuery Functions and Operators 3.0, W3C Recommendation, 8 April 2014, <https://www.w3.org/TR/xpath-functions-30/>

XQuery 1.0 and XPath 2.0 Functions and Operators, W3C Recommendation, 14 December 2010, <https://www.w3.org/TR/2010/REC-xpath-functions-20101214/>

XQuery 3.0: An XML Query Language, 08 April 2014, <https://www.w3.org/TR/xquery-30/>

XQuery 3.1: An XML Query Language, 21 March 2017, <https://www.w3.org/TR/xquery-31/>

XSL Transformations (XSLT) Version 1.0, W3C Recommendation, 16 November 1999, <https://www.w3.org/TR/xslt-10/>

XSL Transformations (XSLT) Version 2.0, W3C Recommendation, 23 January 2007, <http://www.w3.org/TR/xslt20/>

XSL Transformations (XSLT) Version 3.0, W3C Recommendation, 8 June 2017, <https://www.w3.org/TR/xslt-30/>