



**International  
Standard**

**ISO/IEC 19987**

**Information technology — EPC  
Information Services (EPCIS)**

*Technologies de l'information — Services d'information sur les  
codes de produit électronique*

**Third edition  
2024-03**



**COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2024

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted (see [www.iso.org/directives](http://www.iso.org/directives) or [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs)).

ISO and IEC draw attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO and IEC take no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO and IEC had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at [www.iso.org/patents](http://www.iso.org/patents) and <https://patents.iec.ch>. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html). In the IEC, see [www.iec.ch/understanding-standards](http://www.iec.ch/understanding-standards).

This document was prepared by GS1 (as EPCIS Standard, Release 2.0) and drafted in accordance with its editorial rules. It was adopted, under the JTC 1 PAS procedure, by Joint Technical Committee ISO/IEC JTC 1, *Information technology*.

This third edition cancels and replaces the second edition (ISO/IEC 19987:2017), which has been technically revised.

The main changes are as follows:

- addition of JSON/SOAP-LD syntax (alongside XML);
- addition of REST bindings (alongside SOAP/WSDL);
- complete overhaul of UML diagrams;
- clarification on distinction between standard vocabulary and user vocabulary;
- new AssociationEvent;
- new “How” event dimension;
- overview of EPCIS even “dimensions” with cross-references to relevant sections in EPCIS (this document) and CBV (ISO/IEC 19988);

## ISO/IEC 19987:2024(en)

- new Persistent Disposition indicating non-transient business state of an object;
- new SensorElement to accommodate sensor data;
- addition of certificationInfo to core EPCISEvent;
- update of SimpleEventQuery parameters;
- removal of support for Simple Master Data Query and EPCIS Master Data Document.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html) and [www.iec.ch/national-committees](http://www.iec.ch/national-committees).

# Table of Contents

<b>1</b>	<b>Introduction .....</b>	<b>1</b>
<b>2</b>	<b>Relationship to the GS1 System Architecture .....</b>	<b>2</b>
2.1	Overview of GS1 standards .....	2
2.2	EPCIS in relation to the "Capture" and "Share" layers.....	3
2.3	EPCIS in Relation to trading partners .....	4
2.4	EPCIS in relation to other GS1 System Architecture components.....	5
<b>3</b>	<b>EPCIS specification principles .....</b>	<b>8</b>
<b>4</b>	<b>Terminology and typographical conventions .....</b>	<b>9</b>
<b>5</b>	<b>EPCIS specification framework .....</b>	<b>10</b>
5.1	Layers.....	10
5.2	Extensibility .....	11
5.3	Modularity .....	11
<b>6</b>	<b>Abstract data model layer .....</b>	<b>13</b>
6.1	Event data and master data .....	13
6.1.1	Transmission of master data in EPCIS.....	15
6.2	Standard vocabulary and user vocabulary .....	15
6.3	Extension mechanisms .....	17
6.4	Identifier representation .....	18
6.5	Hierarchical vocabularies .....	19
<b>7</b>	<b>Data definition layer.....</b>	<b>20</b>
7.1	General rules for specifying data definition layer modules .....	20
7.1.1	Content.....	20
7.1.2	Notation.....	21
7.1.3	Semantics .....	21
7.2	Core event types module – overview .....	23
7.2.1	UML Diagrams of EPCIS Event Types .....	24
7.2.2	Overview of EPCIS event "dimensions" (non-normative).....	25
7.2.3	Table of vocabulary types .....	28
7.3	Core event types module – building blocks .....	29
7.3.1	Primitive types .....	29
7.3.2	Action type .....	30
7.3.3	The "What" dimension .....	31
7.3.4	The "When" dimension .....	32
7.3.5	The "Where" Dimension – read point and business location.....	33
7.3.6	The "Why" dimension .....	36
7.3.7	The "How" dimension .....	40
7.3.8	Instance/Lot master data (ILMD) .....	47
7.4	Core event types module – events .....	48
7.4.1	EPCISEvent .....	48
7.4.2	ObjectEvent (subclass of EPCISEvent) .....	52
7.4.3	AggregationEvent (subclass of EPCISEvent).....	56
7.4.4	TransactionEvent (subclass of EPCISEvent) .....	60
7.4.5	TransformationEvent (subclass of EPCISEvent) .....	65
7.4.6	AssociationEvent (subclass of EPCISEvent).....	68

<b>8</b>	<b>Service Layer .....</b>	<b>74</b>
8.1	Core capture operations module.....	76
8.1.1	Authentication and authorisation.....	76
8.1.2	Capture service .....	77
8.2	Core Query operations module.....	78
8.2.1	Authentication.....	78
8.2.2	Authorisation and redaction.....	79
8.2.3	Queries for large amounts of data .....	79
8.2.4	Overly complex queries .....	80
8.2.5	Query framework (EPCIS query control interface).....	80
8.2.6	Error conditions.....	86
8.2.7	Predefined queries for EPCIS .....	88
8.2.8	Query callback interface .....	121
<b>9</b>	<b>XML bindings for data definition modules .....</b>	<b>122</b>
9.1	Extensibility mechanism .....	122
9.2	Standard business document header .....	125
9.3	EPCglobal Base schema .....	125
9.4	Master data in the XML binding .....	126
9.5	Schema for core event types .....	127
9.6	Core event types – examples (Non-Normative) .....	128
<b>10</b>	<b>JSON/JSON-LD bindings for data definition .....</b>	<b>129</b>
10.1	Brief introduction to JSON and JSON-LD in the context of EPCIS .....	129
10.1.1	JavaScript Object Notation (JSON) .....	130
10.1.2	JSON for Linked Data (JSON-LD).....	131
10.1.3	Features of the JSON-LD context resource.....	132
10.1.4	Compact URI Expressions (CURIEs).....	133
10.2	Expression and validation of EPCIS data structures in JSON and JSON-LD .....	134
10.2.1	Expressing data fields expecting simple values.....	134
10.2.2	Validating data fields expecting simple values.....	136
10.2.3	Validation of fields (e.g. 'action') that expect a string value from an enumerated list.....	138
10.2.4	Expressing simple lists of values .....	139
10.2.5	Validating lists of values .....	140
10.2.6	Expressing lists of elements with inline attributes expressing type .....	140
10.2.7	Modelling and validating subclasses of EPCIS event .....	143
10.2.8	Comparison of how validation rules are expressed in XSD, JSON Schema and SHACL .....	144
10.2.9	Mapping core SBDH fields to the JSON/JSON-LD data format for EPCIS ....	146
10.2.10	Online validation tools for JSON Schema and SHACL.....	146
10.2.11	Libraries and toolkits providing JSON-LD support.....	146
10.3	Validation schema (references to normative content) .....	146
10.4	Non-normative examples in JSON and JSON-LD .....	147
<b>11</b>	<b>Bindings for core capture operations module .....</b>	<b>147</b>
11.1	Message queue binding.....	147
11.2	HTTP binding.....	148
<b>12</b>	<b>REST Bindings .....</b>	<b>149</b>
12.1	Code conventions .....	149
12.2	Introduction to REST .....	149

12.3	Content negotiation, service discovery and custom headers for EPCIS .....	151
12.4	Authentication and Authorization.....	153
12.5	Pagination .....	154
12.6	Capturing EPCIS Events .....	154
12.6.1	Capture Interface .....	155
12.6.2	Capture Jobs Interface .....	156
12.7	Events interface.....	157
12.7.1	EPCIS events collections .....	157
12.7.2	EPCIS events endpoints.....	157
12.7.3	Event filtering with the EPCIS query language.....	158
12.7.4	Top-level resources.....	159
12.8	Query control interface .....	160
12.8.1	Creating and using named queries .....	162
12.8.2	Deleting named queries.....	162
12.8.3	Subscribing to named queries.....	162
12.8.4	EPCIS query language .....	167
12.8.5	EPCIS query in the URL .....	168
12.9	Backward Compatibility of REST bindings with EPCIS 1.2.....	169
12.10	EPCIS Error Conditions and HTTP Status Code Mapping .....	169
<b>13</b>	<b>Bindings for core query operations module .....</b>	<b>172</b>
13.1	XML schema for core query operations module.....	172
13.2	SOAP/HTTP binding for the query control interface.....	173
13.3	AS2 Binding for the query control interface.....	174
13.3.1	GS1 AS2 guidelines (Non-Normative) .....	175
13.4	Bindings for query callback interface.....	177
13.4.1	General Considerations for all XML-based bindings .....	178
13.4.2	HTTP binding of the query callback interface.....	178
13.4.3	HTTPS binding of the query callback interface .....	179
13.4.4	AS2 Binding of the query callback interface .....	179
<b>14</b>	<b>Conformance.....</b>	<b>180</b>
14.1	Conformance of EPCIS XML data .....	180
14.2	Conformance of EPCIS capture interface clients.....	180
14.3	Conformance of EPCIS capture interface servers .....	180
14.4	Conformance of EPCIS query interface clients .....	181
14.5	Conformance of EPCIS query interface servers.....	181
14.6	Conformance of EPCIS query callback interface implementations .....	181
14.7	Conformance of JSON/JSON-LD bindings.....	181
14.8	Conformance of REST Interface for EPCIS 2.0 Servers.....	182
<b>15</b>	<b>UML Diagrams for SBDH .....</b>	<b>184</b>
15.1	UML aligned with text of SBDH specification.....	185
15.2	UML aligned with XSD of SBDH specification .....	185
<b>16</b>	<b>List of abbreviations (non-normative) .....</b>	<b>185</b>
<b>17</b>	<b>References .....</b>	<b>187</b>

## Index of figures

Figure 2-1 EPCIS in relation to the "Capture" and "Share" layers .....	3
Figure 2-2 EPCIS in relation to other GS1 System Architecture components .....	5
Figure 5-1 Layers of the EPCIS specification framework.....	10
Figure 6-1 Structure of event data and master data in EPCIS .....	14
Figure 7-1 EPCIS data definition notation .....	21
Figure 7-2 EPCIS UML with Ontology focus .....	24
Figure 7-3 EPCIS UML with Syntax focus.....	24
Figure 7-4 Example of the distinction between a read point and a business location .....	35
Figure 7-5 Coordinate reference systems .....	46
Figure 7-6 Association and Aggregation with returnable transport units (RTIs).....	69
Figure 7-7 Association and Aggregation with containers .....	70
Figure 7-8 Association and Aggregation in a room .....	70
Figure 8-1 EPCIS Service Layer .....	75
Figure 10-1 RDF Triple: Subject-Property-Value .....	130
<b>Figure 10-2 Supporting multiple formats for EPCIS / CBV 2.0 .....</b>	<b>134</b>
<b>Figure 12-1 Client first uses OPTIONS to discover which versions are supported and making GET request.....</b>	<b>153</b>
<b>Figure 12-2 Authentication and authorisation .....</b>	<b>153</b>
<b>Figure 12-3 Endpoint: Capture Interface workflow .....</b>	<b>155</b>
<b>Figure 12-4 EPCIS query as URL query parameters .....</b>	<b>158</b>
<b>Figure 12-5 Endpoint: Named queries workflow.....</b>	<b>161</b>
<b>Figure 12-6 Client creates a named query for EPCIS events and uses pagination to retrieve all EPCIS events .....</b>	<b>162</b>
<b>Figure 12-7 Scheduled query workflow .....</b>	<b>164</b>
<b>Figure 12-8 Event streaming query workflow.....</b>	<b>165</b>
<b>Figure 12-9 Query subscription with Webhook (HTTP Callback) .....</b>	<b>166</b>
<b>Figure 12-10 Query subscription with a WebSocket .....</b>	<b>167</b>
Figure 15-1 UML aligned with text of SBDH .....	185
Figure 15-2 UML aligned with XSD of SBDH .....	185



# 1 Introduction

This document is a GS1 standard that defines Version 2.0 of EPC Information Services (EPCIS). The goal of EPCIS is to enable disparate applications to create and share visibility event data, both within and across enterprises. Ultimately, this sharing is aimed at enabling users to gain a shared view of physical or digital objects within a relevant business context.

“Objects” in the context of EPCIS typically refers to physical objects that are identified either at a class or instance level and which are handled in physical handling steps of an overall business process involving one or more organisations. Examples of such physical objects include trade items (products), logistic units, returnable assets, fixed assets, physical documents, etc. “Objects” may also refer to digital objects, also identified at either a class or instance level, which participate in comparable business process steps. Examples of such digital objects include digital trade items (music downloads, electronic books, etc.), digital documents (electronic coupons, etc.), and so forth. Throughout this document the word “object” is used to denote a physical or digital object, identified at a class or instance level, that is the subject of a business process step. EPCIS data consist of “visibility events,” each of which is the record of the completion of a specific business process step acting upon one or more objects.

The EPCIS standard was originally conceived as part of a broader effort to enhance collaboration between trading partners by sharing of detailed information about physical or digital objects. The name EPCIS reflects the origins of this effort in the development of the Electronic Product Code (EPC). It should be noted, however, that EPCIS does not require the use of Electronic Product Codes, nor of Radio-Frequency Identification (RFID) data carriers, and does not even require instance-level identification (for which the Electronic Product Code was originally designed). The EPCIS standard applies to all situations in which visibility event data is to be captured and shared, and the presence of “EPC” within the name is of historical significance only.

EPCIS provides open, standardised interfaces that allow for seamless integration of well-defined services in inter-company environments as well as within companies. Standard interfaces are defined in the EPCIS standard to enable visibility event data to be captured and queried using a defined set of service operations and associated data standards, all combined with appropriate security mechanisms that satisfy the needs of user companies. In many or most cases, this will involve the use of one or more persistent databases of visibility event data, though elements of the Services approach could be used for direct application-to-application sharing without persistent databases.

With or without persistent databases, the EPCIS specification specifies only standard data sharing interfaces between applications that capture visibility event data and those that need access to it. *It does not specify how the service operations or databases themselves should be implemented.* This includes not defining how the EPCIS services should acquire and/or compute the data they need, except to the extent the data is captured using the standard EPCIS capture operations. The interfaces are needed for interoperability, while the implementations allow for competition among those providing the technology and implementing the standard.

EPCIS is intended to be used in conjunction with the GS1 Core Business Vocabulary (CBV) standard [CBV2.0]. EPCIS and the CBV are developed, maintained and published by GS1; EPCIS and the CBV are also published within ISO's PAS process as ISO/IEC 19987 and ISO/IEC 19988, respectively. The CBV standard provides definitions of data values that may be used to populate the data structures defined in the EPCIS standard. The use of the standardised vocabulary provided by the CBV standard is critical to interoperability and critical to provide for querying of data by reducing the variation in how different businesses express common intent. Therefore, applications should use the CBV standard to the greatest extent possible in constructing EPCIS data.

The companion EPCIS and CBV Implementation Guideline [EPCISGuideline] provides additional guidance for building visibility systems using EPCIS and CBV, including detailed discussion of how to model specific business situations using EPCIS/CBV data and methods for sharing such data between trading partners.