
**Information technology — Automatic
identification and data capture
techniques — Extended rectangular
data matrix (DMRE) bar code
symbology specification**

*Technologies de l'information – Techniques de l'identification et de
saisie de données automatiques – Data Matrix Rectangulaire Etendu
(DMRE) spécification de symbologie de code à barres*





COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms, definitions, symbols and abbreviated terms and mathematical/logical notations ... 1	
3.1 Terms and definitions.....	1
3.2 Symbols and abbreviated terms.....	2
3.3 Mathematical/logical notations.....	2
4 Symbol description	2
4.1 Basic characteristics.....	2
4.2 Summary of additional features.....	3
4.3 Symbol structure.....	3
4.3.1 General.....	3
4.3.2 Finder pattern.....	4
4.3.3 Symbol sizes and capacities.....	4
5 DMRE code requirements	4
5.1 Encoding procedure overview.....	4
5.2 Data encodation.....	5
5.2.1 Overview.....	5
5.2.2 Default character interpretation.....	5
5.2.3 ASCII encodation.....	5
5.2.4 Symbology control characters.....	6
5.2.5 C40 encodation.....	8
5.2.6 Text encodation.....	9
5.2.7 ANSI X12 encodation.....	9
5.2.8 EDIFACT encodation.....	10
5.2.9 Base 256 encodation.....	11
5.3 User considerations.....	12
5.3.1 General.....	12
5.3.2 User selection of extended channel interpretation.....	12
5.3.3 User selection of symbol size and shape.....	12
5.4 Extended channel interpretation.....	12
5.4.1 General.....	12
5.4.2 Encoding ECIs.....	12
5.4.3 ECIs and Structured append.....	13
5.4.4 Post-decode protocol.....	13
5.5 DMRE code symbol attributes.....	13
5.5.1 Symbol sizes and capacity.....	13
5.5.2 Insertion of alignment patterns into larger symbols.....	14
5.6 Structured append.....	14
5.6.1 Basic principles.....	14
5.6.2 Symbol sequence indicator.....	14
5.6.3 File identification.....	15
5.6.4 FNC1 and Structured append.....	15
5.6.5 Buffered and unbuffered operation.....	15
5.7 Error detection and correction.....	16
5.7.1 Reed-Solomon error correction.....	16
5.7.2 Generating the error correction codewords.....	16
5.7.3 Error correction capacity.....	17
5.8 Symbol construction.....	17
5.8.1 General.....	17
5.8.2 Symbol character placement.....	17

5.8.3	Alignment pattern module placement.....	18
5.8.4	Finder pattern module placement.....	18
6	Symbol dimensions	18
6.1	Dimensions.....	18
7	Symbol quality	18
7.1	General.....	18
7.2	Symbol quality parameters.....	19
7.2.1	Fixed pattern damage.....	19
7.2.2	Scan grade and overall symbol grade.....	19
7.2.3	Grid non-uniformity.....	19
7.2.4	Decode.....	19
7.3	Process control measurements.....	19
8	Reference decode algorithm for DMRE	19
9	User guidelines	29
9.1	Human readable interpretation.....	29
9.2	Autodiscrimination capability.....	29
9.3	System considerations.....	29
10	Transmitted data	29
10.1	General.....	29
10.2	Protocol for FNC1.....	29
10.3	Protocol for FNC1 in the second position.....	30
10.4	Protocol for Macro characters in the first position.....	30
10.5	Protocol for ECIs.....	30
10.6	Symbology identifier.....	30
10.7	Transmitted data example.....	31
Annex A (informative) Code pattern		32
Annex B (normative) Rectangular data matrix code encodation character sets		34
Annex C (informative) Rectangular data matrix code alignment patterns		38
Annex D (normative) Reed-Solomon error detection and correction		39
Annex E (informative) Symbol character placement		43
Annex F (normative) DMRE print quality – Symbology-specific aspects		51
Annex G (normative) Symbology identifier		60
Annex H (informative) Encode example		61
Annex I (informative) Encoding data using the minimum symbol data characters for extended rectangular data matrix code		64
Annex J (informative) Useful process control techniques		68
Annex K (informative) Autodiscrimination capability		70
Annex L (informative) System considerations		71
Bibliography		72

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents) or the IEC list of patent declarations received (see <http://patents.iec.ch>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 31, *Automatic identification and data capture techniques*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Extended rectangular data matrix (DMRE) is a two-dimensional matrix symbology which is made up of nominally square modules arranged within a perimeter finder pattern. Though primarily shown and described in this document as a dark symbol on light background, rectangular data matrix symbols can also be printed to appear as light on dark.

This document is an extension of ISO/IEC 16022, to which it adds rectangular formats. Maximum compatibility is a design goal. In consequence, most clauses of ISO/IEC 16022 are identical to those of this document, including the module placement algorithm and the reference decode algorithm.

This document is published separately because existing equipment supporting ISO/IEC 16022 will not recognize DMRE symbols. Only equipment that is enabled and configured to support DMRE will be capable of printing and scanning the new rectangular formats. To avoid user confusion due to this fact, a separate and complete document was developed.

Manufacturers of bar code equipment and users of the technology require publicly available standard symbology specifications to which they can refer when developing equipment and application standards. The publication of standardized symbology specifications is designed to achieve this.

Information technology — Automatic identification and data capture techniques — Extended rectangular data matrix (DMRE) bar code symbology specification

1 Scope

This document defines the requirements for the symbology known as extended rectangular data matrix (DMRE). It specifies the DMRE code symbology characteristics, data character encodation, symbol formats, dimensions and print quality requirements, error correction rules, decoding algorithm, and user-selectable application parameters.

It applies to all DMRE code symbols produced by any printing or marking technology.

Original data matrix code sizes are not covered by this document but defined in ISO/IEC 16022 using the same matrix placement, decoding and error correction algorithm.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 646, *Information technology — ISO 7-bit coded character set for information interchange*

ISO/IEC 8859-1, *Information technology — 8-bit single-byte coded graphic character sets — Part 1: Latin alphabet No. 1*

ISO/IEC 15415, *Information technology — Automatic identification and data capture techniques — Bar code symbol print quality test specification — Two-dimensional symbols*

ISO/IEC 19762, *Information technology — Automatic identification and data capture (AIDC) techniques — Harmonized vocabulary*

ISO/IEC 29158:—¹⁾, *Information technology — Automatic identification and data capture techniques — Direct Part Mark (DPM) Quality Guideline*

1) Under preparation. Stage at the time of publication: ISO/IEC/DIS 29158:2020.