



ISO/IEC 21823-3

Edition 1.0 2021-09

INTERNATIONAL STANDARD



**Internet of Things (IoT) – Interoperability for IoT systems –
Part 3: Semantic interoperability**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 35.020; 35.110

ISBN 978-2-8322-4905-5

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	5
1 Scope.....	8
2 Normative references	8
3 Terms and definitions	8
4 Abbreviated terms	9
5 IoT semantic interoperability process.....	9
5.1 Overview.....	9
5.2 IoT semantic interoperability process requirements.....	10
5.3 IoT semantic interoperability models	11
5.4 IoT semantic interoperability guidelines	13
5.4.1 Guidelines on the capture of semantic meaning	13
5.4.2 Guidelines on the integration of semantic interoperability capability.....	14
5.4.3 Guidelines on the support of semantic interoperability engineering	15
6 IoT semantic interoperability life cycle	19
6.1 Life cycle requirements	19
6.2 Life cycle model.....	22
6.3 Life cycle implementation guidelines	23
6.3.1 Guidelines on ontology life cycle.....	23
6.3.2 Guidelines on semantic interoperability life cycle	23
6.3.3 Guidelines on IoT system life cycle	24
Annex A (informative) Guidance on how to learn IoT semantic interoperability	26
Annex B (informative) Guidance on how to develop IoT semantic interoperability.....	29
B.1 Developing semantic interoperability capabilities	29
B.2 Building steps	29
Annex C (informative) Guidance on how to manage IoT semantic interoperability life cycle.....	31
C.1 Interoperability specification life cycle that supports ontologies	31
C.2 IoT system life cycle supporting interoperability	32
Annex D (informative) Ontological specification of the IoT Reference Architecture.....	33
D.1 General.....	33
D.2 Service, network, IoT device and IoT gateway	33
D.3 IoT-User	34
D.4 Virtual entity, physical entity and IoT device.....	35
D.5 Domain-based Reference Model (RM).....	35
Annex E (informative) Related existing ontologies	37
E.1 W3C Semantic Sensor Network ontology	37
E.2 IoT-Lite	37
E.3 Open Connectivity Foundation (OCF) ontology	37
E.4 ETSI Smart Applications REFerence ontology.....	41
E.5 oneM2M Base Ontology	42
E.6 Sensor Model Language (SensorML)	42
E.7 IoT-O	43
E.8 IoT ontology unification approach	43
Bibliography.....	45

Figure 1 – Semantic interoperability facet for IoT	5
Figure 2 – Using metadata in semantic interoperability	6
Figure 3 – Meaningfulness of the data, described with metadata.....	6
Figure 4 – Objective of semantic interoperability standard	9
Figure 5 – IoT semantic interoperability process model.....	11
Figure 6 – Semantic information usage model.....	12
Figure 7 – Example of structured knowledge representation	13
Figure 8 – Example of semantic information usage for a temperature sensor	15
Figure 9 – Example of ontology mapping	17
Figure 10 – Example of ontology alignment.....	18
Figure 11 – Example of ontology merging	18
Figure 12 – Example of ontology integration	19
Figure 13 – Example of modular design	22
Figure 14 – Example of interoperability maturity evaluation result	22
Figure 15 – Semantic interoperability life cycle model	23
Figure 16 – Example of ontology life cycle model.....	23
Figure 17 – Example of interoperability specification life cycle	24
Figure D.1 – IoT entity	33
Figure D.2 – Service, network, IoT device and IoT gateway	34
Figure D.3 – IoT-User	34
Figure D.4 – Virtual entity, physical entity, and IoT device	35
Figure D.5 – Domain-based Reference Model.....	36
Figure E.1 – Architecture – concepts	38
Figure E.2 – Communication layering model	38
Figure E.3 – oneloTa	39
Figure E.4 – OCF ontology	40
Figure E.5 – SAREF and its extensions	41
Figure E.6 – Overview of the SAREF ontology	42
Table 1 – IoT semantic interoperability process requirements	10
Table 2 – Life cycle requirements.....	20
Table A.1 – Syllabus example on IoT semantic interoperability practice	26
Table A.2 – Course content for semantic interoperability practice	27
Table B.1 – Building steps for IoT semantic interoperability	30
Table C.1 – Example of interoperability specification life cycle.....	31
Table C.2 – Example of IoT system life cycle.....	32

INTERNET OF THINGS (IoT) – INTEROPERABILITY FOR IoT SYSTEMS –

Part 3: Semantic interoperability

FOREWORD

- 1) ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.
- 2) The formal decisions or agreements of IEC and ISO on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC and ISO National bodies.
- 3) IEC and ISO documents have the form of recommendations for international use and are accepted by IEC and ISO National bodies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC and ISO documents is accurate, IEC and ISO cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC and ISO National bodies undertake to apply IEC and ISO documents transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC and ISO document and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC and ISO do not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC and ISO marks of conformity. IEC and ISO are not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this document.
- 7) No liability shall attach to IEC and ISO or their directors, employees, servants or agents including individual experts and members of its technical committees and IEC and ISO National bodies for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this ISO/IEC document or any other IEC and ISO documents.
- 8) Attention is drawn to the Normative references cited in this document. Use of the referenced publications is indispensable for the correct application of this document.
- 9) Attention is drawn to the possibility that some of the elements of this ISO/IEC document may be the subject of patent rights. IEC and ISO shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 21823-3 has been prepared by subcommittee 41: Internet of Things and related technologies, of ISO/IEC joint technical committee 1: Information technology. It is an International Standard.

The text of this International Standard is based on the following documents:

Draft	Report on voting
JTC1-SC41/233/FDIS	JTC1-SC41/244/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1, available at: www.iec.ch/members_experts/refdocs and www.iso.org/directives.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

The use of the Internet of Things (IoT) is increasing every year, in application areas such as manufacturing, healthcare, and new cross-domain applications related to smart cities (e.g. water, energy, transport, or health). Most IoT systems want to share information, which can be done by interoperability. Mechanisms are therefore needed on how to exchange information and use associated data and data description.


IoT interoperability is described as a successful interaction among entities specified in ISO/IEC 30141 [1]¹, for instance between IoT services provided by different IoT service providers. It can be achieved using the interoperability facet model defined in ISO/IEC 21823-1, which defines five facets: transport, syntactic, semantic, behavioural and policy interoperability.

IoT semantic interoperability is the facet which enables the exchange of data between IoT systems using understood data information models (or semantic meanings). According to a recently published white paper [2]:

"Semantic interoperability is achieved when interacting systems attribute the same meaning to an exchanged piece of data, ensuring consistency of the data across systems regardless of individual data format. This consistency of meaning can be derived from pre-existing standards or agreements on the format and meaning of data or it can be derived in a dynamic way using shared vocabularies either in a schema form and/or in an ontology-driven approach."

As shown in Figure 1,

- semantic interoperability means that information in different data information models can be translated into understandable meaning and exchanged between applications;
- semantic interoperability provides the capability for applications to understand exchanged information;
- semantic interoperability for IoT is achieved by invoking services, and by using specific knowledge and concepts of IoT.



IEC

Figure 1 – Semantic interoperability facet for IoT

Semantic interoperability is achieved through the use of metadata, or descriptions of data. The approach of providing data and descriptions has been widely used in IT systems. Two examples are:

- a) conceptual schemas have been used to describe database content;
- b) record layouts have been used to display the content of a database record.

As shown in Figure 2, many services invoked by semantic interoperability involve metadata, thus enabling their discovery, understanding and (re)usability.

¹ Numbers in square brackets refer to the Bibliography.




Figure 2 – Using metadata in semantic interoperability

Metadata provides IoT systems with a common understanding of exchanged data. Figure 3 shows how the meaning of data is defined by the metadata to a specific room temperature (left column) and how it is described with metadata (right column).




Figure 3 – Meaningfulness of the data, described with metadata

Knowledge that metadata represents can be described using ontologies. In other words, semantic interoperability needs shared, unambiguous, machine-understandable metadata, to be able to perform exchange of information using metadata. The application of semantics in IoT has still been limited because most metadata are developed independently, making it difficult for IoT entities or applications to interoperate semantically. In this document, an ontology-driven approach for semantic interoperability is specified to design and specify metadata, so that the sensors, devices, systems and services can express metadata information and data by applying the ontologies to achieve semantic interoperability. Stakeholders targeted by this document include ontology engineers and IoT system engineers who are building semantic interoperability capabilities for IoT systems.

This document also specifies methods and techniques to build semantic interoperability for IoT systems. Clause 5 focuses on the IoT semantic interoperability process. Clause 6 focuses on the IoT semantic interoperability life cycle management.

Informative annexes provide additional information and guidance. Annex A, Annex B and Annex C provide guidance on how to learn IoT semantic interoperability, develop IoT semantic interoperability, and manage IoT semantic interoperability life cycle, respectively. Annex D provides ontological specification of the IoT Reference Architecture specified in ISO/IEC 30141 [1]. Annex E provides related existing ontologies that are applicable for IoT semantic interoperability.

INTERNET OF THINGS (IoT) – INTEROPERABILITY FOR IoT SYSTEMS –

Part 3: Semantic interoperability

1 Scope

This document provides the basic concepts for IoT systems semantic interoperability, as described in the facet model of ISO/IEC 21823 -1, including:

- requirements of the core ontologies for semantic interoperability;
- best practices and guidance on how to use ontologies and to develop domain-specific applications, including the need to allow for extensibility and connection to external ontologies;
- cross-domain specification and formalization of ontologies to provide harmonized utilization of existing ontologies;
- relevant IoT ontologies along with comparative study of the characteristics and approaches in terms of modularity, extensibility, reusability, scalability, interoperability with upper ontologies, and so on;
- use cases and service scenarios that exhibit necessities and requirements of semantic interoperability.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 20924, *Internet of Things (IoT) – Vocabulary*