
**Information technology — Data centres
— Server energy effectiveness metric**

Technologies de l'information — Centres de données — Grandeurs de mesure de l'efficacité énergétique des serveurs





COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier; Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms, definitions and abbreviated terms	1
3.1 Terms and definitions	1
3.2 Abbreviated terms	9
4 Applicability of Server Energy Effectiveness Metric (SEEM)	10
4.1 General	10
4.2 Applicability of SERTv2	10
4.3 Determination of applicability for an “implementer-specified” metric	11
5 Determination of Server Energy Effectiveness Metric (SEEM)	11
5.1 General	11
5.2 Power supply requirements	12
5.3 SERTv2 active state energy effectiveness metric	12
5.4 Determination of “implementer-specified” metrics	14
5.4.1 General	14
5.4.2 “Implementer-specified” active state metrics	14
5.4.3 “Implementer-specified” idle state metric	15
6 SEEM implementation	16
6.1 General	16
6.2 Implementation steps for SEEM	16
6.3 Implementation steps for SERTv2	16
6.4 Implementation steps for “implementer-specified” metrics	16
6.5 Threshold selection	17
7 Server testing	18
7.1 Configuration	18
7.2 Environment	18
7.3 Power analyser calibration requirement	18
7.4 Power requirements	18
7.5 SEEM idle state power test method	19
7.6 Testing Variance	19
7.6.1 General	19
7.6.2 Software Testing Variance Specification	20
7.6.3 SEEM Hardware Testing Variance Specification	20
7.7 Technical support	20
7.7.1 Technical support requirements	20
7.7.2 SPEC SERTv2 technical support	20
7.8 Server product family and special configuration testing	21
7.8.1 General	21
7.8.2 Single configuration testing	22
7.8.3 SERTv2 product family and special configurations	22
7.8.4 Product family and special configurations for “implementer-specified” metrics	24
7.9 “Implementer-specified” metric creation testing	24
7.9.1 General	24
7.9.2 Functionality and reproducibility testing	24
7.9.3 Real-world energy savings testing	26
8 Reporting SEEM	26
8.1 Server categories	26
8.1.1 General	26
8.1.2 SERTv2 server category definitions	26

8.1.3	“Implementer-specified” metric server categories.....	29
8.2	Documentation	29
8.2.1	General.....	29
8.2.2	Implementation documentation.....	29
8.2.3	SEEM end user documentation.....	30
9	Minor update acceptance testing.....	33
9.1	General.....	33
9.2	SEEM minor update testing and requirements.....	33
9.2.1	SEEM component versions.....	33
9.2.2	Power analysers	33
9.2.3	Temperature sensors	35
9.3	SERTv2 minor update testing and requirements.....	35
9.3.1	General.....	35
9.3.2	SERTv2 Component versions.....	35
9.3.3	SERTv2.....	36
9.3.4	PTDaemon	36
9.3.5	SERTv2 Client Configuration XML.....	36
9.4	“Implementer-specified” metric minor update requirements.....	44
Annex A	(normative) SERTv2 pre-approved CPU architectures, operating systems, and Java Virtual Machines (JVMs).....	46
Annex B	(normative) SEEM pre-approved power analysers and temperature sensors	57
Annex C	(normative) SERTv2 required documentation fields.....	59
Annex D	(normative) Deployed power assessment.....	61
Bibliography	69

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents) or the IEC list of patent declarations received (see <http://patents.iec.ch>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 39, *Sustainability, IT & Data Centres*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

The global economy is now totally reliant on information and communication technologies (ICT) and the associated generation, transmission, dissemination, computation and storage of digital data. While the internet backbone carries the traffic, it is data centres which find themselves at the nodes and hubs of a wide variety of both private enterprise and shared/collocation facilities. With the large and continually increasing data capacity demands placed on data centres worldwide, efficient use of data centre energy is an extremely important strategy for managing environmental, cost, electrical grid capacity and other impacts.

The ISO/IEC 30134 series specifies data centre energy effectiveness key performance indicators (KPI) to help data centre operators measure and improve specific aspects of data centre energy effectiveness. ISO/IEC 30134-4 in particular defines a method to measure the peak capacity and utilization of servers operating in a data centre using operator selected benchmarks. However, it does not provide a method for comparing individual server energy effectiveness across data centres, and as stated in ISO/IEC 30134-4, “should not be used to set regulations for a data centre or individual server”. There is stakeholder demand for an international standard to measure the energy effectiveness of servers before procurement and installation, particularly for use in worldwide server energy effectiveness regulations and programmes.

This document provides a server energy effectiveness metric (SEEM) to measure and report the energy effectiveness of specific server designs and configurations. This document will be useful to stakeholders, including vendors, users and governments, from the design verification testing phase all the way through conformance verification, procurement and operation. Organizations that wish to establish conformance or reporting programmes will find that the test methods and scoring specified in this document will save them significant time and effort in implementing such programmes. Standardization across such programmes will allow vendors to comply to stakeholder requirements more quickly and efficiently.

For applicable servers, this document builds upon the widely adopted Server Efficiency Rating Tool (SERT™)¹⁾ suite developed by the Standard Performance Evaluation Corporation (SPEC®)²⁾ benchmark consortium, as the energy effectiveness metric and test method. For servers where SERT is not applicable, this document provides requirements for the creation of alternate server energy effectiveness metrics, referred to as “implementer-specified” metrics.

1) SERT is a trademark of the Standard Performance Evaluation Corporation. This information is given for the convenience of users of this document. References to SERT do not constitute an endorsement by ISO/IEC.

2) SPEC is a trademark of the Standard Performance Evaluation Corporation. This information is given for the convenience of users of this document. References to SPEC do not constitute an endorsement by ISO/IEC.

Information technology — Data centres — Server energy effectiveness metric

1 Scope

This document specifies a measurement method to assess and report the energy effectiveness of a computer server. This document does not set any pass/fail criteria for servers.

2 Normative references

There are no normative references in this document.