
INTERNATIONAL STANDARD



First edition 2022-05

Information technology — Office equipment — Automated colour profile distribution



Reference number ISO/IEC 22954:2022(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Contents

7Requirements for a print settings profile provider47.1API endpoint47.2Authentication and authorization47.3Storage57.4Versioning57.5Compatibility57.6Filtering57.7Selection57.8Delivery capability5	Fore	eword		iv
2Normative references13Terms and definitions14Preliminary requirements35Overall situation35S.1Flow of information35.2Medium identification35.3Colourant identification45.4Printer controller identification45.5Environment46Communicating with a print settings profile provider47Requirements for a print settings profile provider47.1API endpoint47.2Authentication and authorization47.3Storage57.4Versioning57.5Compatibility57.6Filtering57.7Selection58Selection, downloading and installation58.1No-result scenario58.2Print mode selection68.3Handling results from multiple print settings profile providers69Handling updates6	Intr	oduction		v
2Normative references13Terms and definitions14Preliminary requirements35Overall situation35S.1Flow of information35.2Medium identification35.3Colourant identification45.4Printer controller identification45.5Environment46Communicating with a print settings profile provider47Requirements for a print settings profile provider47.1API endpoint47.2Authentication and authorization47.3Storage57.4Versioning57.5Compatibility57.6Filtering57.7Selection58Selection, downloading and installation58.1No-result scenario58.2Print mode selection68.3Handling results from multiple print settings profile providers69Handling updates6	1	Scope		
3Terms and definitions14Preliminary requirements35Overall situation35.1Flow of information35.2Medium identification35.3Colourant identification45.4Printer controller identification45.5Environment46Communicating with a print settings profile provider47Requirements for a print settings profile provider47.1API endpoint47.2Authentication and authorization47.3Storage57.4Versioning57.5Compatibility57.6Filtering57.7Selection57.8Delivery capability58Selection, downloading and installation58.1No-result scenario68.3Handling results from multiple print settings profile providers69Handling updates6	2		•	
4 Preliminary requirements 3 5 Overall situation 3 5.1 Flow of information 3 5.2 Medium identification 3 5.3 Colourant identification 4 5.4 Printer controller identification 4 5.5 Environment 4 6 Communicating with a print settings profile provider 4 7 Requirements for a print settings profile provider 4 7.1 API endpoint 4 7.2 Authentication and authorization 4 7.3 Storage 5 7.4 Versioning 5 7.5 Compatibility 5 7.6 Filtering 5 7.7 Selection, downloading and installation 5 8.1 No-result scenario 5 8.2 Print mode selection 6 8.3 Handling results from multiple print settings profile providers 6 8.4 Downloading 6 8.5 Installation 6 8.4 Downloading	-			
5 Overall situation 3 5.1 Flow of information 3 5.2 Medium identification 3 5.3 Colourant identification 4 5.4 Printer controller identification 4 5.5 Environment 4 6 Communicating with a print settings profile provider 4 7 Requirements for a print settings profile provider 4 7.1 API endpoint 4 7.2 Authentication and authorization 4 7.3 Storage 5 7.4 Versioning 5 7.5 Compatibility 5 7.6 Filtering 5 7.7 Selection 5 7.8 Delivery capability 5 8 Selection, downloading and installation 5 8.1 No-result scenario 5 8.2 Print mode selection 6 8.3 Handling results from multiple print settings profile providers 6 9 Handling updates 6	3			
5.1Flow of information35.2Medium identification35.3Colourant identification45.4Printer controller identification45.5Environment46Communicating with a print settings profile provider47Requirements for a print settings profile provider47.1API endpoint47.2Authentication and authorization47.3Storage57.4Versioning57.5Compatibility57.6Filtering57.7Selection57.8Delivery capability58Selection, downloading and installation58.1No-result scenario58.2Print mode selection68.3Handling results from multiple print settings profile providers69Handling updates6	4	Prelin	ninary requirements	3
7Requirements for a print settings profile provider47.1API endpoint47.2Authentication and authorization47.3Storage57.4Versioning57.5Compatibility57.6Filtering57.7Selection57.8Delivery capability58Selection, downloading and installation58.1No-result scenario58.2Print mode selection68.3Handling results from multiple print settings profile providers68.4Downloading68.5Installation6	5	5.1 5.2 5.3 5.4	Flow of information Medium identification Colourant identification Printer controller identification	3 3 4 4
7.1API endpoint47.2Authentication and authorization47.3Storage57.4Versioning57.5Compatibility57.6Filtering57.7Selection57.8Delivery capability58Selection, downloading and installation58.1No-result scenario58.2Print mode selection68.3Handling results from multiple print settings profile providers68.4Downloading68.5Installation68.6Handling updates6	6	Communicating with a print settings profile provider		4
8.1No-result scenario58.2Print mode selection68.3Handling results from multiple print settings profile providers68.4Downloading68.5Installation69Handling updates6	7	7.1 7.2 7.3 7.4 7.5 7.6 7.7	API endpoint Authentication and authorization Storage Versioning Compatibility Filtering Selection	4 4 5 5 5 5 5 5 5 5 5
	8	8.1 8.2 8.3 8.4	No-result scenario Print mode selection Handling results from multiple print settings profile providers Downloading	
Bibliography	9	Handl	ing updates	6
	Bibl	iography	r	8

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives or www.iso.org/directiv

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents) or the IEC list of patent declarations received (see www.iso.org/patents) or the IEC list of patent declarations received (see https://www.iso.org/patents) or the IEC list of patent declarations received (see https://www.iso.org/patents) or the IEC list of patent declarations received (see https://www.iso.org/patents) or the IEC list of patent declarations received (see https://www.iso.org/patents) or the IEC list of patent declarations received (see https://www.iso.org/patents) or the IEC list of patent declarations received (see https://www.iso.org/patents) or the IEC list of patent declarations received (see https://www.iso.org/patents) or the IEC list of patent declarations received (see https://www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html. In the IEC, see www.iec.ch/understanding-standards.

This document was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 28, *Office equipment*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <u>www.iso.org/members.html</u> and <u>www.iec.ch/national-committees</u>.

Introduction

This document applies to the distribution of print settings profiles to large format colour inkjet printers.

An important consideration of a printer controller for a colour printer is the ability to apply colour management. This is especially the case for commercial printing where the output products should be of sellable quality.

The process of colour management is typically accomplished through the use of print settings profiles, sometimes referred to as a "colour profile".

A print settings profile is created by printing out swatches or charts, measuring them using colour measurement devices, and using the measurement data to generate the settings and calibration data.

Ideally a separate print settings profile should be created for each situation comprising of at least the following: type or make and model of the print medium; print mode; make and model and version of the controlling software; and environmental factors such as temperature and humidity. That is because each of these elements may substantively affect the content of the print settings profile. It can also be necessary to create a separate profile for intellectual property, licensing, or legal reasons.

However, it is not always possible or feasible to obtain a print settings profile through this method of printing and measurement because of issues with cost, time, expertise, etc.

Another way to obtain a profile is to download a pre-made one from the Internet. This typically involves browsing or manually searching for a profile, downloading it if it is available, then installing it in the printer controller if possible.

This document describes a method to acquire pre-made print settings profiles from the Internet in a more seamless and automated fashion. The primary benefit of this method is to save time and reduce the likelihood of error for the printer operators.

This method is especially useful for large format inkjet printers due to several reasons:

- they tend to be used for printing on a variety of print media;
- they typically already have printer controllers with sophisticated colour management;
- they typically have skilled operators;
- they are typically used for commercial purposes.

This method might apply to other types of printers as well, but it is not clear at the moment. There might be additional parts to this document that cover those types of printers at a later time.

In the future, there is a possibility that print settings profiles can be computationally generated for each situation through a combination of 'big data' and AI technologies, bypassing the need for pre-made profiles.

There is also a possibility that print settings profiles can factor in more situational parameters, such as different illuminant or observer conditions.

Information technology — Office equipment — Automated colour profile distribution

1 Scope

This document specifies a method of automated colour profile distribution to large format inkjet printers.

This document applies to digital colour printers and their printer controllers for which ICC colour management is necessary or desired. This document also applies to the print settings profile providers.

The extent of automation covered includes the printer controller acquiring information about the overall situation, connecting to a print settings profile provider on the Internet, determining the best possible profile to download (if it exists), and downloading and installation of the profile.

This document covers general concepts and procedures and does not go into a level of detail necessary to establish syntactic or semantic interoperability. This document covers ICC version 4 output profiles as specified by ISO 15076-1, but does not cover device link profiles.

2 Normative references

There are no normative references in this document.