
**Information technology — MPEG video
technologies —**

**Part 4:
Video tool library**

*Technologies de l'information — Technologies vidéo MPEG —
Partie 4: Bibliothèque d'outils vidéo*





COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword.....	viii
Introduction.....	x
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions.....	2
4 FU description convention.....	2
4.1 FU interface.....	2
4.2 FU IDs.....	3
4.3 Token pool.....	7
4.4 Array data order.....	10
4.5 Input ports (reset_i, init_i, start_i).....	10
4.6 FU block diagram notations.....	10
4.7 Conventions.....	11
4.8 Granular FU.....	11
5 General-purpose FUs.....	11
5.1 Syntax parsing.....	11
5.1.1 Generic syntax parser.....	11
5.1.2 Algo_Byte2bit.....	11
5.1.3 Mgnt_Select_MB_4.....	12
5.1.4 Mgnt_Merger420.....	12
5.1.5 Mgnt_Select_MB_8.....	12
5.1.6 Mgnt_SynP_DEMUX.....	13
5.1.7 Mgnt_SynP_BytePreprocessor.....	13
5.2 General processing FUs.....	14
5.2.1 Algo_InverseQuantization1D.....	14
5.2.2 Algo_InverseQuantizationND.....	15
5.2.3 Algo_InversePrediction1D.....	18
5.2.4 Algo_InversePredictionND.....	20
5.2.5 Algo_ED_AD_StaticBit.....	24
5.2.6 Algo_ED_VLD.....	26
5.2.7 Algo_ED_AD_AdaptiveBit.....	27
5.2.8 Algo_ED_BitPrecision.....	28
5.2.9 Algo_ED_AD.....	31
5.2.10 Algo_ED_AD_EG.....	36
5.2.11 Algo_ED_4bitsD.....	42
5.2.12 Algo_ED_FixedLength.....	44
5.2.13 Algo_LookUpTable1D.....	45
5.2.14 Algo_ContextModeling.....	46
5.2.15 Algo_simpleMath_2op.....	48
5.2.16 Mgnt_Replicate_1_2.....	50
5.2.17 Mgnt_Replicate_1_4.....	50
5.2.18 Mgnt_Replicate_1_8.....	51
5.2.19 Mgnt_MUX_2_1.....	52
5.2.20 Mgnt_MUX_4_1.....	53
5.2.21 Mgnt_MUX_8_1.....	55
5.2.22 Mgnt_DEMUX_1_2.....	56
5.2.23 Mgnt_DEMUX_1_4.....	57
5.2.24 Mgnt_DEMUX_1_8.....	59
5.2.25 Mgnt_ExtractSegment.....	60
5.2.26 Mgnt_ProviderValue.....	61
5.2.27 Mgnt_RepeatSegment.....	62
5.2.28 Mgnt_ExtractBytes.....	64
5.2.29 Mgnt_ExtractBits.....	65

5.2.30	Mgnt_Provider1D	66
5.2.31	Mgnt_Provider2D	67
6	FUs for MPEG-4 Simple Profile	69
6.1	General	69
6.2	Syntax parsing	69
6.2.1	Algo_SynP	69
6.2.2	Mgnt_BlockExpand	69
6.2.3	Mgnt_Splitter420B	70
6.2.4	Mgnt_Splitter420MV	70
6.2.5	Algo_MVR_MedianOfThreeLeftAndTopAndTopRight	71
6.2.6	Mgnt_Splitter_420_TYPE	71
6.2.7	Algo_VLDtableB6_MPEG4Part2	72
6.2.8	Algo_VLDtableB7_MPEG4Part2	72
6.2.9	Algo_VLDtableB8_MPEG4Part2	73
6.2.10	Algo_VLDtableB12_MPEG4Part2	73
6.2.11	Algo_VLDtableB13_MPEG4Part2	73
6.2.12	Algo_VLDtableB14_MPEG4Part2	74
6.2.13	Algo_VLDtableB15_MPEG4Part2	74
6.2.14	Algo_VLDtableB16_MPEG4Part2	75
6.2.15	Algo_VLDtableB17_MPEG4Part2	75
6.3	Texture decoding	76
6.3.1	Algo_IQ_QSAndQmatrixMp4vOrH263Scaler	76
6.3.2	Algo_DCRAddr_ThreeLeftTop_8x8	76
6.3.3	Algo_DCRAddr_ThreeLeftTop_16x16	77
6.3.4	Algo_DCRInvPred_CHROMA_8x8	77
6.3.5	Algo_DCRInvPred_LUMA_16x16	78
6.3.6	Algo_IS_ZigzagOrAlternateHorizontalVertical_8x8	79
6.3.7	Algo_IAP_AdaptiveHorizontalOrVerticalPred_8x8	79
6.3.8	Algo_IAP_AdaptiveHorizontalOrVerticalPred_16x16	80
6.3.9	Algo_IDCT2D_ISOIEC_23002_1	80
6.3.10	Mgnt_DCSplit	81
6.4	Motion compensation	81
6.4.1	Mgnt_FB_w_Address_8x8	81
6.4.2	Mgnt_FB_w_Address_16x16	82
6.4.3	Algo_PictureReconstruction_Saturation	82
6.4.4	Algo_Interp_HalfpelBilinearRoundingControl	83
7	FUs for MPEG-4 AVC Constrained Baseline Profile	84
7.1	General	84
7.2	Syntax parsing	84
7.2.1	Algo_NALU	84
7.2.2	Algo_SynP	84
7.2.3	Algo_BlockExpand	85
7.2.4	Algo_BlockSplit	85
7.2.5	Algo_IntraPred_Split	86
7.2.6	Algo_Parser_I_PCM	86
7.2.7	Algo_DemuxParserInfoForBlocks_Chroma	87
7.2.8	Algo_DemuxParserInfoForBlocks_Luma	87
7.3	Texture decoding	88
7.3.1	Algo_IS_Zigzag_4x4	88
7.3.2	Algo_DCR_Hadamard_LUMA_IHT1d	88
7.3.3	Algo_Transpose4x4	89
7.3.4	Algo_DCR_Hadamard_LUMA_Reordering	89
7.3.5	Algo_DCR_Hadamard_LUMA_Scaling	90
7.3.6	Algo_DCR_Hadamard_CHROMA	90
7.3.7	Algo_IT4x4_1d	90
7.3.8	Algo_IT4x4_Addshift	91
7.3.9	Algo_IntraPred_LUMA_16x16	91
7.3.10	Algo_IntraPred_LUMA_4x4	92

7.3.11	Algo_Merge_4x4_to_16x16	92
7.3.12	Algo_IQ_QSAndSLAndIDCTScaler_4x4	92
7.3.13	Mgnt_IQ_INTRA16x16.....	93
7.3.14	Algo_IntraPred_4x4_to_8x8	93
7.3.15	Algo_IntraPred_CHROMA	94
7.3.16	Mgnt_Intra16x16	94
7.3.17	Mgnt_Intra4x4	95
7.3.18	Mgnt_IQ_Chroma.....	95
7.3.19	Mgnt_Buffer_Neighbour_FullMb.....	95
7.3.20	Mgnt_Buffer_Neighbour_YxY.....	96
7.3.21	Algo_Merge_4x4_to_16x16_norasterscan	96
7.3.22	Algo_Split_16x16_to_4x4_norasterscan.....	97
7.4	Motion compensation.....	97
7.4.1	Algo_Interp_EighthPelBilinear	97
7.4.2	Algo_Interp_SeparableSixTapQuarterPel	98
7.4.3	Algo_Interp_Reord	98
7.4.4	Algo_MvLXReconstr	99
7.4.5	Mgnt_DPB	99
7.4.6	Algo_MMCO	100
7.4.7	AlgoRefList.....	100
7.4.8	Mgnt_InterPred	101
7.4.9	Algo_RefIdxtoFrameNum	101
7.5	Filtering	102
7.5.1	Mgnt_DBF_AdaptiveFilter.....	102
7.5.2	Algo_DBF_AdaptiveFilter	102
7.5.3	Algo_MvComponentReorder	103
7.6	Renderer	103
7.6.1	Mgnt_POC.....	103
7.6.2	Mgnt_BufferRender	103
7.6.3	Mgnt_Merger420_AVC.....	104
8	FUs for MPEG-4 AVC Progressive High Profile	104
8.1	General.....	104
8.1.1	Overview	104
8.1.2	Algo_SynP	104
8.1.3	Algo_BlockExpand.....	106
8.1.4	Algo_DemuxParserInfoForBlocks_Luma	106
8.2	Texture decoding	107
8.2.1	Algo_IS_Zigzag_8x8.....	107
8.2.2	Algo_IQ_QSAndSLAndIDCTScaler_8x8	107
8.2.3	Algo_IIT_8x8	107
8.2.4	Algo_IntraPred_LUMA_8x8.....	108
8.2.5	Mgnt_Intra_8x8.....	108
8.2.6	Algo_Merge_8x8_to_16x16	109
8.2.7	Algo_DCR_Hadamard_CHROMA.....	109
8.2.8	Algo_DCR_Hadamard_LUMA_Scaling.....	110
8.2.9	Algo_IQ_QSAndSLAndIDCTScaler_4x4	110
8.2.10	Algo_Merge_8x8_to_16x16_norasterscan	111
8.2.11	Algo_Split_16x16_to_8x8_norasterscan.....	111
8.2.12	Mgnt_I4x4_I8x8_demux.....	111
8.2.13	Mgnt_I4x4_I8x8_mux.....	112
8.3	Motion compensation.....	112
8.3.1	Algo_GeneratePredWeight.....	112
8.3.2	Mgnt_SelectMvpLX	113
8.3.3	Algo_MvLXReconstr	113
8.3.4	Algo_MvBuffer	114
8.3.5	Mgnt_SelectMvpLX	115
8.3.6	Algo_FrameNumToPocList.....	115
8.4	Filtering	115

8.4.1	Algo_DBF_AdaptiveFilter	115
8.4.2	Algo_MvComponentReorder	116
9	MPEG-4 Part 16 SC3DMC decoder specific FUs	117
9.1	General.....	117
9.2	Algo_ExtractMask_SC3DMC.....	117
9.3	MPEG-4 SC3DMC TFAN Specific FUs	118
9.3.1	Algo_DecodeConnectivity_TFAN	118
9.4	MPEG-4 SC3DMC SVA Specific FUs	123
9.4.1	Algo_ContextModeling_SVA_nType.....	123
9.4.2	Algo_ContextModeling_SVA_Indexes.....	125
9.4.3	Algo_ContextModeling_SVA_Vertex_Attribute.....	127
9.4.4	Algo_DecodeConnectivity_SVA	130
9.4.5	Algo_ExtractFaceDirection_SVA.....	134
9.4.6	Algo_Connectivity_InversePrediction_SVA	135
10	FUs for HEVC Main Profile.....	137
10.1	General.....	137
10.2	Syntax parsing.....	137
10.2.1	Algo_SynP	137
10.3	Texture decoding	138
10.3.1	Algo_IntraPrediction.....	138
10.3.2	selectCU	138
10.4	Motion compensation.....	139
10.4.1	Algo_InterPrediction.....	139
10.4.2	Mgnt_DecodedPictureBuffer	139
10.4.3	Algo_GenerateRefList	140
10.4.4	Algo_MvComponentPred	140
10.5	Filtering	141
10.5.1	Algo_SaoFilter.....	141
10.5.2	Algo_GenerateBs.....	141
10.5.3	Algo_DeblockingFilter	142
10.5.4	Algo_QpGen	142
10.6	MD5 check.....	142
10.6.1	Mgnt_MD5SplitInfo	142
10.6.2	Mgnt_padding	143
10.6.3	Mgnt_MD5Shifter.....	143
10.6.4	Mgnt_MD5Compute	143
10.7	Inverse transforms	144
10.7.1	Mgnt_IT_Splitter.....	144
10.7.2	Mgnt_IT_Merger	144
10.7.3	Mgnt_Block_Merger	145
10.7.4	Mgnt_Transpose_4x4	145
10.7.5	Mgnt_Transpose_8x8	145
10.7.6	Mgnt_Transpose_16x16	146
10.7.7	Mgnt_Transpose_32x32	146
10.7.8	Mgnt_Transpose_32x32	146
10.7.9	Algo_IT4x4_1d	146
10.7.10	Algo_IT8x8_1d	147
10.7.11	Algo_IT16x16_1d.....	147
10.7.12	Algo_IT32x32_1d.....	147
10.7.13	Algo_invDST4x4_1st.....	148
10.7.14	Algo_invDST4x4_2nd	148
Annex A (normative)	Naming convention of FU.....	149
Annex B (informative)	FU network examples.....	151
Annex C (informative)	FNL of MPEG-4 AVC Progressive High Profile decoder.....	186
Annex D (normative)	Granular FUs concept.....	218

Annex E (informative) Granular FUs	219
Annex F (normative) Parallelogram prediction.....	236
Annex G (informative) Network specifications	240
Annex H (informative) Patent statement.....	241
Annex I (informative) Instantiation of generic syntax parser FU from BSD.....	242
Bibliography.....	261

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 29, *Coding of audio, picture, multimedia and hypermedia information*.

This third edition cancels and replaces the second edition (ISO/IEC 23002-4:2014), which has been technically revised.

It also incorporates ISO/IEC 23002-4:2014/Amd.1:2014, ISO/IEC 23002-4:2014/Amd.2:2015, and ISO/IEC 23002-4:2014/DAMD.3¹.

The changes compared to the previous edition are as follows.

- FU description convention described in Clause 4 has been technically updated.
- Functional unit (FU) and FU network (FN) descriptions for graphics tool library (GTL) have been added according to ISO/IEC 23002-4:2014/Amd.1:2014. Clause 5, Clause 9, Annexes D, E, F, and G have been added.
- FU and FN descriptions for high efficiency video coding (HEVC) have been added according to ISO/IEC 23002-4:2014/Amd.2:2015. Clause 10 has been added and Annex B has been updated.

¹ Draft amendment approved in DAM ballot but not published.

- FU and FN descriptions for parser instantiation from bitstream syntax description (BSD) have added. Clause 5 has updated and Annex I has added.
- A patent statement has been added in Annex H.

A list of all parts in the ISO/IEC 23002 series can be found on the ISO website.

Introduction

This document defines the MPEG video tool library, which contains tools drawn from existing MPEG coding standards, such as ISO/IEC 14496-2 and ISO/IEC 14496-10, and ISO/IEC 23001-4 defines the methods capable of describing codec configurations in the reconfigurable video coding (RVC) framework.

This document primarily addresses reconfigurable video aspects and will only focus on the description of representation of video codec configurations under the RVC framework, but could be extended to a more generic reconfigurable media coding (RMC) framework.

The objective of RVC is to offer a framework that is capable of configuring and specifying video codecs as a collection of “higher level” modules by using video coding tools. The video coding tools are defined in video tool libraries. This d defines the MPEG video tool library. The RVC framework principle could also support non-MPEG tool libraries, provided that their developers have taken care to obey the appropriate rules of operation.

For the purpose of framework deployment, an appropriate description is needed to describe configurations of decoders composed of or instantiated from a subset of video tools from either one or more libraries. As illustrated in Figure 1, the configuration information consists of

- bitstream syntax description, and
- network of functional units (FUs) description (also referred to as the decoder configuration)

that together constitute the entire decoder description.

Bitstreams of existing MPEG standards are specified by specific syntax structures and decoders are composed of various coding tools. Therefore, RVC includes support for bitstream syntax descriptions as well as video coding tools. As depicted in Figure 1, a typical RVC decoder requires two types of information, namely the decoder description and the encoded media (e.g. video bitstreams) data.




Figure 1 — Conceptual diagram of RVC

A more detailed description of the RVC decoder is illustrated in Figure 2. As shown in Figure 2, the decoder description is required for the configuration of a RVC decoder. The Bitstream Syntax Description (BSD) and FU Network Description (FND) (which compose the Decoder Description) are used to configure or compose an abstract decoder model (ADM) which is instantiated through the selection of FUs from tool libraries optionally with proper parameter assignment. Such ADM constitutes the behavioral reference model used in setting up a decoding solution under the RVC framework. The process of yielding a decoding solution may vary depending on the technologies used for the desired

implementations. Examples of the instantiation of an ADM and generation of proprietary decoding solutions can be found in ISO/IEC 23001-4.




Figure 2 — Graphical representation of the process for setting up a decoding solution under the RVC framework

Within the RVC framework, the decoder description describes a particular decoder configuration and consists of the FND and the BSD. The FND describes the connectivity of the network of FUs used to form a decoder whereas the parsing process for the bitstream syntax is implicitly described by the BSD. These two descriptions are specified using two standard XML-based languages or dialects.

- Functional unit network language (FNL) is a language that describes the FND, known also as “network of FUs”. The FNL specified normatively within the scope of the RVC framework is provided in ISO/IEC 23001-4.
- Bitstream syntax description language (BSDL), standardized in ISO/IEC 23001-5 (MPEG-B Part 5), describes the bitstream syntax and the parsing rules. A pertinent subset of this BSDL named RVC-BSDL is defined within the scope of the current RVC framework. This RVC-BSDL also includes possibilities for further extensions, which are necessary to provide complete description of video bitstreams. RVC-BSDL specified normatively within the scope of the RVC framework is provided in ISO/IEC 23001-4.

The decoder configuration specified using FNL, together with the specification of the bitstream syntax using RVC-BSDL fully specifies the ADM and provides an “executable” model of the RVC decoder description.

The instantiated ADM includes the information about the selected FUs and how they should be connected. As already mentioned, the FND with the network connection information is expressed by using FNL. Furthermore, the RVC framework specifies and uses a dataflow-oriented language called RVC-CAL for describing FUs' behavior. The normative specification of RVC-CAL is provided in ISO/IEC 23001-4. The ADM is the behavioural model that should be referred to in order to implement any RVC conformant decoder. Any RVC compliant decoding solution/implementation can be achieved by using proprietary non-normative tools and mechanisms that yield decoders that behave equivalent to the RVC ADM.

The decoder description, the MPEG tool library, and the associated instantiation of an ADM are normative. More precisely, the ADM is intended to be normative in terms of a behavioural model. In other words, what is normative is the input/output behaviour of the complete ADM, as well as the input/output behaviour of all the FUs that are included in the ADM.

A statement concerning patents is included in Annex H of this document.

Information technology — MPEG video technologies —

Part 4: Video tool library

1 Scope

This document defines the description of the MPEG video tool library (VTL) based on the decoder description specified in ISO/IEC 23001-4. This tool library defines the specification of FUs, which are sufficient to build complete decoding solutions according to the following coding standards:

- ISO/IEC 14496-2 (MPEG-4 Simple Profile),
- ISO/IEC 14496-10 (MPEG-4 AVC Constrained Baseline Profile and Progressive High Profile),
- ISO/IEC 14496-16 (MPEG-4 SC3DMC), and
- ISO/IEC 23008-2 (HEVC Main Profile).

The objective of ISO/IEC 23001-4 is to define the general framework principles, and this document defines the MPEG VTL that includes relevant tools (or FUs) from the existing MPEG coding standards. Each FU is defined in the form of a textual description, which can be found in 4.1. The input and output behaviour follows the conventions described in Clause 5, Clause 6, and Clause 7.

This document compliant implementations can be designed using any software or hardware language and components. The reference software for the textual specification of FUs is written in RVC-CAL language of which a formal syntax is provided in ISO/IEC 23001-4.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 14496-2, *Information technology — Coding of audio-visual objects — Part 2: Visual*

ISO/IEC 14496-10, *Information technology — Coding of audio-visual objects — Part 10: Advanced Video Coding*

ISO/IEC 14496-16, *Information technology — Coding of audio-visual objects — Part 16: Animation Framework eXtension (AFX)*

ISO/IEC 23001-4, *Information technology — MPEG systems technologies — Part 4: Codec configuration representation*

ISO/IEC 23008-2, *Information technology — High efficiency coding and media delivery in heterogeneous environments — Part 2: High efficiency video coding*