

INTERNATIONAL
STANDARD

ISO/IEC
23005-2

Fourth edition
2018-09

**Information technology — Media
context and control —**

**Part 2:
Control information**

*Technologies de l'information — Contrôle et contexte de supports —
Partie 2: Informations de contrôle*



Reference number
ISO/IEC 23005-2:2018(E)

© ISO/IEC 2018



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
1 Scope	1
2 Normative references.....	1
3 Terms, definitions, abbreviated terms, schema documents and prefixes	2
3.1 Terms and definitions	2
3.2 Abbreviated terms.....	2
3.3 Schema documents.....	2
3.4 Use of prefixes	3
4 Control information description language.....	3
4.1 General.....	3
4.2 Schema wrapper conventions.....	4
4.3 Mnemonics for binary representations.....	4
4.4 Common header for binary representations	4
4.5 Root element and top-level tools	5
4.5.1 General.....	5
4.5.2 XML representation syntax.....	5
4.5.3 Binary representation syntax.....	6
4.5.4 Semantics	8
4.5.5 Examples.....	23
4.6 Sensory device capability description.....	24
4.6.1 General.....	24
4.6.2 Reference coordinate system	24
4.6.3 Sensory device capability base type	25
4.6.4 Sensory device capability base attributes.....	26
4.7 Sensor capability description	27
4.7.1 General.....	27
4.7.2 Global coordinate for sensors.....	28
4.7.3 Sensor capability base type.....	28
4.7.4 Sensor capability base attributes	30
4.8 User's sensory preference description.....	33
4.8.1 General.....	33
4.8.2 User sensory preference base type.....	34
4.8.3 User sensory preference base attributes	34
4.9 Sensor adaptation preference description	36
4.9.1 General.....	36
4.9.2 Sensor adaptation preference base type.....	36
4.9.3 Sensor adaptation preference base attributes	37
5 Device capability description vocabulary	40
5.1 General.....	40
5.2 Schema wrapper conventions.....	41
5.3 Light capability type	42
5.3.1 General.....	42
5.3.2 XML representation syntax.....	42
5.3.3 Binary representation syntax.....	42
5.3.4 Semantics	43
5.3.5 Examples.....	44
5.4 Flash capability type	44
5.4.1 General.....	44
5.4.2 XML representation syntax.....	45
5.4.3 Binary representation syntax.....	45
5.4.4 Semantics	45

5.4.5	Examples	46
5.5	Heating capability type.....	46
5.5.1	General	46
5.5.2	XML representation syntax	46
5.5.3	Binary representation syntax	47
5.5.4	Semantics	47
5.5.5	Examples	48
5.6	Cooling capability type	48
5.6.1	General	48
5.6.2	XML representation syntax	49
5.6.3	Binary representation syntax	49
5.6.4	Semantics	49
5.6.5	Examples	50
5.7	Wind capability type.....	50
5.7.1	General	50
5.7.2	XML representation syntax	51
5.7.3	Binary representation syntax	51
5.7.4	Semantics	51
5.7.5	Examples	52
5.8	Vibration capability type.....	52
5.8.1	General	52
5.8.2	XML representation syntax	52
5.8.3	Binary representation syntax	53
5.8.4	Semantics	53
5.8.5	Examples	54
5.9	Scent capability type.....	54
5.9.1	General	54
5.9.2	XML representation syntax	54
5.9.3	Binary representation syntax	55
5.9.4	Semantics	56
5.9.5	Examples	56
5.10	Fog capability type.....	57
5.10.1	General	57
5.10.2	XML representation syntax	57
5.10.3	Binary representation syntax	57
5.10.4	Semantics	58
5.10.5	Examples	58
5.11	Sprayer capability type.....	59
5.11.1	General	59
5.11.2	XML representation syntax	59
5.11.3	Binary representation syntax	59
5.11.4	Semantics	60
5.11.5	Examples	61
5.12	Colour correction capability type	61
5.12.1	General	61
5.12.2	XML representation syntax	61
5.12.3	Binary representation syntax	61
5.12.4	Semantics	62
5.12.5	Examples	62
5.13	Tactile capability type	62
5.13.1	General	62
5.13.2	XML representation syntax	62
5.13.3	Binary representation syntax	63
5.13.4	Semantics	65
5.13.5	Examples	67
5.14	Kinesthetic capability type.....	68
5.14.1	General	68
5.14.2	XML representation syntax	68
5.14.3	Binary representation syntax	69

5.14.4	Semantics	71
5.14.5	Examples	74
5.15	RigidBodyMotion capability type	75
5.15.1	General	75
5.15.2	XML representation syntax	75
5.15.3	Binary representation syntax	76
5.15.4	Semantics	83
5.15.5	Examples	91
5.16	Mobile device position capability type	91
5.16.1	General	91
5.16.2	XML representation syntax	92
5.16.3	Binary representation syntax	93
5.16.4	Semantics	95
5.16.5	Examples	97
5.17	Bubble capability type	97
5.17.1	General	97
5.17.2	XML representation syntax	97
5.17.3	Binary representation syntax	98
5.17.4	Semantics	98
5.17.5	Examples	98
5.18	3D Printing capability type	98
5.18.1	General	98
5.18.2	XML representation syntax	98
5.18.3	Binary representation syntax	102
5.18.4	Semantics	110
5.18.5	Examples	117
5.19	Arrayed Light capability type	120
5.19.1	General	120
5.19.2	Syntax	120
5.19.3	Binary Representation Syntax	120
5.19.4	Semantics	121
5.19.5	Examples	122
5.20	Sound display capability type	122
5.20.1	General	122
5.20.2	Syntax	122
5.20.3	Binary representation syntax	124
5.20.4	Semantics	126
5.20.5	Examples	128
6	Sensor capability description vocabulary	129
6.1	General	129
6.2	Schema wrapper conventions	130
6.3	Light sensor capability type	130
6.3.1	General	130
6.3.2	XML representation syntax	130
6.3.3	Binary representation syntax	131
6.3.4	Semantics	131
6.3.5	Examples	132
6.4	Ambient noise sensor capability type	133
6.4.1	General	133
6.4.2	XML representation syntax	133
6.4.3	Binary representation syntax	133
6.4.4	Semantics	133
6.4.5	Examples	134
6.5	Temperature sensor capability type	134
6.5.1	General	134
6.5.2	XML representation syntax	134
6.5.3	Binary representation syntax	134
6.5.4	Semantics	135

6.5.5	Examples	135
6.6	Humidity sensor capability type	135
6.6.1	General	135
6.6.2	XML representation syntax	135
6.6.3	Binary representation syntax	136
6.6.4	Semantics	136
6.6.5	Examples	136
6.7	Distance sensor capability type	137
6.7.1	General	137
6.7.2	XML representation syntax	137
6.7.3	Binary representation syntax	137
6.7.4	Semantics	137
6.7.5	Examples	138
6.8	Atmospheric pressure sensor capability type	138
6.8.1	General	138
6.8.2	XML representation syntax	138
6.8.3	Binary representation syntax	139
6.8.4	Semantics	139
6.8.5	Examples	139
6.9	Position sensor capability type	140
6.9.1	General	140
6.9.2	XML representation syntax	140
6.9.3	Binary representation syntax	140
6.9.4	Semantics	141
6.9.5	Examples	141
6.10	Velocity sensor capability type	142
6.10.1	General	142
6.10.2	XML representation syntax	142
6.10.3	Binary representation syntax	142
6.10.4	Semantics	142
6.10.5	Examples	142
6.11	Acceleration sensor capability type	143
6.11.1	General	143
6.11.2	XML representation syntax	143
6.11.3	Binary representation syntax	143
6.11.4	Semantics	143
6.11.5	Examples	143
6.12	Orientation sensor capability type	144
6.12.1	General	144
6.12.2	XML representation syntax	144
6.12.3	Binary representation syntax	144
6.12.4	Semantics	145
6.12.5	Examples	145
6.13	Angular velocity sensor capability type	146
6.13.1	General	146
6.13.2	XML representation syntax	146
6.13.3	Binary representation syntax	146
6.13.4	Semantics	146
6.13.5	Examples	147
6.14	Angular acceleration sensor capability type	147
6.14.1	General	147
6.14.2	XML representation syntax	147
6.14.3	Binary representation syntax	147
6.14.4	Semantics	147
6.14.5	Examples	148
6.15	Force sensor capability type	148
6.15.1	General	148
6.15.2	XML representation syntax	148
6.15.3	Binary representation syntax	148

6.15.4	Semantics	148
6.15.5	Examples	149
6.16	Torque sensor capability type	149
6.16.1	General	149
6.16.2	XML representation syntax	149
6.16.3	Binary representation syntax	149
6.16.4	Semantics	149
6.16.5	Examples	149
6.17	Pressure sensor capability type	150
6.17.1	General	150
6.17.2	XML representation syntax	150
6.17.3	Binary representation syntax	150
6.17.4	Semantics	150
6.17.5	Examples	150
6.18	Motion sensor capability type	151
6.18.1	General	151
6.18.2	XML representation syntax	151
6.18.3	Binary representation syntax	151
6.18.4	Semantics	152
6.18.5	Examples	153
6.19	Intelligent camera capability type	154
6.19.1	General	154
6.19.2	XML representation syntax	154
6.19.3	Binary representation syntax	155
6.19.4	Semantics	157
6.19.5	Examples	159
6.20	Bend sensor capability type	159
6.20.1	General	159
6.20.2	XML representation syntax	160
6.20.3	Binary representation syntax	160
6.20.4	Semantics	161
6.20.5	Examples	162
6.21	Gas sensor capability type	163
6.21.1	General	163
6.21.2	XML representation syntax	163
6.21.3	Binary representation syntax	163
6.21.4	Semantics	163
6.21.5	Examples	164
6.22	Dust sensor capability type	164
6.22.1	General	164
6.22.2	XML representation syntax	164
6.22.3	Binary representation syntax	164
6.22.4	Semantics	165
6.22.5	Examples	165
6.23	Multi interaction point sensor capability type	165
6.23.1	General	165
6.23.2	XML representation syntax	165
6.23.3	Binary representation syntax	165
6.23.4	Semantics	166
6.23.5	Examples	166
6.24	Gaze tracking sensor capability type	166
6.24.1	General	166
6.24.2	XML representation syntax	166
6.24.3	Binary representation syntax	167
6.24.4	Semantics	167
6.24.5	Examples	168
6.25	Global position sensor capability type	169
6.25.1	General	169
6.25.2	XML representation syntax	169

6.25.3	Binary representation syntax	169
6.25.4	Semantics	170
6.25.5	Examples	172
6.26	Altitude sensor capability type	172
6.26.1	General	172
6.26.2	XML representation syntax	172
6.26.3	Binary representation syntax	172
6.26.4	Semantics	173
6.26.5	Examples	173
6.27	Weather sensor capability type	174
6.27.1	General	174
6.27.2	XML representation syntax	174
6.27.3	Binary representation syntax	175
6.27.4	Semantics	175
6.27.5	Examples	177
6.28	Camera sensor capability type	177
6.28.1	General	177
6.28.2	XML representation syntax	177
6.28.3	Binary representation	179
6.28.4	Semantics	181
6.28.5	Examples	185
6.29	Proximity sensor capability type	186
6.29.1	General	186
6.29.2	XML representation syntax	186
6.29.3	Binary representation syntax	186
6.29.4	Semantics	186
6.29.5	Examples	187
6.30	Body weight sensor capability type	187
6.30.1	General	187
6.30.2	XML representation syntax	187
6.30.3	Binary representation syntax	187
6.30.4	Semantics	187
6.30.5	Examples	188
6.31	Engine oil temperature sensor capability type	188
6.31.1	General	188
6.31.2	XML representation syntax	188
6.31.3	Binary representation syntax	188
6.31.4	Semantics	188
6.31.5	Examples	188
6.32	Intake air temperature sensor capability type	189
6.32.1	General	189
6.32.2	XML representation syntax	189
6.32.3	Binary representation syntax	189
6.32.4	Semantics	189
6.32.5	Examples	189
6.33	Tire pressure monitor system sensor capability type	190
6.33.1	General	190
6.33.2	XML representation syntax	190
6.33.3	Binary representation syntax	190
6.33.4	Semantics	190
6.33.5	Examples	190
6.34	Distance travelled sensor capability type	191
6.34.1	General	191
6.34.2	XML representation syntax	191
6.34.3	Binary representation syntax	191
6.34.4	Semantics	191
6.34.5	Examples	191
6.35	Speed sensor capability type	192
6.35.1	General	192

6.35.2	XML representation syntax.....	192
6.35.3	Binary representation syntax.....	192
6.35.4	Semantics.....	192
6.35.5	Examples.....	192
6.36	Vehicle speed sensor capability type	192
6.36.1	General.....	192
6.36.2	XML representation syntax.....	193
6.36.3	Binary representation syntax.....	193
6.36.4	Semantics.....	193
6.36.5	Examples.....	193
6.37	Mass air flow sensor capability type	193
6.37.1	General.....	193
6.37.2	XML representation syntax.....	193
6.37.3	Binary representation syntax.....	194
6.37.4	Semantics.....	194
6.37.5	Examples.....	194
6.38	Fuel level sensor capability type	194
6.38.1	General.....	194
6.38.2	XML representation syntax.....	194
6.38.3	Binary representation syntax.....	194
6.38.4	Semantics.....	194
6.38.5	Examples.....	195
6.39	Manifold absolute pressure sensor capability type.....	195
6.39.1	General.....	195
6.39.2	XML representation syntax.....	195
6.39.3	Binary representation syntax.....	195
6.39.4	Semantics.....	195
6.39.5	Examples.....	195
6.40	EngineRPM sensor capability type	196
6.40.1	General.....	196
6.40.2	XML representation syntax.....	196
6.40.3	Binary representation syntax.....	196
6.40.4	Semantics.....	196
6.40.5	Examples.....	196
6.41	Radar sensor capability type	197
6.41.1	General.....	197
6.41.2	XML representation syntax.....	197
6.41.3	Binary representation syntax.....	197
6.41.4	Semantics.....	198
6.41.5	Examples.....	198
6.42	Array camera sensor capability type.....	199
6.42.1	General.....	199
6.42.2	XML representation syntax.....	199
6.42.3	Binary representation syntax.....	199
6.42.4	Semantics.....	200
6.42.5	Examples.....	200
6.43	E-Nose sensor capability type	201
6.43.1	General.....	201
6.43.2	XML representation syntax.....	201
6.43.3	Binary representation syntax.....	202
6.43.4	Semantics.....	204
6.43.5	Examples.....	207
6.44	Microphone sensor capability type	208
6.44.1	General.....	208
6.44.2	Syntax.....	208
6.44.3	Binary representation syntax	210
6.44.4	Semantics.....	212
6.44.5	Examples.....	213

7	User's sensory preference vocabulary.....	214
7.1	General.....	214
7.2	Schema wrapper conventions.....	215
7.3	Light preference type	215
7.3.1	General.....	215
7.3.2	XML representation syntax	215
7.3.3	Binary representation syntax	216
7.3.4	Semantics	216
7.3.5	Examples	217
7.4	Flash preference type	217
7.4.1	General.....	217
7.4.2	XML representation syntax	217
7.4.3	Binary representation syntax	218
7.4.4	Semantics	218
7.4.5	Examples	219
7.5	Heating preference type	219
7.5.1	General.....	219
7.5.2	XML representation syntax	219
7.5.3	Binary representation syntax	219
7.5.4	Semantics	220
7.5.5	Examples	220
7.6	Cooling preference type	220
7.6.1	General.....	220
7.6.2	XML representation syntax	221
7.6.3	Binary representation syntax	221
7.6.4	Semantics	221
7.6.5	Examples	222
7.7	Wind preference type	222
7.7.1	General.....	222
7.7.2	XML representation syntax	222
7.7.3	Binary representation syntax	223
7.7.4	Semantics	223
7.7.5	Examples	223
7.8	Vibration preference type	224
7.8.1	General.....	224
7.8.2	XML representation syntax	224
7.8.3	Binary representation syntax	224
7.8.4	Semantics	224
7.8.5	Examples	225
7.9	Scent preference type	225
7.9.1	General.....	225
7.9.2	XML representation syntax	225
7.9.3	Binary representation syntax	226
7.9.4	Semantics	226
7.9.5	Examples	227
7.10	Fog preference type	227
7.10.1	General.....	227
7.10.2	XML representation syntax	227
7.10.3	Binary representation syntax	228
7.10.4	Semantics	228
7.10.5	Examples	229
7.11	Spraying preference type	229
7.11.1	General.....	229
7.11.2	XML representation syntax	229
7.11.3	Binary representation syntax	229
7.11.4	Semantics	230
7.11.5	Examples	230
7.12	Colour correction preference type.....	231
7.12.1	General.....	231

7.12.2	XML representation syntax.....	231
7.12.3	Binary representation syntax.....	231
7.12.4	Semantics.....	231
7.12.5	Examples.....	231
7.13	Tactile preference type	231
7.13.1	General.....	231
7.13.2	XML representation syntax.....	232
7.13.3	Binary representation syntax.....	232
7.13.4	Semantics.....	233
7.13.5	Examples.....	234
7.14	Kinesthetic preference type.....	235
7.14.1	General.....	235
7.14.2	XML representation syntax.....	235
7.14.3	Binary representation syntax.....	235
7.14.4	Semantics.....	236
7.14.5	Examples.....	237
7.15	RigidBodyMotion preference type.....	237
7.15.1	General.....	237
7.15.2	XML representation syntax.....	237
7.15.3	Binary representation syntax.....	239
7.15.4	Semantics.....	245
7.15.5	Examples.....	252
7.16	Bubble preference type.....	253
7.16.1	General.....	253
7.16.2	XML representation syntax.....	253
7.16.3	Binary representation syntax.....	253
7.16.4	Semantics.....	253
7.16.5	Examples.....	253
7.17	3D printing preference type	253
7.17.1	General.....	253
7.17.2	XML representation syntax.....	253
7.17.3	Binary representation syntax.....	256
7.17.4	Semantics.....	261
7.17.5	Examples.....	265
7.18	3D printing colour reproduction preference type.....	266
7.18.1	General.....	266
7.18.2	XML representation syntax.....	266
7.18.3	Binary representation syntax.....	266
7.18.4	Semantics.....	267
7.18.5	Examples.....	267
7.19	Arrayed Light preference type.....	267
7.19.1	General.....	267
7.19.2	Syntax.....	267
7.19.3	Binary representation syntax.....	267
7.19.4	Semantics.....	268
7.19.5	Examples.....	268
7.20	Sound display preference type	268
7.20.1	General.....	268
7.20.2	Syntax.....	268
7.20.3	Binary representation syntax.....	270
7.20.4	Semantics.....	271
7.20.5	Examples.....	273
8	Sensor adaptation preference vocabulary	274
8.1	General.....	274
8.2	Schema wrapper conventions.....	274
8.3	Light sensor adaptation preference type	275
8.3.1	General.....	275
8.3.2	XML representation syntax.....	275

8.3.3	Binary representation syntax	275
8.3.4	Semantics	275
8.3.5	Examples	276
8.4	Ambient noise sensor adaptation preference type	276
8.4.1	General	276
8.4.2	XML representation syntax	276
8.4.3	Binary representation syntax	277
8.4.4	Semantics	277
8.4.5	Examples	277
8.5	Temperature sensor adaptation preference type	277
8.5.1	General	277
8.5.2	XML representation syntax	277
8.5.3	Binary representation syntax	278
8.5.4	Semantics	278
8.5.5	Examples	278
8.6	Humidity sensor adaptation preference type	278
8.6.1	General	278
8.6.2	XML representation syntax	278
8.6.3	Binary representation syntax	279
8.6.4	Semantics	279
8.6.5	Examples	279
8.7	Distance sensor adaptation preference type	279
8.7.1	General	279
8.7.2	XML representation syntax	279
8.7.3	Binary representation syntax	280
8.7.4	Semantics	280
8.7.5	Examples	280
8.8	Atmospheric pressure sensor adaptation preference type	280
8.8.1	General	280
8.8.2	XML representation syntax	280
8.8.3	Binary representation syntax	281
8.8.4	Semantics	281
8.8.5	Examples	281
8.9	Position sensor adaptation preference type	281
8.9.1	General	281
8.9.2	XML representation syntax	281
8.9.3	Binary representation syntax	282
8.9.4	Semantics	282
8.9.5	Examples	283
8.10	Velocity sensor adaptation preference type	283
8.10.1	General	283
8.10.2	XML representation syntax	283
8.10.3	Binary representation syntax	284
8.10.4	Semantics	284
8.10.5	Examples	284
8.11	Acceleration sensor adaptation preference type	284
8.11.1	General	284
8.11.2	XML representation syntax	284
8.11.3	Binary representation syntax	285
8.11.4	Semantics	285
8.11.5	Examples	285
8.12	Orientation sensor adaptation preference type	285
8.12.1	General	285
8.12.2	XML representation syntax	285
8.12.3	Binary representation syntax	286
8.12.4	Semantics	286
8.12.5	Examples	287
8.13	Angular velocity sensor adaptation preference type	287
8.13.1	General	287

8.13.2	XML representation syntax.....	287
8.13.3	Binary representation syntax.....	288
8.13.4	Semantics.....	288
8.13.5	Examples.....	288
8.14	Angular acceleration sensor adaptation preference type	288
8.14.1	General.....	288
8.14.2	XML representation syntax.....	288
8.14.3	Binary representation syntax.....	289
8.14.4	Semantics.....	289
8.14.5	Examples.....	289
8.15	Force sensor adaptation preference type	289
8.15.1	General.....	289
8.15.2	XML representation syntax.....	289
8.15.3	Binary representation syntax.....	290
8.15.4	Semantics.....	290
8.15.5	Examples.....	290
8.16	Torque sensor adaptation preference type	290
8.16.1	General.....	290
8.16.2	XML representation syntax.....	290
8.16.3	Binary representation syntax.....	291
8.16.4	Semantics.....	291
8.16.5	Examples.....	291
8.17	Pressure sensor adaptation preference type.....	291
8.17.1	General.....	291
8.17.2	XML representation syntax.....	291
8.17.3	Binary representation syntax.....	292
8.17.4	Semantics.....	292
8.17.5	Examples.....	292
8.18	Motion sensor adaptation preference type.....	292
8.18.1	General.....	292
8.18.2	XML representation syntax.....	292
8.18.3	Binary representation syntax.....	293
8.18.4	Semantics.....	294
8.18.5	Examples.....	295
8.19	Intelligent camera sensor adaptation preference type	296
8.19.1	General.....	296
8.19.2	XML representation syntax.....	296
8.19.3	Binary representation syntax.....	297
8.19.4	Semantics.....	298
8.19.5	Examples.....	299
8.20	Radar sensor adaptation preference type.....	300
8.20.1	General.....	300
8.20.2	XML representation syntax.....	300
8.20.3	Binary representation syntax.....	300
8.20.4	Semantics.....	301
8.20.5	Examples.....	302
8.21	Array camera sensor adaptation preference type	302
8.21.1	General.....	302
8.21.2	XML representation syntax.....	302
8.21.3	Binary representation syntax.....	303
8.21.4	Semantics.....	304
8.21.5	Examples.....	304
	Annex A (normative) Classification schemes	306
	Annex B (informative) Schema documents	308
	Bibliography	309

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the General and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 29, *Coding of audio, picture, multimedia and hypermedia information*.

This fourth edition cancels and replaces the third edition (ISO/IEC 23005-2:2016), which has been technically revised.

The main changes compared to the previous edition are the addition of:

- device capabilities for a 3D printer, an arrayed light, and a sound displayer;
- sensor capabilities for a radar, an array camera, an E-Nose, and a microphone;
- user preferences for a 3D printing, a 3D printing colour reproduction, an arrayed light effect, and a sound display;
- sensor adaptation preferences for a radar and an arrayed camera.

A list of all parts in the ISO/IEC 23005 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

The ISO/IEC 23005 series provides an architecture and specifies information representation of data flowing in and out of the real world and virtual worlds.

The data for the real world are communicated through sensors and actuators. The data for virtual worlds consist of properties of virtual objects and multi-sensorial data embedded in audio-visual content. MPEG-V specifies data formats for sensors, actuators, virtual objects, and audio-visual content.

Data captured from the real world may need to be adapted for use in a virtual world and data from virtual worlds may also need to be adapted for use in the real world. The ISO/IEC 23005 series does not specify how the adaptation is carried out but only specifies the interfaces.

Data for sensors are sensor capabilities, sensed data, and sensor adaptation preferences.

Data for actuators are sensory device capabilities, sensory device commands, and sensory effect preferences.

Data for virtual objects are characteristics of avatars and virtual world objects.

Sensory effect may be needed to enrich audio-visual contents.

The system architecture of the ISO/IEC 23005 series is depicted in Figure 1 and the scope of this document is highlighted in yellow. The information representation that acts as control information; user's sensor and actuation preferences, actuator capabilities, and sensor capabilities – as defined in ISO/IEC 23005-1 – is specified in this document.




Figure 1 — Scope of the ISO/IEC 23005 series (showing this document in yellow)

This document contains the tools of the control information for the sensors and actuators. It addresses the normative aspects of the control information including device (sensors or sensory devices) capability description, user preference information (for sensor adaption or sensory effect adaptation), and also illustrates some non-normative examples.

The International Organization for Standardization (ISO) and the International Electrotechnical Commission (IEC) draw attention to the fact that it is claimed that compliance with this document may involve the use of patents.

ISO and the IEC take no position concerning the evidence, validity and scope of these patent rights. The holders of these patent rights have assured the ISO and IEC that they are willing to negotiate licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statements of the holders of these patents right are registered with ISO and IEC. Information may be obtained from the companies listed below.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified in this list. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO (www.iso.org/patents) and IEC (<http://patents.iec.ch>) maintain online databases of patents relevant to their standards. Users are encouraged to consult the databases for the most up to date information concerning patents.

Company	Address
Samsung Electronics Co.Ltd.	416, Maetan-dong, Yeongtong-gu, Suwon-si, Gyeonggi-do, 152-848, Republic of Korea
Gwangju Institute of Science and Technology	261 Cheomdan - gwagiro (Oryong-dong), Buk-gu, Gwangju 500-712, Republic of Korea
Electronics and Telecommunications Research Institute (ETRI)	218 Gajeongno, Yuseong-gu, Daejeon, 305-700, Republic of Korea
Konkuk University	1 Hwayang-dong, Gwangjin-gu, Seoul, 143-701, Republic of Korea
Myongji University	116 Myongji-ro, Cheoin-gu, Yongin, 449-728, Republic of Korea

Information technology — Media context and control —

Part 2: Control information

1 Scope

The technologies of this document specified are:

- description languages and vocabularies to characterize devices and users;
- control information to fine tune the sensed information and the actuator command for the control of virtual/real worlds, i.e., user's actuation preference information, user's sensor preference information, actuator capability description, and sensor capability description

The adaptation engine is not within the scope of this document.

This document specifies syntax and semantics of the tools required to provide interoperability in controlling devices (actuators and sensors) in real as well as virtual worlds:

- Control Information Description Language (CIDL) as an XML schema-based language which enables one to describe a basic structure of control information.
- Device Capability Description Vocabulary (DCDV), an XML representation for describing capabilities of actuators such as lamps, fans, vibrators, motion chairs, scent generators, etc.
- Sensor Capability Description Vocabulary (SCDV), interfaces for describing capabilities of sensors such as a light sensor, a temperature sensor, a velocity sensor, a global position sensor, an intelligent camera sensor, etc.
- Sensory Effect Preference Vocabulary (SEPV), interfaces for describing preferences of individual user on specific sensorial effects such as light, wind, scent, vibration, etc.
- Sensor Adaptation Preference Vocabulary (SAPV), interfaces for describing preferences on a sensor of an individual user on each type of sensed information.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 15938-5:2003, *Information technology — Multimedia content description interface — Part 5: Multimedia description schemes*

ISO/IEC 23005-6: —,¹ *Information technology — Media context and control — Part 6: Common types and tools*

ISO/IEC 21000-7, *Information technology — Multimedia framework (MPEG-21) — Part 7: Digital Item Adaptation*

¹ Under preparation. Stage at time of publication: ISO/IEC DIS 23005-6:2017.