



**International
Standard**

ISO/IEC 23090-28

**Information technology — Coded
representation of immersive
media —**

**Part 28:
Interchangeable scene-based media
representations**

*Technologies de l'information — Représentation codée de média
immersifs —*

*Partie 28: Représentations de médias basés sur des scènes
interchangeables*

**First edition
2026-02**

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
3.1 General.....	1
3.2 Abbreviated terms.....	3
4 Architectures for scene-based media	3
4.1 General.....	3
4.2 Architecture for scene graph representations.....	4
4.3 Scenes nested within scenes.....	5
4.4 Architecture for annotated scene graph using IMS.....	5
4.5 Architecture for translation between scene graph representations using IMS.....	5
5 Independent mapping space (IMS)	7
5.1 General.....	7
5.2 Architecture of IMS.....	7
5.3 IMS systems.....	7
5.3.1 General.....	7
5.3.2 IMS logical organization component.....	9
5.3.3 IMS physical organization component.....	18
5.3.4 IMS processing directions component.....	23
Annex A (normative) Annotation using IMS and ITMF	32
Annex B (normative) Mapping of IMS to glTF 2.0	37
Annex C (normative) Annotation process for glTF	39
Bibliography	45

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives or www.iec.ch/members_experts/refdocs).

ISO and IEC draw attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO and IEC take no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO and IEC had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents and <https://patents.iec.ch>. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html. In the IEC, see www.iec.ch/understanding-standards.

This document was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 29, *Coding of audio, picture, multimedia and hypermedia information*.

A list of all parts in the ISO/IEC 23090 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Emerging display technologies capable of creating fully formed holograms, e.g. 3D aerial images comprised of waveforms emitted from a display panel surface, require input source media that are sufficiently dense in information such that each of the objects in a holographic visual scene is described in terms of its complete and explicit geometry, and surface properties to characterize how the surface responds to the presence of light. Such visual information can furthermore facilitate display technologies to produce visual scenes of objects that cannot be distinguished from the same objects when viewed in the natural world; i.e., the visual information of the media is sufficiently dense such that the display is enabled to produce a photorealistic result.

Commonly used raster media formats such as those specified in ITU-R BT.601, ITU-R BT.709, ITU-R BT.2020, ITU-R BT.2100 were originally developed to efficiently provide information sufficient for 2D displays to produce 2D visual presentations, albeit with varying degrees of spatial resolutions, frame rates, and pixel depth. These raster formats, however, neither provide sufficient information in a practical nor efficient manner, to enable a holographic display to produce holograms. As an alternative to raster media, 3D graphics formats used in digital content creation tools and production workflows offer a solution to provide sufficiently dense information to enable photorealistic results where raster formats do not. The use of 3D graphics technologies hence serves as a fundamental technology in enabling immersive displays to create their optimal visual presentations.

To date, immersive displays provide a media input interface that is capable of ingesting 3D graphics formats for presentation by the display. Such interfaces can be enabled and shipped as part of the onboard processing features in the display by use of game engine software development kits. However, 3D scene media that are targeted for processing by the display's choice of renderer must first be translated into a format that is consistent with the internal scene representations of the renderer. To facilitate the translation and distribution of 3D scene media into the renderer interface provided by the display, an independent mapping space (IMS) is specified as a part of the ISO/IEC 23090 series.

At the core of the IMS is a vocabulary of terms and definitions that can be used to annotate a scene graph or scene asset with metadata, i.e. to facilitate the translation of media from one format to another. Such translation from one format to another format is a commonly encountered challenge in the distribution of scene-based media, as a number of formats have emerged to gain popularity in various application areas, e.g., gaming, social media, e-commerce, and content production. The corresponding vocabulary of terms and definitions describes nodes, media formats, media attributes, and render processing instructions of commonly-used scene graph formats and media representations. Elements from the IMS can be used to annotate a scene graph or media format so that its translation to another format is more straightforward and consistently performed. Thus, the IMS facilitates the distribution and interoperability of a variety of scene-based media into render applications that are limited in the types of formats that they are designed to support.

Another application of this document is to guide the translation of media assets for use across a diverse set of applications comprising the Metaverse, e.g., gaming, social media, retail applications. In the absence of a common format that specifies media for use across the variety of Metaverse applications, the IMS can facilitate the translation from one asset representation to another.

Information technology — Coded representation of immersive media —

Part 28:

Interchangeable scene-based media representations

1 Scope

This document specifies an architecture and data model for interchange of scene-based media for use in systems and applications that employ renderers for the presentation of immersive media, including audio, visual, tactile and other representations of media types.

The architecture and data model specified in this document applies to use cases where there is a need for interchange of scene-based media for presentation by systems with 3D render-based technologies. One specific application of this document is immersive display technologies that utilize a real-time renderer of 3D media to create their visual presentations, as opposed to a video decoder and renderer of 2D raster-based media. Another application of this document is for the distribution of media assets for use across a large variety of applications comprising the Metaverse.

2 Normative references

There are no normative references in this document.

Bibliography

- [1] ISO/IEC 12113, *Information technology — Runtime 3D asset delivery format — Khronos glTF™ 2.0*
- [2] ISO/IEC/TR 23090-27, *Information technology — Coded representation of immersive media — Part 27: Media and architectures for render-based systems and applications*
- [3] IMMERSIVE DIGITAL EXPERIENCES ALLIANCE. *Immersive Technology Media Format Scene Graph Specification 2.0*, 1 December 2022 — <https://immersivalliance.org>
- [4] Immersive Digital Experiences Alliance, *Immersive Technology Media Format Data Encoding Specification 2.0*, 17 February 2023 — <https://immersivalliance.org>
- [5] Immersive Digital Experiences Alliance, *Immersive Technology Media Format Container Specification 2.0*, 17 February 2023 — <https://immersivalliance.org>
- [6] THE KHRONOS GROUP. glTF KHR_xmp_json_ld extension, https://github.com/KhronosGroup/glTF/blob/d8b075e918e6ba52a87a85232ee118fa7b87a23c/extensions/2.0/Khronos/KHR_xmp_json_ld/README.md
- [7] W3C, Recommendation 26, Extensible markup language (XML), <https://www.w3.org/TR/xml/>
- [8] Pixar, description of Open Subdivision open source project <https://graphics.pixar.com/opensubdiv/docs/intro.html>
- [9] imageworks, description of Alembic open source project, <https://www.alembic.io>
- [10] Pixar Animation Studios, description of Universal Scene Description open source project, <https://openusd.org/release/index.html>
- [11] AUTODESK F.B.X. SDK documentation, <http://docs.autodesk.com/FBX/2014/ENU/FBX-SDK-Documentation/index.html?url=files/GUID-5EDC0280-E000-4B0B-88DF-5D215A589D5E.htm&topicNumber=d30e10038>
- [12] INTERNET ENGINEERING TASK FORCE. RFC 1321 MD5 Message Digest Algorithm, <https://www.ietf.org/rfc/rfc1321.txt>
- [13] Internet Engineering Task Force RFC 8259 (December 2017), The JavaScript Object Notation (JSON) Data Interchange Format
- [14] ITU-R BT.601, *Studio encoding parameters of digital television for standard 4:3 and wide screen 16:9 aspect ratios*
- [15] ITU-R BT.709, *Parameter values for the HDTV standards for production and international programme exchange*
- [16] ITU-R BT.2020, *Parameter values for ultra-high definition television systems for production and international programme exchange*
- [17] ITU-R BT.2100, *Image parameter values for high dynamic range television for use in production and international programme exchange*