

INTERNATIONAL
STANDARD

ISO/IEC
26552

First edition
2019-05

**Software and systems engineering —
Tools and methods for product line
architecture design**

*Ingénierie du logiciel et des systèmes — Outils et méthodes pour la
conception architecturale des gammes de produits*



Reference number
ISO/IEC 26552:2019(E)

© ISO/IEC 2019



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	vi
Introduction	vii
1 Scope	1
2 Normative references	1
3 Terms and Definitions	1
4 Reference model for product line architecture design	2
4.1 Overview.....	2
4.2 Architecture management.....	3
4.3 Domain design.....	3
4.4 Asset management.....	4
4.5 Variability management in design.....	4
4.6 Application design.....	5
5 Architecture management	6
5.1 General.....	6
5.2 Architecture design planning.....	7
5.2.1 Principal constituents.....	7
5.2.2 Establish architecture design goals.....	7
5.2.3 Define key procedures for architecture design.....	8
5.2.4 Define schedules and required resources for architecture design.....	8
5.2.5 Specify how to monitor, measure and control the effectiveness of architecture design.....	9
5.2.6 Document the architecture design plan.....	9
5.3 Architecture design enabling.....	10
5.3.1 Principal constituents.....	10
5.3.2 Prepare for the architecture enablement.....	10
5.3.3 Develop and establish enabling capabilities and resources.....	11
5.3.4 Deploy capabilities and resources for architecture enablement.....	11
5.3.5 Improve architecture enablement capabilities and resources.....	12
5.4 Architecture design managing.....	12
5.4.1 Principal constituents.....	12
5.4.2 Prepare for architecture management execution.....	13
5.4.3 Implement the architecture management plans.....	14
5.4.4 Close and prepare for the architecture management plan change.....	14
6 Domain design	14
6.1 General.....	14
6.2 Conceptual architecture design.....	15
6.2.1 Principal constituents.....	15
6.2.2 Analyse problem space of the domain architecture.....	16
6.2.3 Synthesize potential solution alternatives.....	16
6.2.4 Formulate potential domain architecture(s).....	17
6.2.5 Capture domain architecture concepts and properties.....	17
6.2.6 Hand off conceptualized domain architecture to users and other stakeholders..	18
6.3 Domain architectural structure design.....	18
6.3.1 Principal constituents.....	18
6.3.2 Develop architecture viewpoints for the product line.....	19
6.3.3 Develop models and views of the domain architecture.....	19
6.3.4 Relate the domain architecture to requirements.....	20
6.3.5 Relate the domain architecture to detailed design.....	20
6.4 Architectural texture design.....	21
6.4.1 Principal constituents.....	21
6.4.2 Analyse common rules guiding realization.....	21
6.4.3 Define common ways to deal with variability at domain realization.....	22

6.4.4	Define common ways to deal with variability at application design and realization.....	22
6.4.5	Formulate architectural texture	23
6.5	Domain architecture documentation	23
6.5.1	Principal constituents	23
6.5.2	Assess the domain architecture documentation for structure and texture	24
6.5.3	Hand off architecture documentation to downstream users	24
6.6	Domain architecture evaluation.....	25
6.6.1	Principal constituents	25
6.6.2	Determine evaluation criteria for domain architecture.....	26
6.6.3	Establish measurement techniques for domain architecture.....	26
6.6.4	Review evaluation-related information for domain architecture	27
6.6.5	Analyse domain architecture and assess stakeholder satisfaction	27
6.6.6	Formulate findings and recommendations for domain architecture	28
6.6.7	Communicate evaluation results.....	28
7	Variability management in design	28
7.1	General.....	28
7.2	Internal variability in domain architecture.....	29
7.2.1	Principal constituents	29
7.2.2	Identify newly added internal variability.....	29
7.2.3	Refine external variability into internal variability	30
7.2.4	Relate internal variability with variability in requirements	30
7.3	Variability model in architecture	31
7.3.1	Principal constituents	31
7.3.2	Model variability in views of architecture(s).....	31
7.3.3	Maintain variability model in architecture	32
7.3.4	Document variability in architecture	32
7.4	Variability mechanism in architecture	33
7.4.1	Principal constituents	33
7.4.2	Identify variability mechanisms in architecture by category	33
7.4.3	Guide the use of variability mechanism category in architecture.....	34
7.4.4	Trace the usage status of variability mechanism category in architecture.....	34
7.4.5	Update variability mechanism category in architecture	35
7.5	Variability traceability in architecture	35
7.5.1	Principal constituents	35
7.5.2	Define trace links among variability in different architectural artefacts.....	36
7.5.3	Define trace links between architectural artefacts and variability model.....	36
8	Asset management in design	36
8.1	General.....	36
8.2	Managing domain design artefacts as domain assets.....	37
8.2.1	Principal constituents	37
8.2.2	Identify architectural artefacts managed as domain assets.....	37
8.2.3	Define configuration and annotation for domain architecture assets.....	38
8.3	Managing application design artefacts as application assets	38
8.3.1	Principal constituents	38
8.3.2	Identify architectural artefacts managed as application assets.....	39
8.3.3	Define configuration and annotation for application architecture assets.....	39
9	Application design	40
9.1	General.....	40
9.2	Binding in architecture	40
9.2.1	Principal constituents	40
9.2.2	Decide values of variabilities in architecture	41
9.2.3	Conduct bindings in architecture	41
9.2.4	Validate consistencies with bindings in requirements	42
9.2.5	Validate whether binding decisions adhere to the architectural texture.....	42
9.3	Application specific architectural structure design	42
9.3.1	Principal constituents	42

9.3.2	Develop models of the application specific architecture	43
9.3.3	Validate whether the application specific architecture adheres to the architectural texture	44
9.3.4	Relate the application specific architecture to requirements.....	44
9.3.5	Relate the application specific architecture to detailed design.....	44
9.4	Application architecture documentation	45
9.4.1	Principal constituents	45
9.4.2	Assess the application specific architecture documentation	46
9.4.3	Hand off application specific architecture documentation to downstream users.....	46
9.5	Application architecture evaluation	47
9.5.1	Principal constituents	47
9.5.2	Determine application specific evaluation criteria.....	48
9.5.3	Establish application specific measurement techniques.....	48
9.5.4	Review evaluation-related information for application architecture	48
9.5.5	Analyse application architecture and assess stakeholder satisfaction	49
9.5.6	Formulate findings and recommendations for application architecture	49
9.5.7	Communicate evaluation results with application specific stakeholders	50
Annex A (informative) Cross-reference with ISO/IEC/IEEE 42020, ISO/IEC/IEEE 42010 and ISO/IEC/IEEE 15288.....		51
Annex B (informative) Variability specification elements in ADL.....		58
Annex C (informative) Architecture structure and texture example		59
Bibliography.....		60

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 7, *Software and systems engineering*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

The main purpose of this document is to deal with the capabilities of methods and tools of architecture design for software and systems product line (SSPL). This document defines how the tools and methods can support for the software and systems product line-specific architecture processes.

Domain architecture provides structures and constraints that govern all the subsequent SSPL lifecycle processes as well as being transferred into the architecture design of a member product at the application design processes. Therefore, SSPL architecture design should be defined in detail, considering constraints, so that other processes have a consistent foundation. Supporting tools and methods of architecture design should consider those engineering processes that use and are affected by architecture design.

Product line architecture design can be differentiated from a single product development because of the following aspects:

- There are two core processes in architecture design: domain and application architecture design. The major aims of the domain architecture design processes are to design architectural structure and texture based on domain requirements which includes commonality and variability for a family of products, and to prepare necessary variability information for variability modelling. On the other hand, the major aims of the application architecture design processes are to derive application architecture through binding and add application-specific architectural structure.
- The outcomes of domain requirements engineering form the basis for product line architecture design and application-specific requirements might compel to add new components or tailor the structure unlike in the case of a single product development.
- The architectural texture, one of the major outcomes of product line architecture design defines common ways to deal with variability in domain realisation as well as in application design and application realisation. Domain realization should adhere to the rules defined in the architectural texture, and application architecture should comply with the rules defined in the architectural texture.

This document can be used in the following modes:

- by the users of this document — to benefit people who conduct domain and application architecture design for software and systems product lines;
- by a product line organization — to provide guidance in the evaluation and selection for methods and tools for domain and application architecture design;
- by providers of methods and tools — to provide guidance in implementing or developing tools and methods by providing a comprehensive set of the capabilities of tools and methods for domain and application architecture design.

The ISO/IEC 26550 family of standards addresses both engineering and management processes and capabilities of methods and tools in terms of the key characteristics of product line development. This document provides processes and capabilities of methods and tools for domain design and application design. Other standards in the ISO/IEC 26550 family are as follows:

ISO/IEC 26550, ISO/IEC 26551, ISO/IEC 26552, ISO/IEC 26554, ISO/IEC 26555, ISO/IEC 26556, ISO/IEC 26557, ISO/IEC 26558 and ISO/IEC 26559 are published. ISO/IEC 26560, ISO/IEC 26561 and ISO/IEC 26562 are to be published. ISO/IEC 26563 is a planned International Standard.

- Processes and capabilities of methods and tools for domain requirements engineering and application requirements engineering are provided in ISO/IEC 26551;
- Processes and capabilities of methods and tools for domain realization and application realization are provided in ISO/IEC 26553;

ISO/IEC 26552:2019(E)

- Processes and capabilities of methods and tools for domain testing and application testing are provided in ISO/IEC 26554;
- Processes and capabilities of methods and tools for technical management are provided in ISO/IEC 26555;
- Processes and capabilities of methods and tools for organizational management are provided in ISO/IEC 26556;
- Processes and capabilities of methods and tools for variability mechanisms are provided in ISO/IEC 26557;
- Processes and capabilities of methods and tools for variability modelling are provided in ISO/IEC 26558;
- Processes and capabilities of methods and tools for variability traceability are provided in ISO/IEC 26559;
- Processes and capabilities of methods and tools for product management are provided in ISO/IEC 26560;
- Processes and capabilities of methods and tools for technical probe are provided in ISO/IEC 26561;
- Processes and capabilities of methods and tools for transition management are provided in ISO/IEC 26562;
- Processes and capabilities of methods and tools for configuration management of asset are provided in ISO/IEC 26563;
- Others (ISO/IEC 26564 to ISO/IEC 26599): To be developed.

Software and systems engineering — Tools and methods for product line architecture design

1 Scope

This document, within the context of methods and tools for architecture design for software and systems product lines:

- defines processes and their subprocesses performed during domain and application architecture design. Those processes are described in terms of purpose, inputs, tasks and outcomes;
- defines method capabilities to support the defined tasks of each process;
- defines tool capabilities to automate/semi-automate tasks or defined method capabilities.

This document does not concern processes and capabilities of tools and methods for a single system but rather deals with those for a family of products.

2 Normative references

There are no normative references in this document.