
**Information technology — UPnP
Device Architecture —**

**Part 24-10:
Internet gateway device control
protocol — Level 2 — Wide area
network internet protocol —
Connection service**

Technologies de l'information — Architecture de dispositif UPnP —

*Partie 24-10: Protocole de contrôle de dispositif de passerelle
Internet — Niveau 2 — Protocole internet de réseau étendu —
Service de connexion*





COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

CONTENTS

1	Scope.....	1
2	Normative references.....	1
3	Terms, definitions, symbols and abbreviated terms.....	2
4	Notations and conventions.....	4
4.1	Notation	4
4.2	Data types	4
4.2.1	Primary data types	4
4.2.2	Secondary data types.....	5
4.3	Vendor-defined extensions.....	6
5	Service model.....	6
5.1	Service type	6
5.2	Changes from <u>WANIPConnection:1</u>	6
5.2.1	Backward compatibility	6
5.2.2	Generic requirements and other changes.....	6
5.2.3	New state variables.....	6
5.2.4	New actions	6
5.2.5	Changes in existing actions and procedures	7
5.3	Service Architecture.....	7
5.3.1	Introduction.....	7
5.3.2	Main feature sets	8
5.4	State variables	9
5.4.1	State variable overview	9
5.4.2	<u>ConnectionType</u>	11
5.4.3	<u>PossibleConnectionTypes</u>	11
5.4.4	<u>ConnectionStatus</u>	11
5.4.5	<u>Uptime</u>	12
5.4.6	<u>LastConnectionError</u>	12
5.4.7	<u>AutoDisconnectTime</u>	12
5.4.8	<u>IdleDisconnectTime</u>	13
5.4.9	<u>WarnDisconnectDelay</u>	13
5.4.10	<u>RSIPAvailable</u>	13
5.4.11	<u>NATEnabled</u>	13
5.4.12	<u>ExternalIPAddress</u>	13
5.4.13	<u>PortMappingNumberOfEntries</u>	13
5.4.14	<u>PortMappingEnabled</u>	14
5.4.15	<u>PortMappingLeaseDuration</u>	14
5.4.16	<u>RemoteHost</u>	14
5.4.17	<u>ExternalPort</u>	14
5.4.18	<u>InternalPort</u>	15
5.4.19	<u>PortMappingProtocol</u>	15
5.4.20	<u>InternalClient</u>	15
5.4.21	<u>PortMappingDescription</u>	15
5.4.22	<u>SystemUpdateID</u>	15
5.4.23	<u>A ARG TYPE Manage</u>	16

5.4.24	<u>A ARG TYPE PortListing</u>	16
5.5	Eventing and Moderation	17
5.5.1	Eventing of <u>PossibleConnectionTypes</u>	18
5.5.2	Eventing of <u>ConnectionStatus</u>	18
5.5.3	Eventing of <u>ExternalIPAddress</u>	18
5.5.4	Eventing of <u>PortMappingNumberOfEntries</u>	18
5.5.5	Eventing of <u>SystemUpdateID</u>	18
5.5.6	Relationships among State Variables	18
5.6	Actions	19
5.6.1	<u>SetConnectionType()</u>	20
5.6.2	<u>GetConnectionTypeInfo()</u>	21
5.6.3	<u>RequestConnection()</u>	22
5.6.4	<u>RequestTermination()</u>	23
5.6.5	<u>ForceTermination()</u>	24
5.6.6	<u>SetAutoDisconnectTime()</u>	25
5.6.7	<u>SetIdleDisconnectTime()</u>	26
5.6.8	<u>SetWarnDisconnectDelay()</u>	27
5.6.9	<u>GetStatusInfo()</u>	27
5.6.10	<u>GetAutoDisconnectTime()</u>	28
5.6.11	<u>GetIdleDisconnectTime()</u>	29
5.6.12	<u>GetWarnDisconnectDelay()</u>	30
5.6.13	<u>GetNATRSIPStatus()</u>	31
5.6.14	<u>GetGenericPortMappingEntry()</u>	31
5.6.15	<u>GetSpecificPortMappingEntry()</u>	33
5.6.16	<u>AddPortMapping()</u>	34
5.6.17	<u>AddAnyPortMapping()</u>	38
5.6.18	<u>DeletePortMapping()</u>	40
5.6.19	<u>DeletePortMappingRange()</u>	42
5.6.20	<u>GetExternalIPAddress()</u>	43
5.6.21	<u>GetListOfPortMappings()</u>	44
5.6.22	Relationships Between Actions	45
5.6.23	Error Code Summary	45
5.7	Service Behavioral Model	47
5.7.1	Connection Initiation	47
5.7.2	Connection Termination	48
6	XML Service Description	49
Annex A (informative)	Theory of Operation	61
Annex B (informative)	Bibliography	65
Figure 1	UPnP IGD component relationships for NAT processing	10
Figure 2	Example of relationship between <u>AddPortMapping()</u> action and port triggering	35
Figure 3	Summary of <u>AddPortMapping()</u> results	37
Figure 4	Summary of <u>AddAnyPortMapping()</u> results	40
Figure 5	State diagram for IP connection	47
Figure A.1	NAT is an IP address translator	63
Figure A.2	NAT issue with bundled session applications	64

Table 1 — CSV examples	5
Table 2 — State Variables	9
Table 3 — allowedValueList for the <u>ConnectionType</u> state variable	11
Table 4 — allowedValueList for the <u>ConnectionStatus</u> state variable	11
Table 5 — allowedValueList for the <u>LastConnectionError</u> state variable	12
Table 6 — allowedValueRange for the <u>PortMappingLeaseDuration</u> state variable	14
Table 7 — allowedValueRange for the <u>InternalPort</u> state variable	15
Table 8 — allowedValueList for the <u>PortMappingProtocol</u> state variable	15
Table 9 — Eventing and Moderation	17
Table 10 — Actions	19
Table 11 — Common parameters	19
Table 12 — Arguments for <u>SetConnectionType()</u>	20
Table 13 — Error Codes for <u>SetConnectionType()</u>	21
Table 14 — Arguments for <u>GetConnectionTypeInfo()</u>	21
Table 15 — Error Codes for <u>GetConnectionTypeInfo()</u>	22
Table 16 — Error Codes for <u>RequestConnection()</u>	23
Table 17 — Error Codes for <u>RequestTermination()</u>	24
Table 18 — Error Codes for <u>ForceTermination()</u>	25
Table 19 — Arguments for <u>SetAutoDisconnectTime()</u>	25
Table 20 — Error Codes for <u>SetAutoDisconnectTime()</u>	26
Table 21 — Arguments for <u>SetIdleDisconnectTime()</u>	26
Table 22 — Error Codes for <u>SetIdleDisconnectTime()</u>	27
Table 23 — Arguments for <u>SetWarnDisconnectDelay()</u>	27
Table 24 — Error Codes for <u>SetWarnDisconnectDelay()</u>	27
Table 25 — Arguments for <u>GetStatusInfo()</u>	28
Table 26 — Error Codes for <u>GetStatusInfo()</u>	28
Table 27 — Arguments for <u>GetAutoDisconnectTime()</u>	28
Table 28 — Error Codes for <u>GetAutoDisconnectTime()</u>	29
Table 29 — Arguments for <u>GetIdleDisconnectTime()</u>	29
Table 30 — Error Codes for <u>GetIdleDisconnectTime()</u>	30
Table 31 — Arguments for <u>GetWarnDisconnectDelay()</u>	30
Table 32 — Error Codes for <u>GetWarnDisconnectDelay()</u>	30
Table 33 — Arguments for <u>GetNATRSIPStatus()</u>	31
Table 34 — Error Codes for <u>GetNATRSIPStatus()</u>	31
Table 35 — Arguments for <u>GetGenericPortMappingEntry()</u>	32
Table 36 — Error Codes for <u>GetGenericPortMappingEntry()</u>	33
Table 37 — Arguments for <u>GetSpecificPortMappingEntry()</u>	33
Table 38 — Error Codes for <u>GetSpecificPortMappingEntry()</u>	34
Table 39 — Arguments for <u>AddPortMapping()</u>	35
Table 40 — Error Codes for <u>AddPortMapping()</u>	37
Table 41 — Arguments for <u>AddAnyPortMapping()</u>	38
Table 42 — Error Codes for <u>AddAnyPortMapping()</u>	40

ISO/IEC 29341-24-10:2017(E)

Table 43 — Arguments for <u>DeletePortMapping()</u>	41
Table 44 — Error Codes for <u>DeletePortMapping()</u>	41
Table 45 — Arguments for <u>DeletePortMappingRange()</u>	42
Table 46 — Error Codes for <u>DeletePortMappingRange()</u>	43
Table 47 — Arguments for <u>GetExternalIPAddress()</u>	43
Table 48 — Error Codes for <u>GetExternalIPAddress()</u>	44
Table 49 — Arguments for <u>GetListOfPortMappings()</u>	44
Table 50 — Error Codes for <u>GetListOfPortMappings()</u>	45
Table 51 — Error Code Summary	46
Table A.1 — Connection Procedures	61

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <http://www.iso.org/directives>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of Standard, the meaning of the ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword – Supplementary information](#)

ISO/IEC 29341-24-10 was prepared by UPnP Forum and adopted, under the PAS procedure, by joint technical committee ISO/IEC JTC 1, *Information technology*, in parallel with its approval by national bodies of ISO and IEC.

The list of all currently available parts of ISO/IEC 29341 series, under the general title *Information technology — UPnP Device Architecture*, can be found on the [ISO web site](#).

Introduction

ISO and IEC draw attention to the fact that it is claimed that compliance with this document may involve the use of patents as indicated below.

ISO and IEC take no position concerning the evidence, validity and scope of these patent rights. The holders of -these patent rights have assured ISO and IEC that they are willing to negotiate licenses under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statements of the holders of these patent rights are registered with ISO and IEC.

Intel Corporation has informed IEC and ISO that it has patent applications or granted patents.

Information may be obtained from:

Intel Corporation
Standards Licensing Department
5200 NE Elam Young Parkway
MS: JFS-98
USA – Hillsboro, Oregon 97124

Microsoft Corporation has informed IEC and ISO that it has patent applications or granted patents as listed below:

6101499 / US; 6687755 / US; 6910068 / US; 7130895 / US; 6725281 / US; 7089307 / US;
7069312 / US; 10/783 524 /US

Information may be obtained from:

Microsoft Corporation
One Microsoft Way
USA – Redmond WA 98052

Philips International B.V. has informed IEC and ISO that it has patent applications or granted patents.

Information may be obtained from:

Philips International B.V. – IP&S
High Tech campus, building 44 3A21
NL – 5656 Eindhoven

NXP B.V. (NL) has informed IEC and ISO that it has patent applications or granted patents.

Information may be obtained from:

NXP B.V. (NL)
High Tech campus 60
NL – 5656 AG Eindhoven

Matsushita Electric Industrial Co. Ltd. has informed IEC and ISO that it has patent applications or granted patents.

Information may be obtained from:

Matsushita Electric Industrial Co. Ltd.
1-3-7 Shiromi, Chuoh-ku
JP – Osaka 540-6139

Hewlett Packard Company has informed IEC and ISO that it has patent applications or granted patents as listed below:

5 956 487 / US; 6 170 007 / US; 6 139 177 / US; 6 529 936 / US; 6 470 339 / US; 6 571 388 / US; 6 205 466 / US

Information may be obtained from:

Hewlett Packard Company
1501 Page Mill Road
USA – Palo Alto, CA 94304

Samsung Electronics Co. Ltd. has informed IEC and ISO that it has patent applications or granted patents.

Information may be obtained from:

Digital Media Business, Samsung Electronics Co. Ltd.
416 Maetan-3 Dong, Yeongtang-Gu,
KR – Suwon City 443-742

Huawei Technologies Co., Ltd. has informed IEC and ISO that it has patent applications or granted patents.

Information may be obtained from:

Huawei Technologies Co., Ltd.
Administration Building, Bantian Longgang District
Shenzhen – China 518129

Qualcomm Incorporated has informed IEC and ISO that it has patent applications or granted patents.

Information may be obtained from:

Qualcomm Incorporated
5775 Morehouse Drive
San Diego, CA – USA 92121

Telecom Italia S.p.A. has informed IEC and ISO that it has patent applications or granted patents.

Information may be obtained from:

Telecom Italia S.p.A.
Via Reiss Romoli, 274
Turin - Italy 10148

Cisco Systems informed IEC and ISO that it has patent applications or granted patents.

Information may be obtained from:

Cisco Systems, Inc.
170 West Tasman Drive
San Jose, CA – USA 95134

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 29341-24-10:2017(E)

Original UPnP Document

Reference may be made in this document to original UPnP documents. These references are retained in order to maintain consistency between the specifications as published by ISO/IEC and by UPnP Implementers Corporation and later by UPnP Forum. The following table indicates the original UPnP document titles and the corresponding part of ISO/IEC 29341:

UPnP Document Title	ISO/IEC 29341 Part
UPnP Device Architecture 1.0	ISO/IEC 29341-1:2008
UPnP Device Architecture Version 1.0	ISO/IEC 29341-1:2011
UPnP Device Architecture 1.1	ISO/IEC 29341-1-1:2011
UPnP Device Architecture 2.0	ISO/IEC 29341-1-2
UPnP Basic:1 Device	ISO/IEC 29341-2
UPnP AV Architecture:1	ISO/IEC 29341-3-1:2008
UPnP AV Architecture:1	ISO/IEC 29341-3-1:2011
UPnP AVTransport:1 Service	ISO/IEC 29341-3-10
UPnP ConnectionManager:1 Service	ISO/IEC 29341-3-11
UPnP ContentDirectory:1 Service	ISO/IEC 29341-3-12
UPnP RenderingControl:1 Service	ISO/IEC 29341-3-13
UPnP MediaRenderer:1 Device	ISO/IEC 29341-3-2
UPnP MediaRenderer:2 Device	ISO/IEC 29341-3-2:2011
UPnP MediaServer:1 Device	ISO/IEC 29341-3-3
UPnP AVTransport:2 Service	ISO/IEC 29341-4-10:2008
UPnP AVTransport:2 Service	ISO/IEC 29341-4-10:2011
UPnP ConnectionManager:2 Service	ISO/IEC 29341-4-11:2008
UPnP ConnectionManager:2 Service	ISO/IEC 29341-4-11:2011
UPnP ContentDirectory:2 Service	ISO/IEC 29341-4-12
UPnP RenderingControl:2 Service	ISO/IEC 29341-4-13:2008
UPnP RenderingControl:2 Service	ISO/IEC 29341-4-13:2011
UPnP ScheduledRecording:1	ISO/IEC 29341-4-14
UPnP ScheduledRecording:2	ISO/IEC 29341-4-14:2011
UPnP MediaRenderer:2 Device	ISO/IEC 29341-4-2
UPnP MediaServer:2 Device	ISO/IEC 29341-4-3
UPnP AV Datastructure Template:1	ISO/IEC 29341-4-4:2008
UPnP AV Datastructure Template:1	ISO/IEC 29341-4-4:2011
UPnP DigitalSecurityCamera:1 Device	ISO/IEC 29341-5-1
UPnP DigitalSecurityCameraMotionImage:1 Service	ISO/IEC 29341-5-10
UPnP DigitalSecurityCameraSettings:1 Service	ISO/IEC 29341-5-11
UPnP DigitalSecurityCameraStillImage:1 Service	ISO/IEC 29341-5-12
UPnP HVAC_System:1 Device	ISO/IEC 29341-6-1
UPnP ControlValve:1 Service	ISO/IEC 29341-6-10
UPnP HVAC_FanOperatingMode:1 Service	ISO/IEC 29341-6-11
UPnP FanSpeed:1 Service	ISO/IEC 29341-6-12
UPnP HouseStatus:1 Service	ISO/IEC 29341-6-13
UPnP HVAC_SetpointSchedule:1 Service	ISO/IEC 29341-6-14
UPnP TemperatureSensor:1 Service	ISO/IEC 29341-6-15
UPnP TemperatureSetpoint:1 Service	ISO/IEC 29341-6-16
UPnP HVAC_UserOperatingMode:1 Service	ISO/IEC 29341-6-17
UPnP HVAC_ZoneThermostat:1 Device	ISO/IEC 29341-6-2

UPnP BinaryLight:1 Device	ISO/IEC 29341-7-1
UPnP Dimming:1 Service	ISO/IEC 29341-7-10
UPnP SwitchPower:1 Service	ISO/IEC 29341-7-11
UPnP DimmableLight:1 Device	ISO/IEC 29341-7-2
UPnP InternetGatewayDevice:1 Device	ISO/IEC 29341-8-1
UPnP LANHostConfigManagement:1 Service	ISO/IEC 29341-8-10
UPnP Layer3Forwarding:1 Service	ISO/IEC 29341-8-11
UPnP LinkAuthentication:1 Service	ISO/IEC 29341-8-12
UPnP RadiusClient:1 Service	ISO/IEC 29341-8-13
UPnP WANCableLinkConfig:1 Service	ISO/IEC 29341-8-14
UPnP WANCommonInterfaceConfig:1 Service	ISO/IEC 29341-8-15
UPnP WANDSLLinkConfig:1 Service	ISO/IEC 29341-8-16
UPnP WANEthernetLinkConfig:1 Service	ISO/IEC 29341-8-17
UPnP WANIPConnection:1 Service	ISO/IEC 29341-8-18
UPnP WANPOTSLinkConfig:1 Service	ISO/IEC 29341-8-19
UPnP LANDevice:1 Device	ISO/IEC 29341-8-2
UPnP WANPPPConnection:1 Service	ISO/IEC 29341-8-20
UPnP WLANConfiguration:1 Service	ISO/IEC 29341-8-21
UPnP WANDevice:1 Device	ISO/IEC 29341-8-3
UPnP WANConnectionDevice:1 Device	ISO/IEC 29341-8-4
UPnP WLANAccessPointDevice:1 Device	ISO/IEC 29341-8-5
UPnP Printer:1 Device	ISO/IEC 29341-9-1
UPnP ExternalActivity:1 Service	ISO/IEC 29341-9-10
UPnP Feeder:1.0 Service	ISO/IEC 29341-9-11
UPnP PrintBasic:1 Service	ISO/IEC 29341-9-12
UPnP Scan:1 Service	ISO/IEC 29341-9-13
UPnP Scanner:1.0 Device	ISO/IEC 29341-9-2
UPnP QoS Architecture:1.0	ISO/IEC 29341-10-1
UPnP QosDevice:1 Service	ISO/IEC 29341-10-10
UPnP QosManager:1 Service	ISO/IEC 29341-10-11
UPnP QosPolicyHolder:1 Service	ISO/IEC 29341-10-12
UPnP QoS Architecture:2	ISO/IEC 29341-11-1
UPnP QosDevice:2 Service	ISO/IEC 29341-11-10
UPnP QosManager:2 Service	ISO/IEC 29341-11-11
UPnP QosPolicyHolder:2 Service	ISO/IEC 29341-11-12
UPnP QOS v2 Schema Files	ISO/IEC 29341-11-2
UPnP RemoteUIClientDevice:1 Device	ISO/IEC 29341-12-1
UPnP RemoteUIClient:1 Service	ISO/IEC 29341-12-10
UPnP RemoteUIServer:1 Service	ISO/IEC 29341-12-11
UPnP RemoteUIServerDevice:1 Device	ISO/IEC 29341-12-2
UPnP DeviceSecurity:1 Service	ISO/IEC 29341-13-10
UPnP SecurityConsole:1 Service	ISO/IEC 29341-13-11
UPnP ContentDirectory:3 Service	ISO/IEC 29341-14-12:2011
UPnP MediaServer:3 Device	ISO/IEC 29341-14-3:2011
UPnP ContentSync:1	ISO/IEC 29341-15-10:2011
UPnP Low Power Architecture:1	ISO/IEC 29341-16-1:2011
UPnP LowPowerProxy:1 Service	ISO/IEC 29341-16-10:2011

ISO/IEC 29341-24-10:2017(E)

UPnP LowPowerDevice:1 Service	ISO/IEC 29341-16-11:2011
UPnP QoS Architecture:3	ISO/IEC 29341-17-1:2011
UPnP QoSDevice:3 Service	ISO/IEC 29341-17-10:2011
UPnP QoSManager:3 Service	ISO/IEC 29341-17-11:2011
UPnP QoSPolicyHolder:3 Service	ISO/IEC 29341-17-12:2011
UPnP QoSDevice:3 Addendum	ISO/IEC 29341-17-13:2011
UPnP RemoteAccessArchitecture:1	ISO/IEC 29341-18-1:2011
UPnP InboundConnectionConfig:1 Service	ISO/IEC 29341-18-10:2011
UPnP RADAConfig:1 Service	ISO/IEC 29341-18-11:2011
UPnP RADASync:1 Service	ISO/IEC 29341-18-12:2011
UPnP RATAConfig:1 Service	ISO/IEC 29341-18-13:2011
UPnP RAClient:1 Device	ISO/IEC 29341-18-2:2011
UPnP RAServer:1 Device	ISO/IEC 29341-18-3:2011
UPnP RADiscoveryAgent:1 Device	ISO/IEC 29341-18-4:2011
UPnP SolarProtectionBlind:1 Device	ISO/IEC 29341-19-1:2011
UPnP TwoWayMotionMotor:1 Service	ISO/IEC 29341-19-10:2011
UPnP AV Architecture:2	ISO/IEC 29341-20-1
UPnP AVTransport:3 Service	ISO/IEC 29341-20-10
UPnP ConnectionManager:3 Service	ISO/IEC 29341-20-11
UPnP ContentDirectory:4 Device	ISO/IEC 29341-20-12
UPnP RenderingControl:3 Service	ISO/IEC 29341-20-13
UPnP ScheduledRecording:2 Service	ISO/IEC 29341-20-14
UPnP MediaRenderer:3 Service	ISO/IEC 29341-20-2
UPnP MediaServer:4 Device	ISO/IEC 29341-20-3
UPnP AV Datastructure Template:1	ISO/IEC 29341-20-4
UPnP InternetGatewayDevice:2 Device	ISO/IEC 29341-24-1
UPnP WANIPConnection:2 Service	ISO/IEC 29341-24-10
UPnP WANIPv6FirewallControl:1 Service	ISO/IEC 29341-24-11
UPnP WANConnectionDevice:2 Service	ISO/IEC 29341-24-2
UPnP WANDevice:2 Device	ISO/IEC 29341-24-3
UPnP Telephony Architecture:2	ISO/IEC 29341-26-1
UPnP CallManagement:2 Service	ISO/IEC 29341-26-10
UPnP MediaManagement:2 Service	ISO/IEC 29341-26-11
UPnP Messaging:2 Service	ISO/IEC 29341-26-12
UPnP PhoneManagement:2 Service	ISO/IEC 29341-26-13
UPnP AddressBook:1 Service	ISO/IEC 29341-26-14
UPnP Calendar:1 Service	ISO/IEC 29341-26-15
UPnP Presense:1 Service	ISO/IEC 29341-26-16
UPnP TelephonyClient:2 Device	ISO/IEC 29341-26-2
UPnP TelephonyServer:2 Device	ISO/IEC 29341-26-3
UPnP Friendly Info Update:1 Service	ISO/IEC 29341-27-1
UPnP MultiScreen MultiScreen Architecture:1	ISO/IEC 29341-28-1
UPnP MultiScreen Application Management:1 Service	ISO/IEC 29341-28-10
UPnP MultiScreen Screen:1 Device	ISO/IEC 29341-28-2
UPnP MultiScreen Application Management:2 Service	ISO/IEC 29341-29-10
UPnP MultiScreen Screen:2 Device	ISO/IEC 29341-29-2
UPnP IoT Management and Control Architecture Overview:1	ISO/IEC 29341-30-1

ISO/IEC 29341-24-10:2017(E)

UPnP DataStore:1 Service	ISO/IEC 29341-30-10
UPnP IoT Management and Control Data Model:1 Service	ISO/IEC 29341-30-11
UPnP IoT Management and Control Transport Generic:1 Service	ISO/IEC 29341-30-12
UPnP IoT Management and Control:1 Device	ISO/IEC 29341-30-2
UPnP Energy Management:1 Service	ISO/IEC 29341-31-1

1 Scope

This document specifies the characteristics of the UPnP networked service named WANIPConnection, version 2. This service definition is compliant with *UPnP Device Architecture 1.0* [1]. It is one component of the Device Control Protocol for the UPnP Internet Gateway Device (see [3]).

This service enables a UPnP control point to:

- configure and control an IP connection between a LAN client on one side of an Internet gateway (see [3]) and a WAN host on the other side;
- manage any physical WAN interface—such as DSL or cable—that supports an IP connection.

This service is required in a WANConnectionDevice (see [5]) when the device supports an IP connection.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

[1] *UPnP Device Architecture, version 1.0*, UPnP Forum, June 8, 2000.

Available at: <http://upnp.org/specs/arch/UPnP-arch-DeviceArchitecture-v1.0.pdf>.

[2] *UPnP Device Architecture, version 1.1*, UPnP Forum, October 15, 2008.

Available at: <http://upnp.org/specs/arch/UPnP-arch-DeviceArchitecture-v1.1.pdf>.

[3] InternetGatewayDevice:2, version 1.00, UPnP Forum, December 10, 2010.

Available at <http://upnp.org/specs/gw/UPnP-gw-InternetGatewayDevice-v2-Device.pdf>

[4] WANDevice:2, UPnP Forum, December 10, 2010

Available at <http://upnp.org/specs/gw/UPnP-gw-WANDevice-v2-Device.pdf>

[5] WANConnectionDevice:2, UPnP Forum, December 10, 2010

Available at <http://upnp.org/specs/gw/UPnP-gw-WANIPConnection-v2-Service.pdf>

[6] WANIPConnection:1, UPnP Forum, November 12, 2001

Available at <http://upnp.org/specs/gw/UPnP-gw-WANIPConnection-v1-Service.pdf>

[7] ISO 8601:2000, *Data elements and interchange formats – Information interchange -- Representation of dates and times*, International Standards Organization, December 21, 2000.
Available at:

<http://www.iso.org/iso/en/CatalogueDetailPage.CatalogueDetail?CSNUMBER=26780&ICS1=1&ICS2=140&ICS3=30>.

[8] IETF RFC 1035, *Domain names - implementation and specification*, P. Mockapetris, November 1987.

Available at: <http://tools.ietf.org/html/rfc1035>.

[9] IETF RFC 3986, *Uniform Resource Identifier (URI): Generic Syntax*, T. Berners-Lee, R. Fielding, L. Masinter, January 2006.

Available at: <http://tools.ietf.org/html/rfc3986>.

[10] IETF RFC 3339, *Date and Time on the Internet: Timestamps*, G. Klyne, Clearswift Corporation, C. Newman, Sun Microsystems, July 2002.

Available at: <http://tools.ietf.org/html/rfc3339>.

[11] *Extensible Markup Language (XML) 1.0 (Third Edition)*, François Yergeau, Tim Bray, Jean Paoli, C. M. Sperberg-McQueen, Eve Maler, eds., W3C Recommendation, February 4,

ISO/IEC 29341-24-10:2017(E)

2004.

Available at: <http://www.w3.org/TR/2004/REC-xml-20040204>.

[12] *XML Schema Part 2: Data Types, Second Edition*, Paul V. Biron, Ashok Malhotra, W3C Recommendation, 28 October 2004.

Available at: <http://www.w3.org/TR/2004/REC-xmlschema-2-20041028>.