



Edition 1.0 2008-11

INTERNATIONAL STANDARD

Information technology – UPnP Device Architecture – Part 2: Basic Device Control Protocol – Basic Device

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PRICE CODE



ICS 35.200

ISBN 2-8318-1005-0

CONTENTS

| FOREWORD | 3 |
|--|----|
| ORIGINAL UPNP DOCUMENTS (informative) | 5 |
| 1. Overview and Scope | 7 |
| 2. Device Definitions | 8 |
| Device Type Device Model Theory of Operation | 8 |
| Device Model | 8 |
| Theory of Operation | 8 |
| 3. XML Device Description | 9 |
| 4. Test | 9 |
| Annex A (informative) Services in a Basic Device | 10 |

LIST OF TABLES

| Fable 1: Device Requirements 8 |
|--------------------------------|
|--------------------------------|

INFORMATION TECHNOLOGY – UPNP DEVICE ARCHITECTURE –

Part 2: Basic Device Control Protocol – Basic Device

FOREWORD

- ISO (International Organization for Standardization) and IEC (International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards. Their preparation is entrusted to technical committees; any ISO and IEC member body interested in the subject dealt with may participate in this preparatory work. International governmental and non-governmental organizations liaising with ISO and IEC also participate in this preparation.
- In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC
 Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.
- 3) The formal decisions or agreements of IEC and ISO on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC and ISO member bodies.
- 4) IEC, ISO and ISO/IEC publications have the form of recommendations for international use and are accepted by IEC and ISO member bodies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC, ISO and ISO/IEC publications is accurate, IEC or ISO cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 5) In order to promote international uniformity, IEC and ISO member bodies undertake to apply IEC, ISO and ISO/IEC publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any ISO/IEC publication and the corresponding national or regional publication should be clearly indicated in the latter.
- 6) ISO and IEC provide no marking procedure to indicate their approval and cannot be rendered responsible for any equipment declared to be in conformity with an ISO/IEC publication.
- 7) All users should ensure that they have the latest edition of this publication.
- 8) No liability shall attach to IEC or ISO or its directors, employees, servants or agents including individual experts and members of their technical committees and IEC or ISO member bodies for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication of, use of, or reliance upon, this ISO/IEC publication or any other IEC, ISO or ISO/IEC publications.
- 9) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.

IEC and ISO draw attention to the fact that it is claimed that compliance with this document may involve the use of patents as indicated below.

ISO and IEC take no position concerning the evidence, validity and scope of the putative patent rights. The holders of the putative patent rights have assured IEC and ISO that they are willing to negotiate free licences or licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statements of the holders of the putative patent rights are registered with IEC and ISO.

Intel Corporation has informed IEC and ISO that it has patent applications or granted patents.

Information may be obtained from:

Intel Corporation Standards Licensing Department 5200 NE Elam Young Parkway MS: JFS-98 USA – Hillsboro, Oregon 97124

Microsoft Corporation has informed IEC and ISO that it has patent applications or granted patents as listed below:

6101499 / US; 6687755 / US; 6910068 / US; 7130895 / US; 6725281 / US; 7089307 / US; 7069312 / US; 10/783 524 /US

Information may be obtained from:

Microsoft Corporation One Microsoft Way USA – Redmond WA 98052

Philips International B.V. has informed IEC and ISO that it has patent applications or granted patents.

Information may be obtained from:

Philips International B.V. – IP&S High Tech campus, building 44 3A21 NL – 5656 Eindhoven

NXP B.V. (NL) has informed IEC and ISO that it has patent applications or granted patents.

Information may be obtained from:

NXP B.V. (NL) High Tech campus 60 NL – 5656 AG Eindhoven

Matsushita Electric Industrial Co. Ltd. has informed IEC and ISO that it has patent applications or granted patents.

Information may be obtained from:

Matsushita Electric Industrial Co. Ltd. 1-3-7 Shiromi, Chuoh-ku JP – Osaka 540-6139

Hewlett Packard Company has informed IEC and ISO that it has patent applications or granted patents as listed below:

5 956 487 / US; 6 170 007 / US; 6 139 177 / US; 6 529 936 / US; 6 470 339 / US; 6 571 388 / US; 6 205 466 / US

Information may be obtained from:

Hewlett Packard Company 1501 Page Mill Road USA – Palo Alto, CA 94304

Samsung Electronics Co. Ltd. has informed IEC and ISO that it has patent applications or granted patents.

Information may be obtained from:

Digital Media Business, Samsung Electronics Co. Ltd. 416 Maetan-3Dong, Yeongtang-Gu, KR – Suwon City 443-742

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. IEC and ISO shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 29341-2 was prepared by UPnP Implementers Corporation and adopted, under the PAS procedure, by joint technical committee ISO/IEC JTC 1, *Information technology*, in parallel with its approval by national bodies of ISO and IEC.

The list of all currently available parts of the ISO/IEC 29341 series, under the general title *Universal plug and play* (*UPnP*) architecture, can be found on the IEC web site.

This International Standard has been approved by vote of the member bodies, and the voting results may be obtained from the address given on the second title page.

ORIGINAL UPNP DOCUMENTS (informative)

Reference may be made in this document to original UPnP documents. These references are retained in order to maintain consistency between the specifications as published by ISO/IEC and by UPnP Implementers Corporation. The following table indicates the original UPnP document titles and the corresponding part of ISO/IEC 29341:

UPnP Document Title

ISO/IEC 29341 Part

| UPnP Device Architecture 1.0ISO/IEC 29341-1UPnP Basic:1 DeviceISO/IEC 29341-2UPnP AV Architecture:1ISO/IEC 29341-3UPnP MediaRenderer:1 DeviceISO/IEC 29341-3UPnP MediaServer:1 DeviceISO/IEC 29341-3UPnP AVTransport:1 ServiceISO/IEC 29341-3UPnP ConnectionManager:1 ServiceISO/IEC 29341-3UPnP ContentDirectory:1 ServiceISO/IEC 29341-3 | 2 |
|---|---|
| UPnP Basic:1 DeviceISO/IEC 29341-2UPnP AV Architecture:1ISO/IEC 29341-3UPnP MediaRenderer:1 DeviceISO/IEC 29341-3UPnP MediaServer:1 DeviceISO/IEC 29341-3UPnP AVTransport:1 ServiceISO/IEC 29341-3UPnP ConnectionManager:1 ServiceISO/IEC 29341-3 | 2 |
| UPnP AV Architecture:1ISO/IEC 29341-3UPnP MediaRenderer:1 DeviceISO/IEC 29341-3UPnP MediaServer:1 DeviceISO/IEC 29341-3UPnP AVTransport:1 ServiceISO/IEC 29341-3UPnP ConnectionManager:1 ServiceISO/IEC 29341-3 | |
| UPnP MediaRenderer:1 DeviceISO/IEC 29341-3UPnP MediaServer:1 DeviceISO/IEC 29341-3UPnP AVTransport:1 ServiceISO/IEC 29341-3UPnP ConnectionManager:1 ServiceISO/IEC 29341-3 | |
| UPnP MediaServer:1 DeviceISO/IEC 29341-3UPnP AVTransport:1 ServiceISO/IEC 29341-3UPnP ConnectionManager:1 ServiceISO/IEC 29341-3 | |
| UPnP AVTransport:1 Service ISO/IEC 29341-3 UPnP ConnectionManager:1 Service ISO/IEC 29341-3 | |
| UPnP ConnectionManager:1 Service ISO/IEC 29341-3 | -3 |
| UPnP ConnectionManager:1 Service ISO/IEC 29341-3 | -10 |
| | |
| | |
| | |
| UPnP RenderingControl:1 Service ISO/IEC 29341-3 | |
| UPnP MediaRenderer:2 Device ISO/IEC 29341-4 | |
| UPnP MediaServer:2 Device ISO/IEC 29341-4 | -3 |
| UPnP AV Datastructure Template:1 ISO/IEC 29341-4 | -4 |
| UPnP AVTransport:2 Service ISO/IEC 29341-4 | |
| UPnP ConnectionManager:2 Service ISO/IEC 29341-4 | |
| UPnP ContentDirectory:2 Service ISO/IEC 29341-4 | |
| | |
| UPnP RenderingControl:2 Service ISO/IEC 29341-4 | |
| UPnP ScheduledRecording:1 ISO/IEC 29341-4 | |
| UPnP DigitalSecurityCamera:1 Device ISO/IEC 29341-5 | i-1 |
| UPnP DigitalSecurityCameraMotionImage:1 Service ISO/IEC 29341-5 | -10 |
| UPnP DigitalSecurityCameraSettings:1 Service ISO/IEC 29341-5 | -11 |
| UPnP DigitalSecurityCameraStillImage:1 Service ISO/IEC 29341-5 | |
| UPnP HVAC_System:1 Device ISO/IEC 29341-6 | |
| | |
| UPnP HVAC_ZoneThermostat:1 Device ISO/IEC 29341-6 | |
| UPnP ControlValve:1 Service ISO/IEC 29341-6 | |
| UPnP HVAC_FanOperatingMode:1 Service ISO/IEC 29341-6 | -11 |
| UPnP FanSpeed:1 Service ISO/IEC 29341-6 | |
| UPnP HouseStatus:1 Service ISO/IEC 29341-6 | |
| UPnP HVAC_SetpointSchedule:1 Service ISO/IEC 29341-6 | |
| | |
| UPnP TemperatureSensor:1 Service ISO/IEC 29341-6 | |
| UPnP TemperatureSetpoint:1 Service ISO/IEC 29341-6 | |
| UPnP HVAC_UserOperatingMode:1 Service ISO/IEC 29341-6 | -17 |
| UPnP BinaryLight:1 Device ISO/IEC 29341-7 | -1 |
| UPnP DimmableLight:1 Device ISO/IEC 29341-7 | -2 |
| UPnP Dimming:1 Service ISO/IEC 29341-7 | |
| UPnP SwitchPower:1 Service ISO/IEC 29341-7 | |
| | |
| UPnP InternetGatewayDevice:1 Device ISO/IEC 29341-8 | |
| UPnP LANDevice:1 Device ISO/IEC 29341-8 | |
| UPnP WANDevice:1 Device ISO/IEC 29341-8 | |
| LIDED MANCeresettee Devices ICO/IEC 20244 C | 1 |
| UPnP WANConnectionDevice:1 Device ISO/IEC 29341-8 | -4 |
| | |
| UPnP WLANAccessPointDevice:1 Device ISO/IEC 29341-8 | -5 |
| UPnP WLANAccessPointDevice:1 Device ISO/IEC 29341-8 UPnP LANHostConfigManagement:1 Service ISO/IEC 29341-8 | -5 -10 |
| UPnP WLANAccessPointDevice:1 DeviceISO/IEC 29341-8UPnP LANHostConfigManagement:1 ServiceISO/IEC 29341-8UPnP Layer3Forwarding:1 ServiceISO/IEC 29341-8 | -5 -10 -11 |
| UPnP WLANAccessPointDevice:1 DeviceISO/IEC 29341-8UPnP LANHostConfigManagement:1 ServiceISO/IEC 29341-8UPnP Layer3Forwarding:1 ServiceISO/IEC 29341-8UPnP LinkAuthentication:1 ServiceISO/IEC 29341-8 | -5 -10 -11 -12 |
| UPnP WLANAccessPointDevice:1 DeviceISO/IEC 29341-8UPnP LANHostConfigManagement:1 ServiceISO/IEC 29341-8UPnP Layer3Forwarding:1 ServiceISO/IEC 29341-8UPnP LinkAuthentication:1 ServiceISO/IEC 29341-8UPnP RadiusClient:1 ServiceISO/IEC 29341-8 | -5 -10 -11 -12 -13 |
| UPnP WLANAccessPointDevice:1 DeviceISO/IEC 29341-8UPnP LANHostConfigManagement:1 ServiceISO/IEC 29341-8UPnP Layer3Forwarding:1 ServiceISO/IEC 29341-8UPnP LinkAuthentication:1 ServiceISO/IEC 29341-8 | -5 -10 -11 -12 -13 |
| UPnP WLANAccessPointDevice:1 DeviceISO/IEC 29341-8UPnP LANHostConfigManagement:1 ServiceISO/IEC 29341-8UPnP Layer3Forwarding:1 ServiceISO/IEC 29341-8UPnP LinkAuthentication:1 ServiceISO/IEC 29341-8UPnP RadiusClient:1 ServiceISO/IEC 29341-8 | -5 -10 -11 -12 -13 -14 |
| UPnP WLANAccessPointDevice:1 DeviceISO/IEC 29341-8UPnP LANHostConfigManagement:1 ServiceISO/IEC 29341-8UPnP Layer3Forwarding:1 ServiceISO/IEC 29341-8UPnP LinkAuthentication:1 ServiceISO/IEC 29341-8UPnP RadiusClient:1 ServiceISO/IEC 29341-8UPnP WANCableLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANCommonInterfaceConfig:1 ServiceISO/IEC 29341-8 | -5 -10 -11 -12 -13 -14 -15 |
| UPnP WLANAccessPointDevice:1 DeviceISO/IEC 29341-8UPnP LANHostConfigManagement:1 ServiceISO/IEC 29341-8UPnP Layer3Forwarding:1 ServiceISO/IEC 29341-8UPnP LinkAuthentication:1 ServiceISO/IEC 29341-8UPnP RadiusClient:1 ServiceISO/IEC 29341-8UPnP WANCableLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANCommonInterfaceConfig:1 ServiceISO/IEC 29341-8UPnP WANDSLLinkConfig:1 ServiceISO/IEC 29341-8 | -5 -10 -11 -12 -13 -13 -14 -15 -16 |
| UPnP WLANAccessPointDevice:1 DeviceISO/IEC 29341-8UPnP LANHostConfigManagement:1 ServiceISO/IEC 29341-8UPnP Layer3Forwarding:1 ServiceISO/IEC 29341-8UPnP LinkAuthentication:1 ServiceISO/IEC 29341-8UPnP RadiusClient:1 ServiceISO/IEC 29341-8UPnP WANCableLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANCommonInterfaceConfig:1 ServiceISO/IEC 29341-8UPnP WANDSLLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANDSLLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANEthernetLinkConfig:1 ServiceISO/IEC 29341-8 | -5 -10 -11 -12 -13 -14 -15 -16 -17 |
| UPnP WLANAccessPointDevice:1 DeviceISO/IEC 29341-8UPnP LANHostConfigManagement:1 ServiceISO/IEC 29341-8UPnP Layer3Forwarding:1 ServiceISO/IEC 29341-8UPnP LinkAuthentication:1 ServiceISO/IEC 29341-8UPnP RadiusClient:1 ServiceISO/IEC 29341-8UPnP WANCableLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANCommonInterfaceConfig:1 ServiceISO/IEC 29341-8UPnP WANDSLLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANEthernetLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANEthernetLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANEthernetLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANIPConnection:1 ServiceISO/IEC 29341-8 | -5 -10 -11 -12 -13 -14 -15 -15 -16 -17 |
| UPnP WLANAccessPointDevice:1 DeviceISO/IEC 29341-8UPnP LANHostConfigManagement:1 ServiceISO/IEC 29341-8UPnP Layer3Forwarding:1 ServiceISO/IEC 29341-8UPnP LinkAuthentication:1 ServiceISO/IEC 29341-8UPnP RadiusClient:1 ServiceISO/IEC 29341-8UPnP WANCableLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANCableLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANCommonInterfaceConfig:1 ServiceISO/IEC 29341-8UPnP WANDSLLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANEthernetLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANIPConnection:1 ServiceISO/IEC 29341-8UPnP WANPOTSLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANPOTSLinkConfig:1 ServiceISO/IEC 29341-8 | 5 10 11 12 13 14 15 16 17 18 19 |
| UPnP WLANAccessPointDevice:1 DeviceISO/IEC 29341-8UPnP LANHostConfigManagement:1 ServiceISO/IEC 29341-8UPnP Layer3Forwarding:1 ServiceISO/IEC 29341-8UPnP LinkAuthentication:1 ServiceISO/IEC 29341-8UPnP RadiusClient:1 ServiceISO/IEC 29341-8UPnP WANCableLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANCableLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANCommonInterfaceConfig:1 ServiceISO/IEC 29341-8UPnP WANDSLLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANEthernetLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANPCOnnection:1 ServiceISO/IEC 29341-8UPnP WANPOTSLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANPOTSLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANPOTSLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANPOTSLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANPPPConnection:1 ServiceISO/IEC 29341-8 | 5 10 11 12 13 14 15 15 16 17 18 19 20 |
| UPnP WLANAccessPointDevice:1 DeviceISO/IEC 29341-8UPnP LANHostConfigManagement:1 ServiceISO/IEC 29341-8UPnP Layer3Forwarding:1 ServiceISO/IEC 29341-8UPnP LinkAuthentication:1 ServiceISO/IEC 29341-8UPnP RadiusClient:1 ServiceISO/IEC 29341-8UPnP WANCableLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANCableLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANCommonInterfaceConfig:1 ServiceISO/IEC 29341-8UPnP WANDSLLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANEthernetLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANIPConnection:1 ServiceISO/IEC 29341-8UPnP WANPOTSLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANPOTSLinkConfig:1 ServiceISO/IEC 29341-8 | 5 10 11 12 13 14 15 15 16 17 18 19 20 |
| UPnP WLANAccessPointDevice:1 DeviceISO/IEC 29341-8UPnP LANHostConfigManagement:1 ServiceISO/IEC 29341-8UPnP Layer3Forwarding:1 ServiceISO/IEC 29341-8UPnP LinkAuthentication:1 ServiceISO/IEC 29341-8UPnP RadiusClient:1 ServiceISO/IEC 29341-8UPnP WANCableLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANCableLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANCommonInterfaceConfig:1 ServiceISO/IEC 29341-8UPnP WANDSLLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANEthernetLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANPCOnnection:1 ServiceISO/IEC 29341-8UPnP WANPOTSLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANPOTSLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANPOTSLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANPOTSLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANPPPConnection:1 ServiceISO/IEC 29341-8 | 5 10 11 12 13 14 15 16 17 18 19 20 21 |
| UPnP WLANAccessPointDevice:1 DeviceISO/IEC 29341-8UPnP LANHostConfigManagement:1 ServiceISO/IEC 29341-8UPnP Layer3Forwarding:1 ServiceISO/IEC 29341-8UPnP LinkAuthentication:1 ServiceISO/IEC 29341-8UPnP RadiusClient:1 ServiceISO/IEC 29341-8UPnP WANCableLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANCommonInterfaceConfig:1 ServiceISO/IEC 29341-8UPnP WANDSLLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANEthernetLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANEthernetLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANEthernetLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANPConnection:1 ServiceISO/IEC 29341-8UPnP WANPPConnection:1 ServiceISO/IEC 29341-8UPnP WANPPConnection:1 ServiceISO/IEC 29341-8UPnP WANConfiguration:1 ServiceISO/IEC 29341-8UPnP Printer:1 DeviceISO/IEC 29341-8 | 5 10 11 12 13 14 15 16 17 18 19 20 21 1 |
| UPnP WLANAccessPointDevice:1 DeviceISO/IEC 29341-8UPnP LANHostConfigManagement:1 ServiceISO/IEC 29341-8UPnP Layer3Forwarding:1 ServiceISO/IEC 29341-8UPnP LinkAuthentication:1 ServiceISO/IEC 29341-8UPnP RadiusClient:1 ServiceISO/IEC 29341-8UPnP WANCableLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANCommonInterfaceConfig:1 ServiceISO/IEC 29341-8UPnP WANDSLLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANDSLLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANEthernetLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANEthernetLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANPConnection:1 ServiceISO/IEC 29341-8UPnP WANPOTSLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANPOTSLinkC | 5 10 11 12 13 14 15 16 17 18 19 20 21 1 2 |
| UPnP WLANAccessPointDevice:1 DeviceISO/IEC 29341-8UPnP LANHostConfigManagement:1 ServiceISO/IEC 29341-8UPnP Layer3Forwarding:1 ServiceISO/IEC 29341-8UPnP LinkAuthentication:1 ServiceISO/IEC 29341-8UPnP RadiusClient:1 ServiceISO/IEC 29341-8UPnP WANCableLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANCableLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANCommonInterfaceConfig:1 ServiceISO/IEC 29341-8UPnP WANDSLLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANEthernetLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANEthernetLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANPCTSLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANPOTSLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANPCONnection:1 ServiceISO/IEC 29341-8UPnP Printer:1 DeviceISO/IEC 29341-8UPnP Scanner:1.0 DeviceISO/IEC 29341-8UPnP ExternalActivity:1 ServiceISO/IEC 29341-8 | 5 10 11 12 13 14 15 17 18 17 18 20 21 1 2 10 |
| UPnP WLANAccessPointDevice:1 DeviceISO/IEC 29341-8UPnP LANHostConfigManagement:1 ServiceISO/IEC 29341-8UPnP Layer3Forwarding:1 ServiceISO/IEC 29341-8UPnP LinkAuthentication:1 ServiceISO/IEC 29341-8UPnP RadiusClient:1 ServiceISO/IEC 29341-8UPnP WANCableLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANCableLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANCommonInterfaceConfig:1 ServiceISO/IEC 29341-8UPnP WANDSLLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANEthernetLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANEthernetLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANPCTSLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANPOTSLinkConfig:1 ServiceISO/IEC 29341-8UPnP Printer:1 DeviceISO/IEC 29341-8UPnP Scanner:1.0 DeviceISO/IEC 29341-8UPnP ExternalActivity:1 ServiceISO/IEC 29341-8UPnP Feeder:1.0 ServiceISO/IEC 29341-8 | 5 10 11 12 13 14 15 16 17 18 17 18 20 21 1 10 11 |
| UPnP WLANAccessPointDevice:1 DeviceISO/IEC 29341-8UPnP LANHostConfigManagement:1 ServiceISO/IEC 29341-8UPnP Layer3Forwarding:1 ServiceISO/IEC 29341-8UPnP LinkAuthentication:1 ServiceISO/IEC 29341-8UPnP RadiusClient:1 ServiceISO/IEC 29341-8UPnP WANCableLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANCableLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANCommonInterfaceConfig:1 ServiceISO/IEC 29341-8UPnP WANDSLLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANEthernetLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANEthernetLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANPOTSLinkConfig:1 ServiceISO/IEC 29341-8UPnP Printer:1 DeviceISO/IEC 29341-8UPnP Scanner:1.0 DeviceISO/IEC 29341-8UPnP ExternalActivity:1 ServiceISO/IEC 29341-8UPnP Feeder:1.0 ServiceISO/IEC 29341-8UPnP PrintBasic:1 ServiceISO/IEC 29341-8UPnP PrintBasic:1 ServiceISO/IEC 29341-8 | 5 10 11 12 13 14 15 16 17 18 17 18 20 1 1 10 11 12 11 12 11 12 12 |
| UPnP WLANAccessPointDevice:1 DeviceISO/IEC 29341-8UPnP LANHostConfigManagement:1 ServiceISO/IEC 29341-8UPnP Layer3Forwarding:1 ServiceISO/IEC 29341-8UPnP LinkAuthentication:1 ServiceISO/IEC 29341-8UPnP RadiusClient:1 ServiceISO/IEC 29341-8UPnP WANCableLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANCableLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANCSDLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANDSLLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANDSLLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANPOTSLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANPPConnection:1 ServiceISO/IEC 29341-8UPnP Printer:1 DeviceISO/IEC 29341-8UPnP Scanner:1.0 DeviceISO/IEC 29341-8UPnP Feeder:1.0 ServiceISO/IEC 29341-8UPnP PrintBasic:1 ServiceISO/IEC 29341-8UPnP Scan:1 Service <td>5 10 11 12 13 14 15 16 17 18 19 2 10 11 12 11 12 11 12 13</td> | 5 10 11 12 13 14 15 16 17 18 19 2 10 11 12 11 12 11 12 13 |
| UPnP WLANAccessPointDevice:1 DeviceISO/IEC 29341-8UPnP LANHostConfigManagement:1 ServiceISO/IEC 29341-8UPnP Layer3Forwarding:1 ServiceISO/IEC 29341-8UPnP LinkAuthentication:1 ServiceISO/IEC 29341-8UPnP RadiusClient:1 ServiceISO/IEC 29341-8UPnP WANCableLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANCableLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANCableLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANDSLLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANDSLLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANPOTSLinkConfig:1 ServiceISO/IEC 29341-8UPnP Printer:1 DeviceISO/IEC 29341-8UPnP Printer:1.0 DeviceISO/IEC 29341-8UPnP Feeder:1.0 ServiceISO/IEC 29341-8UPnP PrintBasic:1 ServiceISO/IEC 29341-8UPnP Scanner:1.0 DeviceISO/IEC 29341-8UPnP Scan:1 ServiceISO/IEC 29341-8UPnP Scan:1 ServiceISO/IEC 29341-8UPnP Scan:1 ServiceISO/IEC 29341-8UPnP Scan:1 ServiceISO/IEC 29341-8UPnP QoS Architecture:1.0ISO/IEC 29341-4 | 5 10 11 12 13 14 15 16 17 18 19 21 10 11 12 10 11 12 10 11 12 13 10 11 12 13 11 12 13 14 15 16 17 17 18 19 19 19 19 19 19 19 |
| UPnP WLANAccessPointDevice:1 DeviceISO/IEC 29341-8UPnP LANHostConfigManagement:1 ServiceISO/IEC 29341-8UPnP Layer3Forwarding:1 ServiceISO/IEC 29341-8UPnP LinkAuthentication:1 ServiceISO/IEC 29341-8UPnP RadiusClient:1 ServiceISO/IEC 29341-8UPnP WANCableLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANCableLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANCSDLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANDSLLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANDSLLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANPOTSLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANPPConnection:1 ServiceISO/IEC 29341-8UPnP Printer:1 DeviceISO/IEC 29341-8UPnP Scanner:1.0 DeviceISO/IEC 29341-8UPnP Feeder:1.0 ServiceISO/IEC 29341-8UPnP PrintBasic:1 ServiceISO/IEC 29341-8UPnP Scan:1 Service <td>5 10 11 12 13 14 15 16 17 18 19 21 10 11 12 10 11 12 10 11 12 13 10 11 12 13 11 12 13 14 15 16 17 17 18 19 19 19 19 19 19 19</td> | 5 10 11 12 13 14 15 16 17 18 19 21 10 11 12 10 11 12 10 11 12 13 10 11 12 13 11 12 13 14 15 16 17 17 18 19 19 19 19 19 19 19 |
| UPnP WLANAccessPointDevice:1 DeviceISO/IEC 29341-8UPnP LANHostConfigManagement:1 ServiceISO/IEC 29341-8UPnP Layer3Forwarding:1 ServiceISO/IEC 29341-8UPnP LinkAuthentication:1 ServiceISO/IEC 29341-8UPnP RadiusClient:1 ServiceISO/IEC 29341-8UPnP WANCableLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANCableLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANCableLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANDSLLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANDSLLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANPOTSLinkConfig:1 ServiceISO/IEC 29341-8UPnP Printer:1 DeviceISO/IEC 29341-8UPnP Printer:1.0 DeviceISO/IEC 29341-8UPnP Feeder:1.0 ServiceISO/IEC 29341-8UPnP PrintBasic:1 ServiceISO/IEC 29341-8UPnP Scanner:1.0 DeviceISO/IEC 29341-8UPnP Scan:1 ServiceISO/IEC 29341-8UPnP Scan:1 ServiceISO/IEC 29341-8UPnP Scan:1 ServiceISO/IEC 29341-8UPnP Scan:1 ServiceISO/IEC 29341-8UPnP QoS Architecture:1.0ISO/IEC 29341-4 | 5 10 11 12 13 14 15 16 17 18 19 21 10 11 12 10 11 12 13 10 10 10 |
| UPnP WLANAccessPointDevice:1 DeviceISO/IEC 29341-8UPnP LANHostConfigManagement:1 ServiceISO/IEC 29341-8UPnP Layer3Forwarding:1 ServiceISO/IEC 29341-8UPnP LinkAuthentication:1 ServiceISO/IEC 29341-8UPnP RadiusClient:1 ServiceISO/IEC 29341-8UPnP WANCableLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANCableLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANCableLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANDSLLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANEthernetLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANEthernetLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANPConnection:1 ServiceISO/IEC 29341-8UPnP WANPOTSLinkConfig:1 ServiceISO/IEC 29341-8UPnP Printer:1 DeviceISO/IEC 29341-8UPnP Scanner:1.0 DeviceISO/IEC 29341-8UPnP PrintBasic:1 ServiceISO/IEC 29341-9UPnP Rosan:1 ServiceISO/IEC 29341-9UPnP Qos Architecture:1.0ISO/IEC 29341-1UPnP QosDevice:1 ServiceISO/IEC 29341-1UPnP QosManager:1 ServiceISO/IEC 29341-1 | 5 10 11 12 13 14 15 16 17 18 17 18 17 18 19 11 12 10 11 0-11 0-10 0-11 |
| UPnP WLANAccessPointDevice:1 DeviceISO/IEC 29341-8UPnP LANHostConfigManagement:1 ServiceISO/IEC 29341-8UPnP Layer3Forwarding:1 ServiceISO/IEC 29341-8UPnP LinkAuthentication:1 ServiceISO/IEC 29341-8UPnP RadiusClient:1 ServiceISO/IEC 29341-8UPnP WANCableLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANCableLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANDSLLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANDSLLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANEthernetLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANEthernetLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANPConnection:1 ServiceISO/IEC 29341-8UPnP WANPOTSLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANPOTSLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANPOTSLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANPOTSLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANPPPConnection:1 ServiceISO/IEC 29341-8UPnP Printer:1 DeviceISO/IEC 29341-8UPnP Printer:1 DeviceISO/IEC 29341-8UPnP ExternalActivity:1 ServiceISO/IEC 29341-9UPnP PrintBasic:1 ServiceISO/IEC 29341-9UPnP Qos Architecture:1.0ISO/IEC 29341-9UPnP Qos Device:1 ServiceISO/IEC 29341-1UPnP QosManager:1 ServiceISO/IEC 29341-1UPnP QosPolicyHolder:1 ServiceISO/IEC 29341-1 | 5 10 11 12 13 14 15 16 17 18 17 18 17 18 19 10 11 12 10 11 010 011 012 |
| UPnP WLANAccessPointDevice:1 DeviceISO/IEC 29341-8UPnP LANHostConfigManagement:1 ServiceISO/IEC 29341-8UPnP Layer3Forwarding:1 ServiceISO/IEC 29341-8UPnP LinkAuthentication:1 ServiceISO/IEC 29341-8UPnP RadiusClient:1 ServiceISO/IEC 29341-8UPnP WANCableLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANCableLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANCableLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANDSLLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANEthernetLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANEthernetLinkConfig:1 ServiceISO/IEC 29341-8UPnP WANPConnection:1 ServiceISO/IEC 29341-8UPnP WANPOTSLinkConfig:1 ServiceISO/IEC 29341-8UPnP Printer:1 DeviceISO/IEC 29341-8UPnP Scanner:1.0 DeviceISO/IEC 29341-8UPnP PrintBasic:1 ServiceISO/IEC 29341-9UPnP Rosan:1 ServiceISO/IEC 29341-9UPnP Qos Architecture:1.0ISO/IEC 29341-1UPnP QosDevice:1 ServiceISO/IEC 29341-1UPnP QosManager:1 ServiceISO/IEC 29341-1 | 5 10 11 12 13 14 15 16 17 18 17 18 17 18 19 10 11 12 10 11 011 012 1-1 |

UPnP Document Title

| UPnP QosDevice:2 Service |
|------------------------------------|
| UPnP QosManager:2 Service |
| UPnP QosPolicyHolder:2 Service |
| UPnP RemoteUIClientDevice:1 Device |
| UPnP RemoteUIServerDevice:1 Device |
| UPnP RemoteUIClient:1 Service |
| UPnP RemoteUIServer:1 Service |
| UPnP DeviceSecurity:1 Service |
| UPnP SecurityConsole:1 Service |
| |

ISO/IEC 29341 Part

1. Overview and Scope

This device template is compliant with the UPnP Device Architecture, Version 1.0.

Basic:1.0 provides a mechanism for products that wish to use UPnP, but for which there is not yet an appropriate standard base device type. The Basic Device type does not define any Services or embedded Devices, although a particular product may incorporate elements defined by other UPnP Standards and/or vendor-defined extension types.

A minimal Basic Device (one that does not add any services or embedded devices) is discoverable using UPnP discovery and may provide identifying information and a Presentation URL using the normal Device Description mechanism.

The Basic Device type also may be useful as the root device type for a product that incorporates standard elements in ways not anticipated by the standard types. For example, a television that also includes room light controls and a printer might choose to use the Basic Device type as the root type, with embedded devices and services chosen from the appropriate standard types.

Note: This definition relies on an Architecture change under consideration in the UPnP Forum Technical Committee: that the definition of the 'servicelist' element be changed to include 'minoccurs="0"; that is, that it be made an optional element.