

# INTERNATIONAL STANDARD

ISO/IEC  
29642

Second edition  
2009-06-15

---

---

---

**Information technology — Data  
interchange on 120 mm and 80 mm  
optical disk using +RW DL format —  
Capacity: 8,55 Gbytes and 2,66 Gbytes  
per side (recording speed 2,4X)**

*Technologies de l'information — Échange de données sur disques  
optiques de 120 mm et 80 mm utilisant le format +RW DL — Capacité:  
8,55 Go et 2,66 Go par face (vitesse d'enregistrement 2,4X)*

---

---

---

Reference number  
ISO/IEC 29642:2009(E)



© ISO/IEC 2009

**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



**COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2009

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

## Contents

	Page
<b>Foreword.....</b>	<b>viii</b>
<b>Introduction .....</b>	<b>ix</b>
<b>1 Scope .....</b>	<b>1</b>
<b>2 Conformance.....</b>	<b>1</b>
<b>2.1 Optical disk.....</b>	<b>1</b>
<b>2.2 Generating system.....</b>	<b>1</b>
<b>2.3 Receiving system.....</b>	<b>2</b>
<b>2.4 Compatibility statement.....</b>	<b>2</b>
<b>3 Normative references .....</b>	<b>2</b>
<b>4 Terms and definitions .....</b>	<b>2</b>
<b>5 Conventions and notations .....</b>	<b>4</b>
<b>5.1 Representation of numbers .....</b>	<b>4</b>
<b>5.2 Names .....</b>	<b>5</b>
<b>6 Abbreviated terms .....</b>	<b>5</b>
<b>7 General description of the optical disk .....</b>	<b>5</b>
<b>8 General Requirements .....</b>	<b>6</b>
<b>8.1 Environments .....</b>	<b>6</b>
<b>8.1.1 Test environment.....</b>	<b>6</b>
<b>8.1.2 Operating environment .....</b>	<b>7</b>
<b>8.1.3 Storage environment.....</b>	<b>7</b>
<b>8.1.4 Transportation.....</b>	<b>7</b>
<b>8.2 Safety requirements .....</b>	<b>7</b>
<b>8.3 Flammability .....</b>	<b>7</b>
<b>9 Reference Drive.....</b>	<b>7</b>
<b>9.1 Optical system .....</b>	<b>8</b>
<b>9.2 Optical beam .....</b>	<b>8</b>
<b>9.3 Read channel 1.....</b>	<b>9</b>
<b>9.4 Disk clamping.....</b>	<b>9</b>
<b>9.5 Rotation of the disk .....</b>	<b>10</b>
<b>9.6 Wobble channel (Read channel 2) .....</b>	<b>10</b>
<b>9.7 Tracking channel (Read channel 2) .....</b>	<b>10</b>
<b>9.8 Reference servo systems .....</b>	<b>10</b>
<b>9.8.1 Normalized servo transfer function .....</b>	<b>10</b>
<b>9.8.2 Reference Servo for Axial Tracking .....</b>	<b>11</b>
<b>9.8.3 Reference Servo for Radial Tracking.....</b>	<b>12</b>
<b>10 Dimensional characteristics .....</b>	<b>13</b>
<b>10.1 Reference Planes .....</b>	<b>14</b>
<b>10.2 Overall dimensions.....</b>	<b>15</b>
<b>10.3 First transition area .....</b>	<b>15</b>

10.4	Second transition area .....	16
10.5	Clamping Zone .....	16
10.6	Third transition area .....	16
10.7	Information Zone .....	16
10.7.1	Sub-division of the Information Zone .....	17
10.7.2	Track mode .....	17
10.8	Rim area .....	18
10.9	Remark on tolerances .....	18
11	Mechanical characteristics .....	18
11.1	Mass .....	18
11.2	Moment of inertia .....	18
11.3	Dynamic imbalance .....	18
11.4	Axial runout .....	18
11.4.1	Tracking requirements at the Reference velocity (CLV) .....	18
11.5	Radial runout .....	19
11.5.1	Tracking requirements at the Reference velocity (CLV) .....	19
12	Optical characteristics in the Information Zone .....	19
12.1	Index of refraction .....	19
12.2	Thickness of the substrate .....	19
12.3	Reflectivity .....	20
12.4	Birefringence .....	21
12.5	Angular deviation .....	21
13	Data format .....	21
13.1	Data Frames .....	22
13.1.1	Identification Data (ID) .....	22
13.1.2	ID Error Detection Code (IED) .....	23
13.1.3	RSV .....	23
13.1.4	Error Detection Code (EDC) .....	23
13.2	Scrambled Frames .....	24
13.3	ECC Blocks .....	25
13.4	Recording Frames .....	26
13.5	Modulation and NRZI conversion .....	27
13.6	Physical Sectors .....	27
13.7	Layout of a Recording Unit (RUN) .....	28
13.7.1	Recording Unit position .....	29
13.8	d.c. component suppression control .....	29
14	Track format .....	31
14.1	Track shape .....	31
14.2	Track path .....	31
14.3	Track pitch .....	31
14.4	Track layout .....	31
14.4.1	ADIP information .....	31
14.4.2	Physical format information in ADIP .....	35
15	General description of the Information Zone .....	50
16	Layout of the Information Zone .....	51

16.1	Usage of the Data Zone .....	51
16.2	Physical Sector Numbers (PSNs).....	52
17	Lead-in Zone.....	53
17.1	Initial Zone .....	53
17.2	Inner Disk Test Zone .....	53
17.3	Guard Zone 1 .....	54
17.4	Reserved Zone 1 .....	54
17.5	Reserved Zone 2 .....	54
17.6	Inner Disk Identification Zone .....	54
17.7	Reserved Zone 3 .....	55
17.8	Reference Code Zone.....	55
17.9	Buffer Zone 1 .....	55
17.10	Control Data Zone.....	55
17.10.1	Physical format information .....	55
17.10.2	Disk manufacturing information .....	57
17.10.3	Content provider information .....	58
17.11	Buffer Zone 2 .....	58
18	Data Zone.....	58
19	Middle Zones .....	58
19.1	Buffer Zones 3.....	59
19.2	Reserved Zones 4 .....	59
19.3	Guard Zones 2.....	59
20	Outer Drive Areas .....	60
20.1	Reserved Zone 5 .....	61
20.2	Outer Disk Test Zone .....	61
20.3	Guard Zone 3.....	61
21	Lead-out Zone .....	61
21.1	Buffer Zone 4 .....	62
21.2	Inner Disk Test Zone .....	62
21.3	Final Zone .....	62
22	Assignment of Logical Sector Numbers (LSNs).....	62
23	Formatting .....	62
23.1	Pre-formatting .....	63
23.1.1	Verification .....	63
23.2	Background formatting .....	63
23.2.1	Initialization .....	63
23.2.2	De-icing .....	63
23.2.3	Finalization .....	66
23.2.4	Verification (optional).....	66
23.3	Sequential recording without formatting .....	66
24	Disk Control Blocks.....	68
24.1	General format of Disk Control Blocks .....	68
24.2	Format of the Formatting DCB (FDCB).....	70
24.3	Format of the Write inhibit DCB (WDCB).....	75
25	General.....	77

<b>26</b>	<b>Method of testing .....</b>	<b>77</b>
<b>26.1</b>	<b>Environment .....</b>	<b>77</b>
<b>26.2</b>	<b>Reference Drive .....</b>	<b>77</b>
<b>26.2.1</b>	<b>Optics and mechanics .....</b>	<b>77</b>
<b>26.2.2</b>	<b>Read power .....</b>	<b>77</b>
<b>26.2.3</b>	<b>Read channels .....</b>	<b>77</b>
<b>26.2.4</b>	<b>Tracking .....</b>	<b>78</b>
<b>26.3</b>	<b>Definition of signals .....</b>	<b>78</b>
<b>27</b>	<b>Characteristics of the groove signals .....</b>	<b>79</b>
<b>27.1</b>	<b>Phase depth .....</b>	<b>79</b>
<b>27.2</b>	<b>Push-pull signal .....</b>	<b>79</b>
<b>27.3</b>	<b>Track Cross signal .....</b>	<b>79</b>
<b>27.4</b>	<b>Normalized wobble signal .....</b>	<b>79</b>
<b>27.5</b>	<b>Characteristics of the wobble .....</b>	<b>80</b>
<b>28</b>	<b>Method of testing .....</b>	<b>80</b>
<b>28.1</b>	<b>Environment .....</b>	<b>80</b>
<b>28.2</b>	<b>Reference Drive .....</b>	<b>80</b>
<b>28.2.1</b>	<b>Optics and mechanics .....</b>	<b>80</b>
<b>28.2.2</b>	<b>Read power .....</b>	<b>80</b>
<b>28.2.3</b>	<b>Read channels .....</b>	<b>80</b>
<b>28.2.4</b>	<b>Tracking .....</b>	<b>81</b>
<b>28.2.5</b>	<b>Scanning velocity .....</b>	<b>81</b>
<b>28.3</b>	<b>Write conditions .....</b>	<b>81</b>
<b>28.3.1</b>	<b>Write pulse waveform .....</b>	<b>81</b>
<b>28.3.2</b>	<b>Write power .....</b>	<b>81</b>
<b>28.3.3</b>	<b>Write power shift for layer L1 due to recording on layer L0 .....</b>	<b>82</b>
<b>28.4</b>	<b>Measurement conditions .....</b>	<b>82</b>
<b>29</b>	<b>Characteristics of the recorded signals .....</b>	<b>82</b>
<b>29.1</b>	<b>Channel bit length .....</b>	<b>82</b>
<b>29.2</b>	<b>Definition of signals .....</b>	<b>82</b>
<b>29.2.1</b>	<b>High frequency signals (HF) .....</b>	<b>82</b>
<b>29.2.2</b>	<b>Modulated amplitude .....</b>	<b>83</b>
<b>29.2.3</b>	<b>Signal asymmetry .....</b>	<b>83</b>
<b>29.2.4</b>	<b>Normalized Slicing Level jump .....</b>	<b>83</b>
<b>29.2.5</b>	<b>Jitter .....</b>	<b>84</b>
<b>29.3</b>	<b>Read stability .....</b>	<b>84</b>
<b>30</b>	<b>Additional testing conditions .....</b>	<b>85</b>
<b>30.1</b>	<b>Test environment .....</b>	<b>85</b>
<b>30.1.1</b>	<b>Optics .....</b>	<b>85</b>
<b>30.2</b>	<b>Definition of signals .....</b>	<b>85</b>
<b>30.2.1</b>	<b>Modulated amplitude .....</b>	<b>86</b>
<b>30.2.2</b>	<b>Signal asymmetry .....</b>	<b>86</b>
<b>30.2.3</b>	<b>Jitter .....</b>	<b>86</b>
<b>30.2.4</b>	<b>Track Cross signal .....</b>	<b>86</b>
<b>30.2.5</b>	<b>Differential phase tracking error signal .....</b>	<b>86</b>

<b>30.2.6 Tangential push-pull signal .....</b>	<b>87</b>
<b>31 Quality of the recording layer .....</b>	<b>88</b>
<b>31.1 Defects .....</b>	<b>88</b>
<b>31.2 Data errors .....</b>	<b>88</b>
<b>32 Method of testing .....</b>	<b>89</b>
<b>32.1 Environment .....</b>	<b>89</b>
<b>32.2 Reference Drive .....</b>	<b>89</b>
<b>32.2.1 Optics and mechanics .....</b>	<b>89</b>
<b>32.2.2 Read power .....</b>	<b>89</b>
<b>32.2.3 Read channels .....</b>	<b>89</b>
<b>32.2.4 Error correction .....</b>	<b>89</b>
<b>32.2.5 Tracking .....</b>	<b>89</b>
<b>33 Minimum quality of a Recording Unit .....</b>	<b>90</b>
<b>33.1 Tracking .....</b>	<b>90</b>
<b>33.2 User-written data .....</b>	<b>90</b>
<b>Annex A (normative) 80 mm +RW DL disk .....</b>	<b>91</b>
<b>Annex B (normative) Structure for Extended format information in the Data Zone .....</b>	<b>96</b>
<b>Annex C (normative) Measurement of light reflectivity .....</b>	<b>99</b>
<b>Annex D (normative) Measurement of birefringence .....</b>	<b>101</b>
<b>Annex E (normative) Measuring conditions for operation signals .....</b>	<b>104</b>
<b>Annex F (normative) Measurement of the differential phase tracking error .....</b>	<b>107</b>
<b>Annex G (normative) The write pulse wave form for testing .....</b>	<b>111</b>
<b>Annex H (normative) 8-to-16 Modulation .....</b>	<b>116</b>
<b>Annex I (normative) Optimum Power Control .....</b>	<b>125</b>
<b>Annex J (normative) Logical to Physical address translation .....</b>	<b>130</b>
<b>Annex K (informative) Recommended access method for players .....</b>	<b>131</b>
<b>Annex L (informative) Measurement of the groove wobble amplitude .....</b>	<b>132</b>
<b>Annex M (informative) Transportation .....</b>	<b>134</b>
<b>Annex N (informative) Defect Management and Physical Formatting .....</b>	<b>135</b>
<b>Annex O (informative) Video Content Protection System .....</b>	<b>136</b>
<b>Annex P (informative) How to use the Physical format information in ADIP .....</b>	<b>137</b>
<b>Annex Q (informative) Values to be Implemented in Existing and Future Specifications .....</b>	<b>139</b>
<b>Bibliography .....</b>	<b>143</b>

## **Foreword**

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 29642 was prepared by Ecma International (as ECMA-374) and was adopted, under a special "fast-track procedure", by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, in parallel with its approval by national bodies of ISO and IEC.

This second edition cancels and replaces the first edition (ISO/IEC 29642:2007), which has been technically revised.

## Introduction

Ecma Technical Committee TC31 was established in 1984 for the standardization of Optical Disks and Optical Disk Cartridges (ODC). Since its establishment, the Committee has made major contributions to ISO/IEC toward the development of International Standards for 80 mm, 90 mm, 120 mm, 300 mm, and 356 mm media. Numerous standards have been developed by TC31 and published by Ecma, almost all of which have also been adopted by ISO/IEC under the fast-track procedure as International Standards.

In June 2006, a group of companies proposed that TC31 develop a standard for 120 mm dual layer rewritable optical disks using phase change recording technology and based on ISO/IEC 16448, ISO/IEC 17341 and ISO/IEC 26925. TC31 adopted this project and started the work that has resulted in this International Standard.

This International Standard specifies two Types of rewritable optical disks: one (Type S9) making use of recording on only a single side of the disk and yielding a nominal capacity of 8,55 Gbytes or 2,66 Gbytes per disk and the other (Type D18) making use of recording on both sides of the disk and yielding a nominal capacity of 17,1 Gbytes or 5,32 Gbytes per disk.

This International Standard, taken together with a standard for volume and file structure, such as for instance developed in Ecma Technical Committee TC15, provides the requirements for information interchange between systems.

# Information technology — Data interchange on 120 mm and 80 mm optical disk using +RW DL format — Capacity: 8,55 Gbytes and 2,66 Gbytes per side (recording speed 2,4X)

## 1 Scope

This International Standard specifies the mechanical, physical and optical characteristics of 120 mm rewritable optical disks with capacities of 8,55 Gbytes and 17,1 Gbytes. It specifies the quality of the recorded and unrecorded signals, the format of the data and the recording method, thereby allowing for information interchange by means of such disks. The data can be written, read and overwritten many times using the phase change method. These disks are identified as +RW DL.

This International Standard also specifies 80 mm disks with capacities of 2,66 Gbytes and 5,32 Gbytes. These disks have the same characteristics as the 120 mm disks, except for some parameters related to the smaller dimensions. All parameters unique for the 80 mm disks are specified in Annex A.

This International Standard specifies the following:

- two related but different Types of this disk (see Clause 7);
- the conditions for conformance;
- the environments in which the disk is to be tested, operated and stored;
- the mechanical, physical and dimensional characteristics of the disk, so as to provide mechanical interchange between data processing systems;
- the format of the information on the disk, including the physical disposition of the tracks and sectors, the error correcting codes and the coding method;
- the characteristics of the signals recorded on the disk, thus enabling data processing systems to read the data from the disk.

This International Standard provides for the interchange of disks between optical disk drives. Together with a standard for volume and file structure, it provides for full data interchange between data processing systems.

## 2 Conformance

### 2.1 Optical disk

A claim of conformance with this International Standard shall specify the Type implemented. An optical disk is in conformance with this International Standard if it meets all mandatory requirements specified for its Type.

### 2.2 Generating system

A generating system is in conformance with this International Standard if the optical disk it generates is in accordance with 2.1.

## 2.3 Receiving system

A receiving system is in conformance with this International Standard if it is able to handle both Types of optical disk according to 2.1.

## 2.4 Compatibility statement

A claim of conformance by a generating or receiving system with this International Standard shall include a statement listing any other standards supported. This statement shall specify the numbers of the standards, the optical disk types supported (where appropriate) and whether support includes reading only or both reading and writing.

## 3 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 4873:1991, *Information technology — ISO 8-bit code for information interchange — Structure and rules for implementation*

ISO/IEC 16448:2002, *Information technology — 120 mm DVD — Read-only disk*

ECMA-287, *Safety of electronic equipment* (2002)