

---

---

**Information technology — Open  
Connectivity Foundation (OCF)  
Specification —**

**Part 4:  
Resource type specification**

*Technologies de l'information — Specification de la Fondation pour la  
connectivité ouverte (Fondation OCF) —*

*Partie 4: Spécification des types de ressources*





**COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

	Page
Foreword .....	xxix
Introduction.....	xxx
<b>1 Scope .....</b>	<b>1</b>
<b>2 Normative references .....</b>	<b>1</b>
<b>3 Terms, definitions and abbreviated terms.....</b>	<b>1</b>
<b>3.1 Terms and definitions .....</b>	<b>2</b>
<b>3.2 Symbols and abbreviated terms.....</b>	<b>2</b>
<b>4 Document conventions and organization.....</b>	<b>2</b>
<b>4.1 Conventions .....</b>	<b>2</b>
<b>4.2 Notation.....</b>	<b>2</b>
<b>5 Baseline model constructs.....</b>	<b>3</b>
<b>5.1 URI.....</b>	<b>3</b>
<b>5.2 OCF Interfaces .....</b>	<b>3</b>
<b>5.2.1 Introduction .....</b>	<b>3</b>
<b>5.2.2 Restricting OCF Interface functionality .....</b>	<b>4</b>
<b>5.3 OpenAPI specification 2.0 definition.....</b>	<b>4</b>
<b>5.4 Property definition .....</b>	<b>5</b>
<b>5.4.1 Common Properties .....</b>	<b>5</b>
<b>5.4.2 Resource Properties .....</b>	<b>5</b>
<b>5.4.3 Basic Resource Schema.....</b>	<b>7</b>
<b>5.4.4 CRUDN operation response codes .....</b>	<b>7</b>
<b>5.5 Example Resource definitions.....</b>	<b>7</b>
<b>5.6 Observable Resource Types.....</b>	<b>7</b>
<b>5.6.1 Introduction .....</b>	<b>7</b>
<b>5.6.2 Conditional Notification .....</b>	<b>8</b>
<b>5.7 Composite Resource Types.....</b>	<b>10</b>
<b>5.8 Document version.....</b>	<b>11</b>
<b>5.9 Data types .....</b>	<b>11</b>
<b>6 Resource Type definitions .....</b>	<b>12</b>
<b>6.1 Introduction.....</b>	<b>12</b>
<b>6.2 Air Flow .....</b>	<b>16</b>
<b>6.2.1 Introduction .....</b>	<b>16</b>
<b>6.2.2 Example URI.....</b>	<b>16</b>
<b>6.2.3 Resource type.....</b>	<b>16</b>
<b>6.2.4 OpenAPI 2.0 definition.....</b>	<b>17</b>
<b>6.2.5 Property definition.....</b>	<b>19</b>
<b>6.2.6 CRUDN behaviour .....</b>	<b>20</b>
<b>6.3 Air Flow Control.....</b>	<b>20</b>
<b>6.3.1 Introduction .....</b>	<b>20</b>
<b>6.3.2 Example URI.....</b>	<b>20</b>
<b>6.3.3 Resource type.....</b>	<b>20</b>
<b>6.3.4 OpenAPI 2.0 definition.....</b>	<b>20</b>
<b>6.3.5 Property definition.....</b>	<b>25</b>
<b>6.3.6 CRUDN behaviour .....</b>	<b>26</b>

<b>6.4</b>	<b>Battery</b> .....	<b>26</b>
6.4.1	Introduction .....	26
6.4.2	Example URI.....	26
6.4.3	Resource type.....	26
6.4.4	OpenAPI 2.0 definition.....	27
6.4.5	Property definition.....	29
6.4.6	CRUDN behaviour.....	30
<b>6.5</b>	<b>Binary Switch</b> .....	<b>30</b>
6.5.1	Introduction .....	30
6.5.2	Example URI.....	30
6.5.3	Resource type.....	30
6.5.4	OpenAPI 2.0 definition.....	30
6.5.5	Property definition.....	32
6.5.6	CRUDN behaviour.....	32
<b>6.6</b>	<b>Brightness</b> .....	<b>33</b>
6.6.1	Introduction .....	33
6.6.2	Example URI.....	33
6.6.3	Resource type.....	33
6.6.4	OpenAPI 2.0 definition.....	33
6.6.5	Property definition.....	35
6.6.6	CRUDN behaviour.....	35
<b>6.7</b>	<b>Colour Chroma</b> .....	<b>35</b>
6.7.1	Introduction .....	35
6.7.2	Example URI.....	36
6.7.3	Resource type.....	36
6.7.4	OpenAPI 2.0 definition.....	36
6.7.5	Property definition.....	38
6.7.6	CRUDN behaviour.....	39
<b>6.8</b>	<b>Colour RGB</b> .....	<b>39</b>
6.8.1	Introduction .....	39
6.8.2	Example URI.....	39
6.8.3	Resource type.....	39
6.8.4	OpenAPI 2.0 definition.....	39
6.8.5	Property definition.....	41
6.8.6	CRUDN behaviour.....	42
<b>6.9</b>	<b>Dimming</b> .....	<b>42</b>
6.9.1	Introduction .....	42
6.9.2	Example URI.....	42
6.9.3	Resource type.....	42
6.9.4	OpenAPI 2.0 definition.....	42
6.9.5	Property definition.....	44
6.9.6	CRUDN behaviour.....	45
<b>6.10</b>	<b>Door</b> .....	<b>45</b>
6.10.1	Introduction .....	45
6.10.2	Example URI.....	45
6.10.3	Resource type.....	45
6.10.4	OpenAPI 2.0 definition.....	45
6.10.5	Property definition.....	47

6.10.6	CRUDN behaviour .....	48
6.11	Energy Consumption .....	48
6.11.1	Introduction .....	48
6.11.2	Example URI.....	48
6.11.3	Resource type.....	48
6.11.4	OpenAPI 2.0 definition.....	48
6.11.5	Property definition.....	50
6.11.6	CRUDN behaviour .....	50
6.12	Energy Usage .....	51
6.12.1	Introduction .....	51
6.12.2	Example URI.....	51
6.12.3	Resource type.....	51
6.12.4	OpenAPI 2.0 definition.....	51
6.12.5	Property definition.....	56
6.12.6	CRUDN behaviour .....	57
6.13	Humidity .....	57
6.13.1	Introduction .....	57
6.13.2	Example URI.....	57
6.13.3	Resource type.....	57
6.13.4	OpenAPI 2.0 definition.....	57
6.13.5	Property definition.....	59
6.13.6	CRUDN behaviour .....	60
6.14	Ice Maker .....	60
6.14.1	Introduction .....	60
6.14.2	Example URI.....	60
6.14.3	Resource type.....	60
6.14.4	OpenAPI 2.0 definition.....	60
6.14.5	Property definition.....	62
6.14.6	CRUDN behaviour .....	63
6.15	Lock.....	63
6.15.1	Introduction .....	63
6.15.2	Example URI.....	63
6.15.3	Resource type.....	63
6.15.4	OpenAPI 2.0 definition.....	63
6.15.5	Property definition.....	65
6.15.6	CRUDN behaviour .....	66
6.16	Lock Code .....	66
6.16.1	Introduction .....	66
6.16.2	Example URI.....	66
6.16.3	Resource type.....	66
6.16.4	OpenAPI 2.0 definition.....	66
6.16.5	Property definition.....	68
6.16.6	CRUDN behaviour .....	68
6.17	Mode.....	68
6.17.1	Introduction .....	68
6.17.2	Example URI.....	68
6.17.3	Resource type.....	69
6.17.4	OpenAPI 2.0 definition.....	69

6.17.5	Property definition.....	71
6.17.6	CRUDN behaviour.....	71
6.18	Open Level .....	71
6.18.1	Introduction .....	71
6.18.2	Example URI.....	72
6.18.3	Resource type.....	72
6.18.4	OpenAPI 2.0 definition.....	72
6.18.5	Property definition.....	74
6.18.6	CRUDN behaviour.....	74
6.19	Operational State .....	75
6.19.1	Introduction .....	75
6.19.2	Example URI.....	75
6.19.3	Resource type.....	75
6.19.4	OpenAPI 2.0 definition.....	75
6.19.5	Property definition.....	78
6.19.6	CRUDN behaviour.....	78
6.20	Ramp Time .....	79
6.20.1	Introduction .....	79
6.20.2	Example URI.....	79
6.20.3	Resource type.....	79
6.20.4	OpenAPI 2.0 definition.....	79
6.20.5	Property definition.....	81
6.20.6	CRUDN behaviour.....	81
6.21	Refrigeration .....	82
6.21.1	Introduction .....	82
6.21.2	Example URI.....	82
6.21.3	Resource type.....	82
6.21.4	OpenAPI 2.0 definition.....	82
6.21.5	Property definition.....	85
6.21.6	CRUDN behaviour.....	85
6.22	Temperature .....	85
6.22.1	Introduction .....	85
6.22.2	Example URI.....	86
6.22.3	Resource type.....	86
6.22.4	OpenAPI 2.0 definition.....	86
6.22.5	Property definition.....	88
6.22.6	CRUDN behaviour.....	89
6.23	Time Period .....	89
6.23.1	Introduction .....	89
6.23.2	Example URI.....	90
6.23.3	Resource type.....	90
6.23.4	OpenAPI 2.0 definition.....	90
6.23.5	Property definition.....	92
6.23.6	CRUDN behaviour.....	93
6.24	Activity Count .....	93
6.24.1	Introduction .....	93
6.24.2	Example URI.....	94
6.24.3	Resource type.....	94

6.24.4	OpenAPI 2.0 definition.....	94
6.24.5	Property definition.....	96
6.24.6	CRUDN behaviour.....	96
6.25	Atmospheric Pressure Sensor .....	96
6.25.1	Introduction .....	96
6.25.2	Example URI.....	96
6.25.3	Resource type.....	96
6.25.4	OpenAPI 2.0 definition.....	97
6.25.5	Property definition.....	98
6.25.6	CRUDN behaviour.....	99
6.26	Audio Controls .....	99
6.26.1	Introduction .....	99
6.26.2	Example URI.....	99
6.26.3	Resource type.....	99
6.26.4	OpenAPI 2.0 definition.....	99
6.26.5	Property definition.....	101
6.26.6	CRUDN behaviour.....	102
6.27	Auto Focus .....	102
6.27.1	Introduction .....	102
6.27.2	Example URI.....	102
6.27.3	Resource type.....	102
6.27.4	OpenAPI 2.0 definition.....	102
6.27.5	Property definition.....	104
6.27.6	CRUDN behaviour.....	104
6.28	Automatic Document Feeder .....	105
6.28.1	Introduction .....	105
6.28.2	Example URI.....	105
6.28.3	Resource type.....	105
6.28.4	OpenAPI 2.0 definition.....	105
6.28.5	Property definition.....	107
6.28.6	CRUDN behaviour.....	107
6.29	Button Switch.....	107
6.29.1	Introduction .....	107
6.29.2	Example URI.....	107
6.29.3	Resource type.....	107
6.29.4	OpenAPI 2.0 definition.....	107
6.29.5	Property definition.....	109
6.29.6	CRUDN behaviour.....	109
6.30	Carbon Dioxide Sensor.....	109
6.30.1	Introduction .....	109
6.30.2	Example URI.....	110
6.30.3	Resource type.....	110
6.30.4	OpenAPI 2.0 definition.....	110
6.30.5	Property definition.....	111
6.30.6	CRUDN behaviour.....	112
6.31	Carbon Monoxide Sensor .....	112
6.31.1	Introduction .....	112
6.31.2	Example URI.....	112

6.31.3	Resource type.....	112
6.31.4	OpenAPI 2.0 definition.....	113
6.31.5	Property definition.....	114
6.31.6	CRUDN behaviour.....	115
6.32	<b>Auto White Balance .....</b>	<b>115</b>
6.32.1	Introduction .....	115
6.32.2	Example URI.....	115
6.32.3	Resource type.....	115
6.32.4	OpenAPI 2.0 definition.....	115
6.32.5	Property definition.....	117
6.32.6	CRUDN behaviour.....	117
6.33	<b>Colour Saturation.....</b>	<b>118</b>
6.33.1	Introduction .....	118
6.33.2	Example URI.....	118
6.33.3	Resource type.....	118
6.33.4	OpenAPI 2.0 definition.....	118
6.33.5	Property definition.....	120
6.33.6	CRUDN behaviourc.....	120
6.34	<b>Contact Sensor .....</b>	<b>120</b>
6.34.1	Introduction .....	120
6.34.2	Example URI.....	120
6.34.3	Resource type.....	120
6.34.4	OpenAPI 2.0 definition.....	121
6.34.5	Property definition.....	122
6.34.6	CRUDN behaviour.....	122
6.35	<b>Demand Response Load Control (DRLC).....</b>	<b>123</b>
6.35.1	Introduction .....	123
6.35.2	Example URI.....	123
6.35.3	Resource type.....	123
6.35.4	OpenAPI 2.0 definition.....	123
6.35.5	Property definition.....	125
6.35.6	CRUDN behaviour.....	126
6.36	<b>Energy Overload/Circuit Breaker .....</b>	<b>126</b>
6.36.1	Introduction .....	126
6.36.2	Example URI.....	126
6.36.3	Resource type.....	126
6.36.4	OpenAPI 2.0 definition.....	126
6.36.5	Property definition.....	128
6.36.6	CRUDN behaviour.....	128
6.37	<b>Generic Sensor .....</b>	<b>128</b>
6.37.1	Introduction .....	128
6.37.2	Example URI.....	128
6.37.3	Resource type.....	129
6.37.4	OpenAPI 2.0 definition.....	129
6.37.5	Property definition.....	130
6.37.6	CRUDN behaviour.....	131
6.38	<b>Glass Break Sensor .....</b>	<b>131</b>
6.38.1	Introduction .....	131



6.38.2	Example URI.....	131
6.38.3	Resource type.....	131
6.38.4	OpenAPI 2.0 definition.....	131
6.38.5	Property definition.....	133
6.38.6	CRUDN behaviour.....	133
6.39	Heart Rate Zone .....	133
6.39.1	Introduction .....	133
6.39.2	Example URI.....	133
6.39.3	Resource type.....	133
6.39.4	OpenAPI 2.0 definition.....	134
6.39.5	Property definition.....	135
6.39.6	CRUDN behaviour.....	135
6.40	Illuminance Sensor .....	136
6.40.1	Introduction .....	136
6.40.2	Example URI.....	136
6.40.3	Resource type.....	136
6.40.4	OpenAPI 2.0 definition.....	136
6.40.5	Property definition.....	137
6.40.6	CRUDN behaviour.....	138
6.41	Magnetic Field Direction Sensor .....	138
6.41.1	Introduction .....	138
6.41.2	Example URI.....	138
6.41.3	Resource type.....	138
6.41.4	OpenAPI 2.0 definition.....	138
6.41.5	Property definition.....	140
6.41.6	CRUDN behaviour.....	140
6.42	Media .....	140
6.42.1	Introduction .....	140
6.42.2	Example URI.....	140
6.42.3	Resource type.....	141
6.42.4	OpenAPI 2.0 definition.....	141
6.42.5	Property definition.....	143
6.42.6	CRUDN behaviour.....	143
6.43	Media Source .....	144
6.43.1	Introduction .....	144
6.43.2	Example URI.....	144
6.43.3	Resource type.....	144
6.43.4	OpenAPI 2.0 definition.....	144
6.43.5	Property definition.....	146
6.43.6	CRUDN behaviour.....	147
6.44	Media Source List .....	147
6.44.1	Introduction .....	147
6.44.2	Example URI.....	147
6.44.3	Resource type.....	147
6.44.4	OpenAPI 2.0 definition.....	147
6.44.5	Property definition.....	150
6.44.6	CRUDN behaviour.....	150

<b>6.45</b>	<b>Media Source Input</b> .....	<b>150</b>
6.45.1	Introduction .....	150
6.45.2	Example URI.....	150
6.45.3	Resource type.....	150
6.45.4	OpenAPI 2.0 definition.....	151
6.45.5	Property definition.....	153
6.45.6	CRUDN behaviour.....	153
<b>6.46</b>	<b>Media Source Output</b> .....	<b>154</b>
6.46.1	Introduction .....	154
6.46.2	Example URI.....	154
6.46.3	Resource type.....	154
6.46.4	OpenAPI 2.0 definition.....	154
6.46.5	Property definition.....	156
6.46.6	CRUDN behaviour.....	157
<b>6.47</b>	<b>Motion Sensor</b> .....	<b>157</b>
6.47.1	Introduction .....	157
6.47.2	Example URI.....	157
6.47.3	Resource type.....	157
6.47.4	OpenAPI 2.0 definition.....	157
6.47.5	Property definition.....	159
6.47.6	CRUDN behaviour.....	159
<b>6.48</b>	<b>Night Mode</b> .....	<b>159</b>
6.48.1	Introduction .....	159
6.48.2	Example URI.....	159
6.48.3	Resource type.....	159
6.48.4	OpenAPI 2.0 definition.....	160
6.48.5	Property definition.....	161
6.48.6	CRUDN behaviourc.....	162
<b>6.49</b>	<b>Presence Sensor</b> .....	<b>162</b>
6.49.1	Introduction .....	162
6.49.2	Example URI.....	162
6.49.3	Resource type.....	162
6.49.4	OpenAPI 2.0 definition.....	162
6.49.5	Property definition.....	163
6.49.6	CRUDN behaviour.....	164
<b>6.50</b>	<b>Pan Tilt Zoom Movement</b> .....	<b>164</b>
6.50.1	Introduction .....	164
6.50.2	Example URI.....	164
6.50.3	Resource type.....	165
6.50.4	OpenAPI 2.0 definition.....	165
6.50.5	Property definition.....	167
6.50.6	CRUDN behaviour.....	168
<b>6.51</b>	<b>Signal Strength</b> .....	<b>168</b>
6.51.1	Introduction .....	168
6.51.2	Example URI.....	168
6.51.3	Resource type.....	168
6.51.4	OpenAPI 2.0 definition.....	168
6.51.5	Property definition.....	170

6.51.6	CRUDN behaviour .....	170
6.52	Speech Synthesis-TTS .....	170
6.52.1	Introduction .....	170
6.52.2	Example URI.....	171
6.52.3	Resource type.....	171
6.52.4	OpenAPI 2.0 definition.....	171
6.52.5	Property definition.....	173
6.52.6	CRUDN behaviour .....	174
6.53	Touch Sensor .....	174
6.53.1	Introduction .....	174
6.53.2	Example URI.....	174
6.53.3	Resource type.....	174
6.53.4	OpenAPI 2.0 definition.....	174
6.53.5	Property definition.....	176
6.53.6	CRUDN behaviour .....	176
6.54	UV Radiation .....	176
6.54.1	Introduction .....	176
6.54.2	Example URI.....	176
6.54.3	Resource type.....	176
6.54.4	OpenAPI 2.0 definition.....	176
6.54.5	Property definition.....	178
6.54.6	CRUDN behaviour .....	178
6.55	Water Sensor.....	178
6.55.1	Introduction .....	178
6.55.2	Example URI.....	178
6.55.3	Resource type.....	179
6.55.4	OpenAPI 2.0 definition.....	179
6.55.5	Property definition.....	180
6.55.6	CRUDN behaviour .....	181
6.56	Acceleration Sensor .....	181
6.56.1	Introduction .....	181
6.56.2	Example URI.....	181
6.56.3	Resource type.....	181
6.56.4	OpenAPI 2.0 definition.....	181
6.56.5	Property definition.....	183
6.56.6	CRUDN behaviour .....	183
6.57	Movement .....	184
6.57.1	Introduction .....	184
6.57.2	Example URI.....	184
6.57.3	Resource type.....	184
6.57.4	OpenAPI 2.0 definition.....	184
6.57.5	Property definition.....	186
6.57.6	CRUDN behaviour .....	186
6.58	Sleep Sensor .....	187
6.58.1	Introduction .....	187
6.58.2	Example URI.....	187
6.58.3	Resource type.....	187
6.58.4	OpenAPI 2.0 definition.....	187

6.58.5	Property definition.....	188
6.58.6	CRUDN behaviour.....	189
6.59	Smoke Sensor.....	189
6.59.1	Introduction.....	189
6.59.2	Example URI.....	189
6.59.3	Resource type.....	189
6.59.4	OpenAPI 2.0 definition.....	189
6.59.5	Property definition.....	191
6.59.6	CRUDN behaviour.....	191
6.60	Three Axis Sensor.....	191
6.60.1	Introduction.....	191
6.60.2	Example URI.....	192
6.60.3	Resource type.....	192
6.60.4	OpenAPI 2.0 definition.....	192
6.60.5	Property definition.....	193
6.60.6	CRUDN behaviour.....	193
6.61	Altimeter.....	194
6.61.1	Introduction.....	194
6.61.2	Example URI.....	194
6.61.3	Resource type.....	194
6.61.4	OpenAPI 2.0 definition.....	194
6.61.5	Property definition.....	196
6.61.6	CRUDN behaviour.....	196
6.62	Clock.....	196
6.62.1	Introduction.....	196
6.62.2	Example URI.....	196
6.62.3	Resource type.....	196
6.62.4	OpenAPI 2.0 definition.....	197
6.62.5	Property definition.....	199
6.62.6	CRUDN behaviour.....	199
6.63	Geolocation.....	199
6.63.1	Introduction.....	199
6.63.2	Example URI.....	199
6.63.3	Resource type.....	199
6.63.4	OpenAPI 2.0 definition.....	200
6.63.5	Property definition.....	201
6.63.6	CRUDN behaviour.....	202
6.64	Height.....	202
6.64.1	Introduction.....	202
6.64.2	Example URI.....	203
6.64.3	Resource type.....	203
6.64.4	OpenAPI 2.0 definition.....	203
6.64.5	Property definition.....	205
6.64.6	CRUDN behaviour.....	206
6.65	Weight.....	206
6.65.1	Introduction.....	206
6.65.2	Example URI.....	206
6.65.3	Resource type.....	206

6.65.4	OpenAPI 2.0 definition.....	206
6.65.5	Property definition.....	209
6.65.6	CRUDN behaviour.....	209
6.66	Air Quality.....	210
6.66.1	Introduction.....	210
6.66.2	Example URI.....	210
6.66.3	Resource type.....	210
6.66.4	OpenAPI 2.0 definition.....	210
6.66.5	Property definition.....	212
6.66.6	CRUDN behaviour.....	212
6.67	Air Quality Collection.....	213
6.67.1	Introduction.....	213
6.67.2	Example URI.....	213
6.67.3	Resource type.....	213
6.67.4	OpenAPI 2.0 definition.....	213
6.67.5	Property definition.....	217
6.67.6	CRUDN behaviour.....	218
6.68	Consumable.....	218
6.68.1	Introduction.....	218
6.68.2	Example URI.....	218
6.68.3	Resource type.....	218
6.68.4	OpenAPI 2.0 definition.....	218
6.68.5	Property definition.....	220
6.68.6	CRUDN behaviour.....	221
6.69	Consumables.....	221
6.69.1	Introduction.....	221
6.69.2	Example URI.....	221
6.69.3	Resource type.....	221
6.69.4	OpenAPI 2.0 definition.....	221
6.69.5	Property definition.....	225
6.69.6	CRUDN behaviour.....	226
6.70	Delay Defrost.....	226
6.70.1	Introduction.....	226
6.70.2	Example URI.....	227
6.70.3	Resource type.....	227
6.70.4	OpenAPI 2.0 definition.....	227
6.70.5	Property definition.....	229
6.70.6	CRUDN behaviour.....	230
6.71	Eco Mode.....	230
6.71.1	Introduction.....	230
6.71.2	Example URI.....	230
6.71.3	Resource type.....	230
6.71.4	OpenAPI 2.0 definition.....	230
6.71.5	Property definition.....	232
6.71.6	CRUDN behaviour.....	233
6.72	Heating Zone.....	233
6.72.1	Introduction.....	233
6.72.2	Example URI.....	233

6.72.3	Resource type.....	233
6.72.4	OpenAPI 2.0 definition.....	233
6.72.5	Property definition.....	235
6.72.6	CRUDN behaviour.....	235
6.73	Heating Zone Collection .....	235
6.73.1	Introduction .....	235
6.73.2	Example URI.....	235
6.73.3	Resource type.....	236
6.73.4	OpenAPI 2.0 definition.....	236
6.73.5	Property definition.....	240
6.73.6	CRUDN behaviour.....	240
6.74	Selectable Levels .....	241
6.74.1	Introduction .....	241
6.74.2	Example URI.....	241
6.74.3	Resource type.....	241
6.74.4	OpenAPI 2.0 definition.....	241
6.74.5	Property definition.....	243
6.74.6	CRUDN behaviour.....	243
6.75	Value Conditional.....	244
6.75.1	Introduction .....	244
6.75.2	Example URI.....	244
6.75.3	Resource type.....	244
6.75.4	OpenAPI 2.0 definition.....	244
6.75.5	Property definition.....	246
6.75.6	CRUDN behaviour.....	247
6.76	Colour Space Coordinates .....	247
6.76.1	Introduction .....	247
6.76.2	Example URI.....	247
6.76.3	Resource type.....	247
6.76.4	OpenAPI 2.0 definition.....	247
6.76.5	Property definition.....	249
6.76.6	CRUDN behaviour.....	250
6.77	Colour Temperature.....	250
6.77.1	Introduction .....	250
6.77.2	Example URI.....	250
6.77.3	Resource type.....	250
6.77.4	OpenAPI 2.0 definition.....	250
6.77.5	Property definition.....	252
6.77.6	CRUDN behaviour.....	253
6.78	Colour Hue and Saturation .....	253
6.78.1	Introduction .....	253
6.78.2	Example URI.....	253
6.78.3	Resource type.....	253
6.78.4	OpenAPI 2.0 definition.....	253
6.78.5	Property definition.....	255
6.78.6	CRUDN behaviour.....	256
6.79	Battery Material.....	256
6.79.1	Introduction .....	256

6.79.2	Example URI.....	256
6.79.3	Resource type.....	256
6.79.4	OpenAPI 2.0 definition.....	256
6.79.5	Property definition.....	259
6.79.6	CRUDN behaviour.....	259
6.80	Brewing .....	259
6.80.1	Introduction .....	259
6.80.2	Example URI.....	260
6.80.3	Resource type.....	260
6.80.4	OpenAPI 2.0 definition.....	260
6.80.5	Property definition.....	262
6.80.6	CRUDN behaviour.....	262
6.81	Energy .....	262
6.81.1	Introduction .....	262
6.81.2	Example URI.....	262
6.81.3	Resource type.....	262
6.81.4	OpenAPI 2.0 definition.....	263
6.81.5	Property definition.....	265
6.81.6	CRUDN behaviour.....	266
6.82	Energy Generation .....	266
6.82.1	Introduction .....	266
6.82.2	Example URI.....	266
6.82.3	Resource type.....	266
6.82.4	OpenAPI 2.0 definition.....	266
6.82.5	Property definition.....	267
6.82.6	CRUDN behaviour.....	268
6.83	Foaming.....	268
6.83.1	Introduction .....	268
6.83.2	Example URI.....	268
6.83.3	Resource type.....	268
6.83.4	OpenAPI 2.0 definition.....	268
6.83.5	Property definition.....	270
6.83.6	CRUDN behaviour.....	271
6.84	Grinder .....	271
6.84.1	Introduction .....	271
6.84.2	Example URI.....	271
6.84.3	Resource type.....	271
6.84.4	OpenAPI 2.0 definition.....	271
6.84.5	Property definition.....	273
6.84.6	CRUDN behaviour.....	274
6.85	Liquid Level.....	274
6.85.1	Introduction .....	274
6.85.2	Example URI.....	274
6.85.3	Resource type.....	274
6.85.4	OpenAPI 2.0 definition.....	274
6.85.5	Property definition.....	276
6.85.6	CRUDN behaviour.....	277

<b>6.86</b>	<b>Vehicle Connector</b>	<b>277</b>
6.86.1	Introduction	277
6.86.2	Example URI	277
6.86.3	Resource type	277
6.86.4	OpenAPI 2.0 definition	277
6.86.5	Property definition	279
6.86.6	CRUDN behaviour	279
<b>6.87</b>	<b>Time Stamp</b>	<b>279</b>
6.87.1	Introduction	279
6.87.2	Example URI	280
6.87.3	Resource type	280
6.87.4	OpenAPI 2.0 definition	280
6.87.5	Property definition	281
6.87.6	CRUDN behaviour	281
<b>6.88</b>	<b>3D Printer</b>	<b>282</b>
6.88.1	Introduction	282
6.88.2	Example URI	282
6.88.3	Resource type	282
6.88.4	OpenAPI 2.0 definition	282
6.88.5	Property definition	284
6.88.6	CRUDN behaviour	285
<b>6.89</b>	<b>Blood Pressure</b>	<b>285</b>
6.89.1	Introduction	285
6.89.2	Example URI	285
6.89.3	Resource type	285
6.89.4	OpenAPI 2.0 definition	285
6.89.5	Property definition	288
6.89.6	CRUDN behaviour	288
<b>6.90</b>	<b>Blood Pressure Monitor Atomic Measurement</b>	<b>288</b>
6.90.1	Introduction	288
6.90.2	Example URI	288
6.90.3	Resource type	288
6.90.4	OpenAPI 2.0 definition	289
6.90.5	Property definition	294
6.90.6	CRUDN behaviour	295
<b>6.91</b>	<b>Body Mass Index(BMI)</b>	<b>296</b>
6.91.1	Introduction	296
6.91.2	Example URI	296
6.91.3	Resource type	296
6.91.4	OpenAPI 2.0 definition	296
6.91.5	Property definition	298
6.91.6	CRUDN behaviour	298
<b>6.92</b>	<b>Body Fat</b>	<b>298</b>
6.92.1	Introduction	298
6.92.2	Example URI	299
6.92.3	Resource type	299
6.92.4	OpenAPI 2.0 definition	299
6.92.5	Property definition	301



6.92.6	CRUDN behaviour .....	301
6.93	Body Fat Free Mass .....	301
6.93.1	Introduction .....	301
6.93.2	Example URI.....	302
6.93.3	Resource type.....	302
6.93.4	OpenAPI 2.0 definition.....	302
6.93.5	Property definition.....	304
6.93.6	CRUDN behaviour .....	304
6.94	Body Location Temperature .....	304
6.94.1	Introduction .....	304
6.94.2	Example URI.....	304
6.94.3	Resource type.....	305
6.94.4	OpenAPI 2.0 definition.....	305
6.94.5	Property definition.....	306
6.94.6	CRUDN behaviour .....	307
6.95	Body Scale Atomic Measurement.....	307
6.95.1	Introduction .....	307
6.95.2	Example URI.....	307
6.95.3	Resource type.....	307
6.95.4	OpenAPI 2.0 definition.....	307
6.95.5	Property definition.....	316
6.95.6	CRUDN behaviour .....	317
6.96	Body Soft Lean Mass .....	317
6.96.1	Introduction .....	317
6.96.2	Example URI.....	317
6.96.3	Resource type.....	317
6.96.4	OpenAPI 2.0 definition.....	317
6.96.5	Property definition.....	319
6.96.6	CRUDN behaviour .....	320
6.97	Body Thermometer Atomic Measurement.....	320
6.97.1	Introduction .....	320
6.97.2	Example URI.....	320
6.97.3	Resource type.....	320
6.97.4	OpenAPI 2.0 definition.....	320
6.97.5	Property definition.....	326
6.97.6	CRUDN behaviour .....	327
6.98	Body Water.....	327
6.98.1	Introduction .....	327
6.98.2	Example URI.....	327
6.98.3	Resource type.....	327
6.98.4	OpenAPI 2.0 definition.....	327
6.98.5	Property definition.....	329
6.98.6	CRUDN behaviour .....	330
6.99	Glucose .....	330
6.99.1	Introduction .....	330
6.99.2	Example URI.....	330
6.99.3	Resource type.....	330
6.99.4	OpenAPI 2.0 definition.....	330

6.99.5	Property definition.....	332
6.99.6	CRUDN behaviour.....	333
<b>6.100</b>	<b>Context Carbohydrates for Glucose Meter .....</b>	<b>333</b>
6.100.1	Introduction .....	333
6.100.2	Example URI.....	333
6.100.3	Resource type.....	333
6.100.4	OpenAPI 2.0 definition.....	334
6.100.5	Property definition.....	336
6.100.6	CRUDN behaviour.....	336
<b>6.101</b>	<b>Exercise for Glucose Meter .....</b>	<b>337</b>
6.101.1	Introduction .....	337
6.101.2	Example URI.....	337
6.101.3	Resource type.....	337
6.101.4	OpenAPI 2.0 definition.....	337
6.101.5	Property definition.....	339
6.101.6	CRUDN behaviour.....	339
<b>6.102</b>	<b>Hemoglobin Bound to Glucose A1c Form (HbA1c) for Glucose Meter.....</b>	<b>339</b>
6.102.1	Introduction .....	339
6.102.2	Example URI.....	339
6.102.3	Resource type.....	340
6.102.4	OpenAPI 2.0 definition.....	340
6.102.5	Property definition.....	341
6.102.6	CRUDN behaviour.....	342
<b>6.103</b>	<b>Context Health for Glucose Meter .....</b>	<b>342</b>
6.103.1	Introduction .....	342
6.103.2	Example URI.....	342
6.103.3	Resource type.....	342
6.103.4	OpenAPI 2.0 definition.....	342
6.103.5	Property definition.....	344
6.103.6	CRUDN behaviour.....	344
<b>6.104</b>	<b>Context Meal for Glucose Meter.....</b>	<b>345</b>
6.104.1	Introduction .....	345
6.104.2	Example URI.....	345
6.104.3	Resource type.....	345
6.104.4	OpenAPI 2.0 definition.....	345
6.104.5	Property definition.....	347
6.104.6	CRUDN behaviour.....	347
<b>6.105</b>	<b>Context Medication for Glucose Meter .....</b>	<b>347</b>
6.105.1	Introduction .....	347
6.105.2	Example URI.....	347
6.105.3	Resource type.....	347
6.105.4	OpenAPI 2.0 definition.....	348
6.105.5	Property definition.....	350
6.105.6	CRUDN behaviour.....	350
<b>6.106</b>	<b>Glucose Meter Atomic Measurement .....</b>	<b>350</b>
6.106.1	Introduction .....	350
6.106.2	Example URI.....	351
6.106.3	Resource type.....	351

6.106.4	OpenAPI 2.0 definition.....	351
6.106.5	Property definition.....	360
6.106.6	CRUDN behaviour.....	361
6.107	Context Sample Location for Glucose Meter.....	361
6.107.1	Introduction.....	361
6.107.2	Example URI.....	361
6.107.3	Resource type.....	361
6.107.4	OpenAPI 2.0 definition.....	361
6.107.5	Property definition.....	363
6.107.6	CRUDN behaviour.....	363
6.108	Context Tester for Glucose Meter.....	364
6.108.1	Introduction.....	364
6.108.2	Example URI.....	364
6.108.3	Resource type.....	364
6.108.4	OpenAPI 2.0 definition.....	364
6.108.5	Property definition.....	366
6.108.6	CRUDN behaviour.....	366
6.109	Optical RFID Station.....	366
6.109.1	Introduction.....	366
6.109.2	Example URI.....	366
6.109.3	Resource type.....	366
6.109.4	OpenAPI 2.0 definition.....	367
6.109.5	Property definition.....	368
6.109.6	CRUDN behaviour.....	369
6.110	Optical RFID Tag.....	369
6.110.1	Introduction.....	369
6.110.2	Example URI.....	369
6.110.3	Resource type.....	369
6.110.4	OpenAPI 2.0 definition.....	369
6.110.5	Property definition.....	371
6.110.6	CRUDN behaviour.....	371
6.111	PowerSource.....	372
6.111.1	Introduction.....	372
6.111.2	Example URI.....	372
6.111.3	Resource type.....	372
6.111.4	OpenAPI 2.0 definition.....	372
6.111.5	Property definition.....	374
6.111.6	CRUDN behaviour.....	374
6.112	Print Queue.....	374
6.112.1	Introduction.....	374
6.112.2	Example URI.....	374
6.112.3	Resource type.....	374
6.112.4	OpenAPI 2.0 definition.....	374
6.112.5	Property definition.....	376
6.112.6	CRUDN behaviour.....	377
6.113	Pulse Rate.....	377
6.113.1	Introduction.....	377
6.113.2	Example URI.....	377

6.113.3	Resource type.....	377
6.113.4	OpenAPI 2.0 definition.....	377
6.113.5	Property definition.....	379
6.113.6	CRUDN behaviour.....	379
6.114	Sensor Properties .....	379
6.114.1	Introduction .....	379
6.114.2	Example URI.....	380
6.114.3	Resource type.....	380
6.114.4	OpenAPI 2.0 definition.....	380
6.114.5	Property definition.....	382
6.114.6	CRUDN behaviour.....	382
6.115	User ID.....	383
6.115.1	Introduction .....	383
6.115.2	Example URI.....	383
6.115.3	Resource type.....	383
6.115.4	OpenAPI 2.0 definition.....	383
6.115.5	Property definition.....	384
6.115.6	CRUDN behaviour.....	385
6.116	Calorific Value.....	385
6.116.1	Introduction .....	385
6.116.2	Example URI.....	385
6.116.3	Resource type.....	385
6.116.4	OpenAPI 2.0 definition.....	385
6.116.5	Property definition.....	387
6.116.6	CRUDN behaviour.....	387
6.117	Conversion Factor .....	387
6.117.1	Introduction .....	387
6.117.2	Example URI.....	387
6.117.3	Resource type.....	388
6.117.4	OpenAPI 2.0 definition.....	388
6.117.5	Property definition.....	389
6.117.6	CRUDN behaviour.....	389
6.118	Gas Consumption .....	390
6.118.1	Introduction .....	390
6.118.2	Example URI.....	390
6.118.3	Resource type.....	390
6.118.4	OpenAPI 2.0 definition.....	390
6.118.5	Property definition.....	391
6.118.6	CRUDN behaviour.....	392
6.119	Gas Usage .....	392
6.119.1	Introduction .....	392
6.119.2	Example URI.....	392
6.119.3	Resource type.....	392
6.119.4	OpenAPI 2.0 definition.....	392
6.119.5	Property definition.....	397
6.119.6	CRUDN behaviour.....	398
6.120	Impact Sensor .....	399
6.120.1	Introduction .....	399

6.120.2	Example URI.....	399
6.120.3	Resource type.....	399
6.120.4	OpenAPI 2.0 definition.....	399
6.120.5	Property definition.....	401
6.120.6	CRUDN behaviour.....	401
6.121	KeyPadChar.....	402
6.121.1	Introduction .....	402
6.121.2	Example URI.....	402
6.121.3	Resource type.....	402
6.121.4	OpenAPI 2.0 definition.....	402
6.121.5	Property definition.....	404
6.121.6	CRUDN behaviour.....	404
6.122	Opaque Data.....	404
6.122.1	Introduction .....	404
6.122.2	Example URI.....	404
6.122.3	Resource type.....	404
6.122.4	OpenAPI 2.0 definition.....	405
6.122.5	Property definition.....	407
6.122.6	CRUDN behaviour.....	407
6.123	User Info for Application Layer .....	408
6.123.1	Introduction .....	408
6.123.2	Example URI.....	408
6.123.3	Resource type.....	408
6.123.4	OpenAPI 2.0 definition.....	408
6.123.5	Property definition.....	410
6.123.6	CRUDN behaviour.....	410
6.124	IAS Zone Info.....	410
6.124.1	Introduction .....	410
6.124.2	Example URI.....	411
6.124.3	Resource type.....	411
6.124.4	OpenAPI 2.0 definition.....	411
6.124.5	Property definition.....	414
6.124.6	CRUDN behaviour.....	414
6.125	IAS Zone Collection .....	414
6.125.1	Introduction .....	414
6.125.2	Example URI.....	415
6.125.3	Resource type.....	415
6.125.4	OpenAPI 2.0 definition.....	415
6.125.5	Property definition.....	420
6.125.6	CRUDN behaviour.....	421
6.126	Window Covering.....	421
6.126.1	Introduction .....	421
6.126.2	Example URI.....	421
6.126.3	Resource type.....	421
6.126.4	OpenAPI 2.0 definition.....	422
6.126.5	Property definition.....	425
6.126.6	CRUDN behaviour.....	426

<b>6.127</b>	<b>Activity</b>	<b>426</b>
6.127.1	Introduction	426
6.127.2	Example URI	426
6.127.3	Resource type	426
6.127.4	OpenAPI 2.0 definition	426
6.127.5	Property definition	429
6.127.6	CRUDN behaviour	430
<b>6.128</b>	<b>Activity Tracker Atomic Measurement Representation</b>	<b>430</b>
6.128.1	Introduction	430
6.128.2	Example URI	430
6.128.3	Resource type	430
6.128.4	OpenAPI 2.0 definition	431
6.128.5	Property definition	436
6.128.6	CRUDN behaviour	437
<b>6.129</b>	<b>Alarm</b>	<b>438</b>
6.129.1	Introduction	438
6.129.2	Example URI	438
6.129.3	Resource type	438
6.129.4	OpenAPI 2.0 definition	438
6.129.5	Property definition	440
6.129.6	CRUDN behaviour	441
<b>6.130</b>	<b>Continuous Glucose Meter (CGM) Atomic Measurement Representation</b>	<b>441</b>
6.130.1	Introduction	441
6.130.2	Example URI	441
6.130.3	Resource type	442
6.130.4	OpenAPI 2.0 definition	442
6.130.5	Property definition	447
6.130.6	CRUDN behaviour	448
<b>6.131</b>	<b>Calibrate for Continuous Glucose Meter (CGM)</b>	<b>449</b>
6.131.1	Introduction	449
6.131.2	Example URI	449
6.131.3	Resource type	449
6.131.4	OpenAPI 2.0 definition	449
6.131.5	Property definition	451
6.131.6	CRUDN behaviour	452
<b>6.132</b>	<b>Sampling Interval for Continuous Glucose Meter (CGM)</b>	<b>452</b>
6.132.1	Introduction	452
6.132.2	Example URI	452
6.132.3	Resource type	452
6.132.4	OpenAPI 2.0 definition	452
6.132.5	Property definition	454
6.132.6	CRUDN behaviour	455
<b>6.133</b>	<b>Sensor for Continuous Glucose Meter (CGM)</b>	<b>455</b>
6.133.1	Introduction	455
6.133.2	Example URI	455
6.133.3	Resource type	455
6.133.4	OpenAPI 2.0 definition	455
6.133.5	Property definition	457

6.133.6	CRUDN behaviour .....	458
<b>6.134</b>	<b>Status for Continuous Glucose Meter (CGM) .....</b>	<b>458</b>
6.134.1	Introduction .....	458
6.134.2	Example URI.....	458
6.134.3	Resource type.....	458
6.134.4	OpenAPI 2.0 definition.....	458
6.134.5	Property definition.....	460
6.134.6	CRUDN behaviour .....	461
<b>6.135</b>	<b>Threshold for Continuous Glucose Meter (CGM) .....</b>	<b>461</b>
6.135.1	Introduction .....	461
6.135.2	Example URI.....	461
6.135.3	Resource type.....	462
6.135.4	OpenAPI 2.0 definition.....	462
6.135.5	Property definition.....	464
6.135.6	CRUDN behaviour .....	465
<b>6.136</b>	<b>Heart Rate.....</b>	<b>465</b>
6.136.1	Introduction .....	465
6.136.2	Example URI.....	466
6.136.3	Resource type.....	466
6.136.4	OpenAPI 2.0 definition.....	466
6.136.5	Property definition.....	467
6.136.6	CRUDN behaviour .....	468
<b>6.137</b>	<b>Heart Rate Monitor Atomic Measurement Representation .....</b>	<b>468</b>
6.137.1	Introduction .....	468
6.137.2	Example URI.....	468
6.137.3	Resource type.....	468
6.137.4	OpenAPI 2.0 definition.....	468
6.137.5	Property definition.....	474
6.137.6	CRUDN behaviour .....	475
<b>6.138</b>	<b>Pulsatile Characteristic for Pulse Oximeter .....</b>	<b>475</b>
6.138.1	Introduction .....	475
6.138.2	Example URI.....	475
6.138.3	Resource type.....	475
6.138.4	OpenAPI 2.0 definition.....	475
6.138.5	Property definition.....	477
6.138.6	CRUDN behaviour .....	478
<b>6.139</b>	<b>Pulsatile Occurrence for Pulse Oximeter.....</b>	<b>478</b>
6.139.1	Introduction .....	478
6.139.2	Example URI.....	478
6.139.3	Resource type.....	478
6.139.4	OpenAPI 2.0 definition.....	478
6.139.5	Property definition.....	480
6.139.6	CRUDN behaviour .....	480
<b>6.140</b>	<b>Pulse Oximeter Atomic Measurement Representation.....</b>	<b>480</b>
6.140.1	Introduction .....	480
6.140.2	Example URI.....	481
6.140.3	Resource type.....	481
6.140.4	OpenAPI 2.0 definition.....	481

6.140.5	Property definition.....	487
6.140.6	CRUDN behaviour.....	488
6.141	Sleep.....	489
6.141.1	Introduction .....	489
6.141.2	Example URI.....	489
6.141.3	Resource type.....	489
6.141.4	OpenAPI 2.0 definition.....	489
6.141.5	Property definition.....	492
6.141.6	CRUDN behaviour.....	493
6.142	Sleep Monitor Atomic Measurement Batch Representation .....	493
6.142.1	Introduction .....	493
6.142.2	Example URI.....	493
6.142.3	Resource type.....	493
6.142.4	OpenAPI 2.0 definition.....	493
6.142.5	Property definition.....	499
6.142.6	CRUDN behaviour.....	500
6.143	SpO2 for Pulse Oximeter .....	501
6.143.1	Introduction .....	501
6.143.2	Example URI.....	501
6.143.3	Resource type.....	501
6.143.4	OpenAPI 2.0 definition.....	501
6.143.5	Property definition.....	503
6.143.6	CRUDN behaviour.....	504
6.144	Cadence.....	504
6.144.1	Introduction .....	504
6.144.2	Example URI.....	504
6.144.3	Resource type.....	504
6.144.4	OpenAPI 2.0 definition.....	504
6.144.5	Property definition.....	506
6.144.6	CRUDN behaviour.....	506
6.145	Circuit Breaker (IEC 61850) .....	506
6.145.1	Introduction .....	506
6.145.2	Example URI.....	506
6.145.3	Resource type.....	507
6.145.4	OpenAPI 2.0 definition.....	507
6.145.5	Property definition.....	508
6.145.6	CRUDN behaviour.....	509
6.146	Cycling Power .....	509
6.146.1	Introduction .....	509
6.146.2	Example URI.....	510
6.146.3	Resource type.....	510
6.146.4	OpenAPI 2.0 definition.....	510
6.146.5	Property definition.....	512
6.146.6	CRUDN behaviour.....	512
6.147	Inverter (IEC 61850) .....	512
6.147.1	Introduction .....	512
6.147.2	Example URI.....	512
6.147.3	Resource type.....	513



6.147.4	OpenAPI 2.0 definition.....	513
6.147.5	Property definition.....	515
6.147.6	CRUDN behaviour.....	515
6.148	PV array system connection terminal (IEC 61850) .....	516
6.148.1	Introduction .....	516
6.148.2	Example URI.....	516
6.148.3	Resource type.....	516
6.148.4	OpenAPI 2.0 definition.....	516
6.148.5	Property definition.....	518
6.148.6	CRUDN behaviour .....	519
6.149	Speed.....	519
6.149.1	Introduction .....	519
6.149.2	Example URI.....	519
6.149.3	Resource type.....	519
6.149.4	OpenAPI 2.0 definition.....	519
6.149.5	Property definition.....	521
6.149.6	CRUDN behaviour .....	521
6.150	Torque .....	522
6.150.1	Introduction .....	522
6.150.2	Example URI.....	522
6.150.3	Resource type.....	522
6.150.4	OpenAPI 2.0 definition.....	522
6.150.5	Property definition.....	524
6.150.6	CRUDN behaviour .....	524
6.151	Water Info .....	524
6.151.1	Introduction .....	524
6.151.2	Example URI.....	524
6.151.3	Resource type.....	525
6.151.4	OpenAPI 2.0 definition.....	525
6.151.5	Property definition.....	527
6.151.6	CRUDN behaviour .....	528
6.152	Deodorization.....	528
6.152.1	Introduction .....	528
6.152.2	Example URI.....	528
6.152.3	Resource type.....	528
6.152.4	OpenAPI 2.0 definition.....	529
6.152.5	Property definition.....	531
6.152.6	CRUDN behaviour .....	531
6.153	KeyCard Switch.....	531
6.153.1	Introduction .....	531
6.153.2	Example URI.....	532
6.153.3	Resource type.....	532
6.153.4	OpenAPI 2.0 definition.....	532
6.153.5	Property definition.....	533
6.153.6	CRUDN behaviour .....	534
6.154	Muscle Oxygen Saturation.....	534
6.154.1	Introduction .....	534
6.154.2	Example URI.....	534

6.154.3	Resource type.....	534
6.154.4	OpenAPI 2.0 definition.....	534
6.154.5	Property definition.....	536
6.154.6	CRUDN behaviour.....	536
<b>6.155</b>	<b>Body Composition Analyser Atomic Measurement.....</b>	<b>537</b>
6.155.1	Introduction.....	537
6.155.2	Example URI.....	537
6.155.3	Resource type.....	537
6.155.4	OpenAPI 2.0 definition.....	537
6.155.5	Property definition.....	545
6.155.6	CRUDN behaviour.....	546
<b>6.156</b>	<b>Fault Interrupter Switch.....</b>	<b>546</b>
6.156.1	Introduction.....	546
6.156.2	Example URI.....	546
6.156.3	Resource type.....	547
6.156.4	OpenAPI 2.0 definition.....	547
6.156.5	Property definition.....	548
6.156.6	CRUDN behaviour.....	549
<b>6.157</b>	<b>HVAC Capacity.....</b>	<b>549</b>
6.157.1	Introduction.....	549
6.157.2	Example URI.....	549
6.157.3	Resource type.....	549
6.157.4	OpenAPI 2.0 definition.....	549
6.157.5	Property definition.....	551
6.157.6	CRUDN behaviour.....	551
<b>6.158</b>	<b>Media Audio Resource Type.....</b>	<b>551</b>
6.158.1	Introduction.....	551
6.158.2	Example URI.....	551
6.158.3	Resource type.....	551
6.158.4	OpenAPI 2.0 definition.....	552
6.158.5	Property definition.....	557
6.158.6	CRUDN behaviour.....	559
<b>6.159</b>	<b>Media Core Resource Type.....</b>	<b>559</b>
6.159.1	Introduction.....	559
6.159.2	Example URI.....	559
6.159.3	Resource type.....	559
6.159.4	OpenAPI 2.0 definition.....	559
6.159.5	Property definition.....	564
6.159.6	CRUDN behaviour.....	565
<b>6.160</b>	<b>Media Image Resource Type.....</b>	<b>565</b>
6.160.1	Introduction.....	565
6.160.2	Example URI.....	565
6.160.3	Resource type.....	566
6.160.4	OpenAPI 2.0 definition.....	566
6.160.5	Property definition.....	570
6.160.6	CRUDN behaviour.....	571
<b>6.161</b>	<b>Media Text Resource Type.....</b>	<b>571</b>
6.161.1	Introduction.....	571

6.161.2	Example URI.....	571
6.161.3	Resource type.....	571
6.161.4	OpenAPI 2.0 definition.....	572
6.161.5	Property definition.....	576
6.161.6	CRUDN behaviour.....	577
6.162	Media Video Resource Type .....	578
6.162.1	Introduction .....	578
6.162.2	Example URI.....	578
6.162.3	Resource type.....	578
6.162.4	OpenAPI 2.0 definition.....	578
6.162.5	Property definition.....	586
6.162.6	CRUDN behaviour.....	588
6.163	Restricted Switch.....	588
6.163.1	Introduction .....	588
6.163.2	Example URI.....	589
6.163.3	Resource type.....	589
6.163.4	OpenAPI 2.0 definition.....	589
6.163.5	Property definition.....	591
6.163.6	CRUDN behaviour.....	591
6.164	Device Settings Accessibility Resource Type .....	591
6.164.1	Introduction .....	591
6.164.2	Example URI.....	591
6.164.3	Resource type.....	591
6.164.4	OpenAPI 2.0 definition.....	591
6.164.5	Property definition.....	594
6.164.6	CRUDN behaviour.....	595
6.165	Device Settings Broadcasting Resource Type .....	595
6.165.1	Introduction .....	595
6.165.2	Example URI.....	595
6.165.3	Resource type.....	595
6.165.4	OpenAPI 2.0 definition.....	596
6.165.5	Property definition.....	598
6.165.6	CRUDN behaviour.....	599
6.166	Device Settings Picture Resource Type.....	599
6.166.1	Introduction .....	599
6.166.2	Example URI.....	599
6.166.3	Resource type.....	599
6.166.4	OpenAPI 2.0 definition.....	599
6.166.5	Property definition.....	603
6.166.6	CRUDN behaviour.....	606
6.167	Device Settings Sound Resource Type.....	606
6.167.1	Introduction .....	606
6.167.2	Example URI.....	606
6.167.3	Resource type.....	606
6.167.4	OpenAPI 2.0 definition.....	606
6.167.5	Property definition.....	609
6.167.6	CRUDN behaviour.....	610

<b>6.168</b>	<b>Device Settings Support Resource Type</b>	<b>610</b>
6.168.1	Introduction	610
6.168.2	Example URI	610
6.168.3	Resource type	610
6.168.4	OpenAPI 2.0 definition	610
6.168.5	Property definition	612
6.168.6	CRUDN behaviour	613
<b>6.169</b>	<b>Device Settings System Resource Type</b>	<b>613</b>
6.169.1	Introduction	613
6.169.2	Example URI	613
6.169.3	Resource type	613
6.169.4	OpenAPI 2.0 definition	613
6.169.5	Property definition	615
6.169.6	CRUDN behaviour	616

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted (see [www.iso.org/directives](http://www.iso.org/directives) or [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)) or the IEC list of patent declarations received (see [patents.iec.ch](http://patents.iec.ch)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html). In the IEC, see [www.iec.ch/understanding-standards](http://www.iec.ch/understanding-standards).

This document was prepared by the Open Connectivity Foundation (OCF) (as OCF Resource Type Specification, version 2.2.0) and drafted in accordance with its editorial rules. It was adopted, under the JTC 1 PAS procedure, by Joint Technical Committee ISO/IEC JTC 1, *Information technology*.

This second edition cancels and replaces the first edition (ISO/IEC 30118-4:2018), which has been technically revised.

The main changes compared to the previous edition are as follows:

- renaming of smarthome to generic applicable resource specification;
- addition of various new resources;
- addition of clarifications throughout.

A list of all parts in the ISO/IEC 30118 series can be found on the ISO and IEC websites.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html) and [www.iec.ch/national-committees](http://www.iec.ch/national-committees).

## Introduction

This document, and all the other parts associated with this document, were developed in response to worldwide demand for smart home focused Internet of Things (IoT) devices, such as appliances, door locks, security cameras, sensors, and actuators; these to be modelled and securely controlled, locally and remotely, over an IP network.

While some inter-device communication existed, no universal language had been developed for the IoT. Device makers instead had to choose between disparate frameworks, limiting their market share, or developing across multiple ecosystems, increasing their costs. The burden then falls on end users to determine whether the products they want are compatible with the ecosystem they bought into, or find ways to integrate their devices into their network, and try to solve interoperability issues on their own.

In addition to the smart home, IoT deployments in commercial environments are hampered by a lack of security. This issue can be avoided by having a secure IoT communication framework, which this standard solves.

The goal of these documents is then to connect the next 25 billion devices for the IoT, providing secure and reliable device discovery and connectivity across multiple OSs and platforms. There are multiple proposals and forums driving different approaches, but no single solution addresses the majority of key requirements. This document and the associated parts enable industry consolidation around a common, secure, interoperable approach.

ISO/IEC 30118 consists of eighteen parts, under the general title Information technology — Open Connectivity Foundation (OCF) Specification. The parts fall into logical groupings as described herein:

- Core framework
  - Part 1: Core Specification
  - Part 2: Security Specification
  - Part 13: Onboarding Tool Specification
- Bridging framework and bridges
  - Part 3: Bridging Specification
  - Part 6: Resource to Alljoyn Interface Mapping Specification
  - Part 8: OCF Resource to oneM2M Resource Mapping Specification
  - Part 14: OCF Resource to BLE Mapping Specification
  - Part 15: OCF Resource to EnOcean Mapping Specification
  - Part 16: OCF Resource to UPlus Mapping Specification
  - Part 17: OCF Resource to Zigbee Cluster Mapping Specification
  - Part 18: OCF Resource to Z-Wave Mapping Specification
- Resource and Device models
  - Part 4: Resource Type Specification
  - Part 5: Device Specification

- Core framework extensions
  - Part 7: Wi-Fi Easy Setup Specification
  - Part 9: Core Optional Specification
- OCF Cloud
  - Part 10: Cloud API for Cloud Services Specification
  - Part 11: Device to Cloud Services Specification
  - Part 12: Cloud Security Specification





# Information technology — Open Connectivity Foundation (OCF) Specification —

## Part 4: Resource type specification

### 1 Scope

This document specifies the Resources that have been defined by OCF that may be exposed by an OCF Device.

Application profile device documents (for example those created for Smart Home or Healthcare) specify device types appropriate to the profile; such documents use Resource Type definitions from this document.

This document is built on top of ISO/IEC 30118-1. ISO/IEC 30118-1 specifies the OCF Framework that enables the implementation of profiles for IoT usages and ecosystems. The OCF Core Framework is scalable to support simple devices (constrained device) and more capable devices (smart device).

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 30118-1 *Information technology -- Open Connectivity Foundation (OCF) Specification -- Part 1: Core specification*

<https://www.iso.org/standard/53238.html>

OpenAPI specification, fka *Swagger RESTful API Documentation Specification*, Version 2.0

<https://github.com/OAI/OpenAPI-Specification/blob/master/versions/2.0.md>