

---

---

**Information technology — Digitally  
recorded media for information  
interchange and storage — 120 mm  
triple layer (100,0 Gbytes per disk) BD  
rewritable disk**

*Technologies de l'information — Supports enregistrés  
numériquement pour échange et stockage d'information — Disques  
BD réinscriptibles de 120 mm triple couche (100,0 Go par disque)*





**COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

Page

Foreword.....	ix
Introduction.....	x
<b>1 Scope.....</b>	<b>1</b>
<b>2 Normative references.....</b>	<b>1</b>
<b>3 Terms and definitions.....</b>	<b>1</b>
<b>4 Symbols and abbreviated terms.....</b>	<b>6</b>
<b>5 Conformance.....</b>	<b>8</b>
5.1 Optical disk.....	8
5.2 Generating system.....	8
5.3 Receiving system.....	8
5.4 Compatibility statement.....	8
<b>6 Conventions and notations.....</b>	<b>8</b>
6.1 Levels of grouping.....	8
6.2 Representation of numbers.....	8
6.3 Integer calculus.....	10
<b>7 General description of disk.....</b>	<b>10</b>
<b>8 General requirements.....</b>	<b>11</b>
8.1 Environments.....	11
8.1.1 Test environment.....	11
8.1.2 Operating environment.....	12
8.1.3 Storage environment.....	13
8.1.4 Transportation.....	14
8.2 Safety requirements.....	14
8.3 Flammability.....	14
<b>9 Reference drive.....</b>	<b>15</b>
9.1 General.....	15
9.2 Measurement conditions.....	15
9.3 Optical system.....	15
9.4 Optical beam.....	16
9.5 HF read channel.....	16
9.6 Radial PP read channel.....	17
9.7 Disk clamping.....	17
9.8 Rotation of disk and measurement velocity.....	17
9.9 Normalized servo transfer function.....	18
9.10 Measurement velocities and reference servos for axial tracking.....	18
9.10.1 General.....	18
9.10.2 Reference servo for axial tracking for 1x measurement velocity.....	19
9.10.3 Reference servo for axial tracking for 2x measurement velocity.....	20
9.11 Measurement velocities and reference servos for radial tracking.....	21
9.11.1 General.....	21
9.11.2 Reference servo for radial tracking for 1x measurement velocity.....	21
9.11.3 Reference servo for radial tracking for 2x measurement velocity.....	23
<b>10 Dimensional characteristics.....</b>	<b>24</b>
10.1 General.....	24
10.2 Disk reference planes and reference axis.....	24
10.3 Overall dimensions.....	26
10.4 First transition area.....	26
10.5 Protection ring.....	26
10.6 Clamping zone.....	26
10.7 Second transition area.....	27

10.8	Information area.....	27
10.8.1	General.....	27
10.8.2	Subdivision of information zone on TL disk.....	28
10.9	Rim area.....	29
<b>11</b>	<b>Mechanical characteristics.....</b>	<b>29</b>
11.1	Mass.....	29
11.2	Moment of inertia.....	29
11.3	Dynamic imbalance.....	29
11.4	Axial runout.....	29
11.4.1	General.....	29
11.4.2	Residual axial tracking error for 1x measurement velocity.....	30
11.4.3	Residual axial tracking error for 2x measurement velocity.....	30
11.5	Radial runout.....	30
11.5.1	General.....	30
11.5.2	Residual radial tracking error for 1x measurement velocity.....	31
11.5.3	Residual radial tracking error for 2x measurement velocity.....	31
11.6	Durability of cover layer.....	31
11.6.1	Impact resistance of cover layer.....	31
11.6.2	Scratch resistance of cover layer.....	32
11.6.3	Repulsion of fingerprints by cover layer.....	32
<b>12</b>	<b>Optical characteristics in information area.....</b>	<b>32</b>
12.1	General.....	32
12.2	Refractive index of transmission stacks (TS).....	32
12.3	Thickness of transmission stacks (TS).....	32
12.4	Example of target thickness of spacer layers for TL disks.....	33
12.5	Reflectivity of recording layers.....	35
12.6	Birefringence.....	36
12.7	Angular deviation.....	36
<b>13</b>	<b>Data format.....</b>	<b>37</b>
13.1	General.....	37
13.2	Data frame.....	39
13.3	Error-detection code (EDC).....	39
13.4	Scrambled data frame.....	40
13.5	Data block.....	40
13.6	LDC block.....	41
13.7	LDC code words.....	42
13.8	LDC cluster.....	43
13.8.1	General.....	43
13.8.2	First interleaving step.....	43
13.8.3	Second interleaving step.....	43
13.9	Addressing and control data.....	45
13.9.1	General.....	45
13.9.2	Address units.....	45
13.9.3	User control data.....	49
13.9.4	Byte/Bit assignment for user control data.....	50
13.10	Access block.....	52
13.11	BIS block.....	52
13.12	BIS code words.....	53
13.13	BIS cluster.....	54
13.14	ECC cluster.....	57
13.15	Recording frames.....	58
13.16	Physical cluster.....	59
13.17	17PP modulation for recordable data.....	59
13.17.1	General.....	59
13.17.2	Bit conversion rules.....	59
13.17.3	dc-control procedure.....	60
13.17.4	Frame sync.....	60

13.18	Modulation and NRZI conversion.....	62
<b>14</b>	<b>Physical data allocating and linking.....</b>	<b>62</b>
14.1	General.....	62
14.2	Recording-unit block (RUB).....	63
14.2.1	General.....	63
14.2.2	Data run-in.....	63
14.2.3	Data run-out.....	64
14.2.4	Guard_3 field.....	65
14.3	Locating data relative to wobble addresses.....	66
14.3.1	General.....	66
14.3.2	Start position shift (SPS).....	66
<b>15</b>	<b>Track format.....</b>	<b>68</b>
15.1	General.....	68
15.2	Track shape.....	68
15.2.1	General.....	68
15.2.2	Groove geometry.....	69
15.3	Track path.....	69
15.4	Track pitch.....	70
15.4.1	Track pitch in BCA zone.....	70
15.4.2	Track pitch in embossed HFM areas.....	70
15.4.3	Track pitch in rewritable areas.....	70
15.4.4	Track pitch between embossed HFM area and rewritable area.....	70
15.5	Track layout of HFM grooves.....	70
15.5.1	General.....	70
15.5.2	Data format.....	71
15.5.3	Addressing and control data.....	72
15.5.4	Recording frames.....	76
15.6	Track layout of wobbled grooves.....	78
15.6.1	General.....	78
15.6.2	Modulation of wobbles.....	78
15.6.3	Wobble polarity.....	80
15.7	ADIP information.....	80
15.7.1	General.....	80
15.7.2	ADIP unit types.....	80
15.7.3	ADIP word structure.....	81
15.7.4	ADIP data structure.....	82
15.7.5	ADIP error correction.....	85
15.8	Disk information (DI) in ADIP aux frame.....	87
15.8.1	General.....	87
15.8.2	Error protection for disk-information (DI) aux frames.....	88
15.8.3	Disk-Information (DI) data structure.....	89
<b>16</b>	<b>General description of information zone.....</b>	<b>139</b>
16.1	General.....	139
16.2	Format of information zone.....	140
<b>17</b>	<b>Layout of rewritable area of information zone.....</b>	<b>140</b>
17.1	General.....	140
17.2	Physical sector numbering.....	144
<b>18</b>	<b>Inner zone.....</b>	<b>145</b>
18.1	General.....	145
18.2	Permanent information and control data (PIC) zone.....	148
18.2.1	General.....	148
18.2.2	Content of PIC zone.....	148
18.2.3	Emergency brake.....	149
18.3	Rewritable area of inner zone(s).....	151
18.3.1	Protection zone 2.....	151
18.3.2	Buffer.....	151

	18.3.3	INFO 2/Reserved 8.....	151
	18.3.4	INFO 2/Reserved 7.....	151
	18.3.5	INFO 2/Reserved 6.....	152
	18.3.6	INFO 2/Reserved 5.....	152
	18.3.7	INFO 2/PAC 2.....	152
	18.3.8	INFO 2/Reserved.....	152
	18.3.9	INFO 2/DMA 2.....	152
	18.3.10	INFO 2/Buffer 2.....	152
	18.3.11	INFO 2/Control data 2.....	152
	18.3.12	OPC/Test zone.....	152
	18.3.13	Reserved.....	152
	18.3.14	INFO 1/Buffer 1.....	153
	18.3.15	INFO 1/Drive area (optional).....	153
	18.3.16	INFO 1/Reserved 3.....	154
	18.3.17	INFO 1/Reserved 2.....	154
	18.3.18	INFO 1/Reserved 1.....	154
	18.3.19	INFO 1/DMA 1.....	154
	18.3.20	INFO 1/Control Data 1.....	154
	18.3.21	INFO 1/PAC 1.....	154
	18.3.22	INFO 1/Reserved.....	155
<b>19</b>		<b>Data zone.....</b>	<b>155</b>
<b>20</b>		<b>Outer zone(s).....</b>	<b>155</b>
	20.1	General.....	155
	20.2	INFO 3/Buffer 3.....	155
	20.3	INFO 3/DMA 3.....	156
	20.4	INFO 3/Control data 3.....	156
	20.5	Angular buffer.....	156
	20.6	INFO 4/DMA 4.....	156
	20.7	INFO 4/Control data 4.....	156
	20.8	INFO 4/Buffer 4.....	156
	20.9	DCZ 0/Test zone, DCZ 1/Test zone and DCZ 2/Test zone.....	156
	20.10	Protection zone 3.....	156
<b>21</b>		<b>Physical-access control clusters.....</b>	<b>156</b>
	21.1	General.....	156
	21.2	Layout of PAC zones.....	157
	21.3	General structure of PAC clusters.....	157
	21.4	Primary PAC cluster (mandatory).....	161
	21.5	Disk write-protect (DWP) PAC cluster (optional).....	164
	21.6	IS1 and IS2 PAC clusters.....	168
<b>22</b>		<b>Disk management.....</b>	<b>169</b>
	22.1	General.....	169
	22.2	Disk-management structure (DMS).....	170
	22.2.1	General.....	170

	22.2.2 Disk-definition structure (DDS).....	171
	22.2.3 Defect list (DFL).....	174
<b>23</b>	<b>Assignment of logical-sector numbers (LSNs).....</b>	<b>179</b>
<b>24</b>	<b>Characteristics of grooved areas.....</b>	<b>180</b>
<b>25</b>	<b>Method of testing for grooved area.....</b>	<b>180</b>
	25.1 General.....	180
	25.2 Environment.....	180
	25.3 Reference drive.....	180
	25.3.1 General.....	180
	25.3.2 Read power.....	180
	25.3.3 Read channels.....	180
	25.3.4 Tracking requirements.....	181
	25.3.5 Scanning velocities.....	181
	25.4 Definition of signals.....	181
	25.4.1 General.....	181
	25.4.2 Push-pull signal.....	181
	25.4.3 Wobble signal.....	182
<b>26</b>	<b>Signals from HFM grooves.....</b>	<b>182</b>
	26.1 Push-pull polarity.....	182
	26.2 Push-pull signal.....	183
	26.3 Wobble signal.....	183
	26.4 Jitter of HFM signal.....	183
<b>27</b>	<b>Signals from wobbled grooves.....</b>	<b>183</b>
	27.1 Phase depth.....	183
	27.2 Push-pull signal.....	183
	27.3 Wobble signal.....	184
	27.3.1 General.....	184
	27.3.2 Measurement of $I_{NWS}$ .....	184
	27.3.3 Measurement of the wobble CNR.....	184
	27.3.4 Measurement of harmonic distortion of wobble.....	184
<b>28</b>	<b>Characteristics of recording layer.....</b>	<b>185</b>
<b>29</b>	<b>Method of testing for recording layer.....</b>	<b>185</b>
	29.1 General.....	185
	29.2 Environment.....	185
	29.3 Reference drive.....	185
	29.3.1 General.....	185
	29.3.2 Read power.....	185
	29.3.3 Read channels.....	185
	29.3.4 Tracking requirements.....	186
	29.3.5 Scanning velocities.....	186
	29.4 Write conditions.....	186
	29.4.1 Write-pulse waveform.....	186
	29.4.2 Write powers.....	186
	29.4.3 Average power.....	187
	29.4.4 Write conditions for i-MLSE measurement.....	187
	29.4.5 Write conditions for cross-erase measurements.....	187
	29.5 Definition of signals.....	187
<b>30</b>	<b>Signals from recorded areas.....</b>	<b>188</b>
	30.1 HF signals.....	188
	30.2 Modulated amplitude.....	188
	30.3 Reflectivity-modulation product.....	189
	30.4 Asymmetry.....	189
	30.5 i-MLSE@DOW( $n$ ).....	190
	30.6 Cross-erase @ DOW( $n$ ) <sub>XE</sub> .....	190

30.7	Read stability.....	190
<b>31</b>	<b>Local defects.....</b>	<b>191</b>
<b>32</b>	<b>Characteristics of user data.....</b>	<b>191</b>
<b>33</b>	<b>Method of testing for user data.....</b>	<b>191</b>
33.1	General.....	191
33.2	Environment.....	192
33.3	Reference drive.....	192
33.3.1	General.....	192
33.3.2	Read power.....	192
33.3.3	Read channels.....	192
33.3.4	Error correction.....	192
33.3.5	Tracking requirements.....	192
33.3.6	Scanning velocities.....	192
33.4	Error signals.....	192
33.4.1	Byte error.....	192
33.4.2	Burst error.....	192
33.4.3	Symbol error rate (SER).....	193
33.4.4	Random symbol error rate (RSER).....	193
<b>34</b>	<b>Minimum quality of recorded information.....</b>	<b>194</b>
34.1	General.....	194
34.2	Random symbol error rate (RSER).....	194
34.3	Maximum burst errors.....	194
34.4	User-written data.....	194
<b>35</b>	<b>Burst-cutting area (BCA).....</b>	<b>194</b>
<b>Annex A</b>	<b>(normative) Thickness of transmission stacks (TSS) in case of multiple layers.....</b>	<b>196</b>
<b>Annex B</b>	<b>(normative) Measurement of reflectivity.....</b>	<b>199</b>
<b>Annex C</b>	<b>(normative) Measurement of scratch resistance of cover layer.....</b>	<b>205</b>
<b>Annex D</b>	<b>(normative) Measurement of repulsion of grime of cover layer.....</b>	<b>207</b>
<b>Annex E</b>	<b>(normative) Measurement of wobble amplitude.....</b>	<b>210</b>
<b>Annex F</b>	<b>(normative) Write-pulse waveform for testing.....</b>	<b>215</b>
<b>Annex G</b>	<b>(normative) Optimum power control (OPC) procedure for disk.....</b>	<b>222</b>
<b>Annex H</b>	<b>(normative) HF signal pre-processing for integrated-maximum likelihood sequence error estimation (i-MLSE) measurements.....</b>	<b>225</b>
<b>Annex I</b>	<b>(normative) Measurement procedures.....</b>	<b>237</b>
<b>Annex J</b>	<b>(informative) Measurement of birefringence.....</b>	<b>249</b>
<b>Annex K</b>	<b>(informative) Measurement of thickness of cover layer and spacer layer.....</b>	<b>251</b>
<b>Annex L</b>	<b>(informative) Measurement of impact resistance of cover layer.....</b>	<b>254</b>
<b>Annex M</b>	<b>(informative) Groove deviation and wobble amplitude.....</b>	<b>256</b>
<b>Annex N</b>	<b>(informative) Guidelines for write pulse adjustment using L-SEAT edge-shift.....</b>	<b>258</b>
<b>Bibliography</b>	<b>.....</b>	<b>267</b>



## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document is in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 23, *Digitally recorded media for information interchange and storage*.

This fourth edition cancels and replaces the third edition (ISO/IEC 30193:2020), which has been technically revised.

The main changes are as follows:

- The missing condition of pulse width regarding residual errors has been added.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).

## Introduction

In March 2002, the Blu-ray Disc Founders (BDF) came together to create optical-disk formats with large capacity and high-speed transfer rates that would be needed for recording and reproducing high-definition video content. This joint effort turned out to be fruitful and the first version of its Blu-ray Disc™<sup>1)</sup> Rewritable format Part 1 version 1.0, with cartridge, was issued in June 2002.

The Blu-ray Disc Association (BDA) issued version 2.1 of the Blu-ray Disc™ Rewritable format Part 1 in October 2005 and version 3.0, without cartridge, in June 2010.

To maintain compatibility of the removable medium in the market, a standard alone is not enough. It is necessary to check that the disks and devices can satisfy the specifications. The BDA also conducts verification activities for both disks and devices and has established more than 10 testing centers in Asia, Europe and the USA.

Blu-ray™ disks, players, recorders and PC drives/software based on BDA standards became popular all over the world. The BDA gave consumer applications the highest priority in the first few years. But it was known, of course, that international standardization would be required before many government entities and their contractors would be allowed to use Blu-ray Disc™. In January and February 2011, the chairs of ISO/IEC JTC 1/SC 23 and JIIMA (Japan Image and information Management Association) formally requested the BDA to consider international standardization. The reason for this was to enable the inclusion of writable BDs along with DVDs and CDs in an international standard specifying the test methods for the estimation of a lifetime of optical storage media for long-term data storage. In October 2011, the President of the BDA responded that the organization had decided to pursue international standardization for the basic physical formats for the recordable and rewritable Blu-ray™ Formats.

In December 2011, the BDA sent project proposals for international standardization of four formats to ISO/IEC JTC 1/SC 23 via the Japanese national body. They are 120 mm single layer (25,0 Gbytes per disk) and dual layer (50,0 Gbytes per disk) BD recordable disks, 120 mm single layer (25,0 Gbytes per disk) and dual layer (50,0 Gbytes per disk) BD rewritable disks, 120 mm triple layer (100,0 Gbytes per disk) and quadruple layer (128,0 Gbytes per disk) BD recordable disks and 120 mm triple layer (100,0 Gbytes per disk) BD rewritable disk.

This document specifies the mechanical, physical and optical characteristics of a 120 mm rewritable optical disk with a capacity of 100,0 Gbytes.

A few additional specifications are required in order to write and read video-recording applications, such as BDAV format which had been specified by the BDA for use on BD rewritable disks. These specifications, which are related to the BD application (BDAP), the file system or the content-protection system, are required for the disk, the generating system and the receiving system. For more information about the BDAP, the content-protection system and the additional requirements for the Blu-ray™ Format specifications, see <http://www.blu-raydisc.info>.

The International Organization for Standardization (ISO) and International Electrotechnical Commission (IEC) draw attention to the fact that it is claimed that compliance with this document may involve the use of a patent.

ISO and IEC take no position concerning the evidence, validity and scope of this patent right.

The holder of this patent right has assured ISO and IEC that he/she is willing to negotiate licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with ISO and IEC. information may be obtained from the patent database available at [www.iso.org/patents](http://www.iso.org/patents).

---

1) Blu-ray™ and Blu-ray Disc™ are the trademark of products supplied by Blu-ray Disc Association. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO or IEC of the product named.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those in the patent database. ISO and IEC shall not be held responsible for identifying any or all such patent rights.



# Information technology — Digitally recorded media for information interchange and storage — 120 mm triple layer (100,0 Gbytes per disk) BD rewritable disk

## 1 Scope

This document specifies the mechanical, physical and optical characteristics of a 120 mm rewritable optical disk with a capacity of 100,0 Gbytes. It specifies the quality of the recorded and unrecorded signals, the format of the data and the recording method, thereby allowing for information interchange by means of such disks. User data can be written, read and overwritten many times using a reversible method. This disk is identified as a BD rewritable disk.

This document specifies the following:

- the one disk type;
- the conditions for conformance;
- the environments in which the disk is to be operated and stored;
- the mechanical and physical characteristics of the disk, in order to provide mechanical interchange between data processing systems;
- the format of the information on the disk, including the physical disposition of the tracks and sectors;
- the error-correcting codes and the coding method used;
- the characteristics of the signals recorded on the disk, enabling data processing systems to read data from the disk.

This document provides for interchange of disks between disk drives. Together with a standard for volume and file structure, it provides for full data interchange between data processing systems.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 646, *Information technology — ISO 7-bit coded character set for information interchange*

ISO 9352, *Plastics — Determination of resistance to wear by abrasive wheels*

IEC 60068-2-2, *Environmental testing — Part 2-2: Tests — Test B: Dry heat*

IEC 60068-2-30, *Environmental testing — Part 2-30: Tests — Test Db: Damp heat, cyclic (12 h + 12 h cycle)*

IEC 60950-1, *Information technology equipment — Safety — Part 1: General requirements*