

INTERNATIONAL  
STANDARD

ISO/IEC  
39794-5

First edition  
2019-12

---

---

**Information technology — Extensible  
biometric data interchange formats —**

**Part 5:  
Face image data**



Reference number  
ISO/IEC 39794-5:2019(E)

© ISO/IEC 2019



**COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Fax: +41 22 749 09 47  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

	Page
<b>Foreword</b> .....	<b>vi</b>
<b>Introduction</b> .....	<b>vii</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>2</b>
<b>4 Abbreviated terms</b> .....	<b>7</b>
<b>5 Conformance</b> .....	<b>8</b>
<b>6 Modality specific information</b> .....	<b>9</b>
<b>7 Abstract data elements</b> .....	<b>9</b>
7.1 Overview.....	9
7.1.1 Content and notation.....	9
7.1.2 Structure overview.....	10
7.1.3 Data conventions.....	11
7.2 Face image data block.....	11
7.3 Version block.....	11
7.4 Representation block.....	12
7.5 Representation identifier.....	12
7.6 Capture date/time block.....	12
7.7 Quality blocks.....	12
7.8 PAD data block.....	12
7.9 Session identifier.....	12
7.10 Derived from.....	13
7.11 Capture device block.....	13
7.12 Model identifier block.....	13
7.13 Certification identifier blocks.....	13
7.14 Identity metadata block.....	13
7.15 Gender.....	14
7.16 Eye colour.....	14
7.17 Hair colour.....	15
7.18 Subject height.....	15
7.19 Properties block.....	16
7.20 Expression block.....	16
7.21 Pose angle block.....	17
7.22 Angle data block.....	18
7.23 Angle value.....	18
7.24 Angle uncertainty.....	18
7.25 Landmark block.....	19
7.26 Landmark kind.....	19
7.27 MPEG4 feature point.....	19
7.28 Anthropometric landmark.....	22
7.29 Landmark coordinates block.....	25
7.30 Image representation block.....	26
7.31 2D image representation block.....	26
7.32 2D representation data.....	26
7.33 2D capture device block.....	26
7.34 2D capture device spectral block.....	26
7.35 2D capture device technology identifier.....	27
7.36 2D image information block.....	27
7.37 2D face image kind.....	27
7.38 Post acquisition processing block.....	28
7.39 Lossy transformation attempts.....	28
7.40 Image data format.....	29

7.41	Camera to subject distance.....	31
7.42	Sensor diagonal.....	31
7.43	Lens focal length.....	32
7.44	Image size block.....	32
7.45	Width.....	32
7.46	Height.....	32
7.47	Image face measurements block.....	32
7.48	Image head width.....	33
7.49	Image inter-eye distance.....	33
7.50	Image eye-to-mouth distance.....	34
7.51	Image head length.....	34
7.52	Image colour space.....	35
7.53	Reference colour mapping block.....	35
7.54	Reference colour schema.....	35
7.55	Reference colour definition and value block.....	35
7.56	3D shape representation block.....	35
7.57	3D representation data.....	36
7.58	3D capture device block.....	36
7.59	3D modus.....	36
7.60	3D capture device technology identifier.....	36
7.61	3D image information block.....	37
7.62	3D representation kind block.....	37
7.63	3D vertex block.....	37
7.64	3D vertex information block.....	37
7.65	3D vertex coordinate block.....	37
7.66	3D vertex identifier.....	38
7.67	3D vertex normals block.....	38
7.68	3D vertex textures block.....	38
7.69	3D error map.....	38
7.70	3D vertex triangle data block.....	39
7.71	3D coordinate system.....	39
7.72	3D Cartesian coordinate system.....	39
7.73	3D Cartesian scales and offsets block.....	40
7.74	3D face image kind.....	41
7.75	3D physical face measurements block.....	41
7.76	3D physical head width.....	41
7.77	3D physical inter-eye distance.....	42
7.78	3D physical eye-to-mouth distance.....	42
7.79	3D physical head length.....	42
7.80	3D textured image resolution block.....	42
7.81	3D MM shape [X/Y/Z] resolution.....	42
7.82	3D MM texture resolution.....	42
7.83	3D texture acquisition period.....	42
7.84	3D face area scanned block.....	43
7.85	3D texture map block.....	43
7.86	3D texture capture device spectral block.....	43
7.87	3D texture standard illuminant.....	44
7.88	3D texture map data.....	44
<b>8</b>	<b>Encoding.....</b>	<b>44</b>
8.1	Overview.....	44
8.2	Tagged binary encoding.....	45
8.3	XML encoding.....	46
<b>9</b>	<b>Registered BDB format identifiers.....</b>	<b>47</b>
<b>Annex A (normative) Formal specifications.....</b>		<b>48</b>
<b>Annex B (informative) Encoding examples.....</b>		<b>80</b>
<b>Annex C (normative) Conformance testing methodology.....</b>		<b>88</b>

<b>Annex D (normative) Application profiles</b> .....	<b>101</b>
<b>Annex E (informative) Additional technical considerations</b> .....	<b>154</b>
<b>Bibliography</b> .....	<b>184</b>

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)) or the IEC list of patent declarations received (see <http://patents.iec.ch>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 37, *Biometrics*.

A list of all parts in the ISO/IEC 39794 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).

The purchase of this ISO/IEC document carries a copyright licence for the purchaser to use ISO/IEC copyright in the schemas in the annexes to this document for the purpose of developing, implementing, installing and using software based on those schemas, subject to ISO/IEC licensing conditions set out in the schemas.

## Introduction

Face images have been used for many decades to verify the identity of individuals. In recent years, digital face images have been used in many applications including human examination as well as computer-automated face recognition. Photographic formats are standardized, e.g., for passports and driver licences. There is also a need for a standard data format for digital face images to enable interoperability. A prominent case where such interoperability is essential is the electronic passport system, where face images are stored for several purposes including Automated Border Control.

Biometric data interchange formats enable the interoperability of different biometric systems. The first generation of biometric data interchange formats was published between 2005 and 2007 in the first edition of the ISO/IEC 19794 series. From 2011 onwards, the second generation of biometric data interchange formats was published in the second edition of the established parts and the first edition of some new parts of the ISO/IEC 19794 series. In the second generation of biometric data interchange formats, new useful data elements such as data elements related to biometric sample quality were added, the header data structures were harmonized across all parts of the ISO/IEC 19794 series, and XML encoding was been added in addition to the binary encoding.

In anticipation of the need for additional data elements, and in order to avoid future compatibility issues, the ISO/IEC 39794 series provides standard biometric data interchange formats capable of being extended in a defined way. Extensible specifications in ASN.1 (Abstract Syntax Notation One) and the distinguished encoding rules (DER) of ASN.1 form the basis for encoding biometric data in binary tag-length-value formats. XSDs (XML schema definitions) form the basis for encoding biometric data in XML (eXtensible Markup Language).

This third generation of face image data interchange formats complements ISO/IEC 19794-5:2005 and ISO/IEC 19794-5:2011. The first generation of biometric data interchange formats, which has been adopted, e.g., by ICAO for the biometric data stored in Machine Readable Travel Documents, is expected to be retained in the standards catalogue as long as needed.

This document is intended to provide a generic face image data format for face recognition applications requiring exchange of face image data. Typical applications are:

- automated face biometric verification (one-to-one comparison) and identification (one-to-many comparison), and
- human verification of a biometric claim by comparison of data subjects against face images, including examination of face images with sufficient detail.

In addition to the data format, this document specifies application specific profiles including scene constraints, photographic properties and digital image attributes like image spatial sampling rate, image size, etc. These application profiles are contained in [Annex D](#).

The structure of the data format in this document is not compatible with the previous generations. However, this new revision addresses, for the first time, a mechanism to maintain future extensions in a backwards- and forwards-compatible manner. This will mean that a parser is able to read data records and understand data items that are formatted according to versions of the standard that are older, the same or newer than the parser is developed to. All newer data items will not disrupt the parsing process and can be ignored. Newer versions of this document will at least include the mandatory data items of the previous standards.

The 3D encoding types 3D point map and range image are not supported by this edition of this document.





# Information technology — Extensible biometric data interchange formats —

## Part 5: Face image data

### 1 Scope

This document specifies:

- generic extensible data interchange formats for the representation of face image data: A tagged binary data format based on an extensible specification in ASN.1 and a textual data format based on an XML schema definition that are both capable of holding the same information;
- examples of data record contents;
- application specific requirements, recommendations, and best practices in data acquisition; and
- conformance test assertions and conformance test procedures applicable to this document.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 2382-37, *Information technology — Vocabulary — Part 37: Biometrics*

ISO/IEC 8824-1, *Information technology — Abstract Syntax Notation One (ASN.1): Specification of basic notation — Part 1*

ISO/IEC 8825-1, *Information technology — ASN.1 encoding rules: Specification of Basic Encoding Rules (BER), Canonical Encoding Rules (CER) and Distinguished Encoding Rules (DER) — Part 1*

ITU-T Rec. T.81 | ISO/IEC 10918-1, *Information technology — Digital compression and coding of continuous-tone still images — Part 1: Requirements and guidelines*

ISO 11664-2:2007, *Colorimetry — Part 2: CIE standard illuminants*

ISO/IEC 14496-2:2004, *Information technology — Coding of audio-visual objects — Part 2: Visual*

ITU-T Rec. T.800 | ISO/IEC 15444-1, *Information technology — JPEG 2000 image coding system — Part 1: Core coding system*

ISO/IEC 15948, *Information technology — Computer graphics and image processing — Portable Network Graphics (PNG): Functional specification*

ISO/IEC 39794-1, *Information technology — Extensible biometric data interchange formats — Part 1: Framework*

Doc ICAO 9303: *Machine Readable Travel Documents*

W3C Recommendation, *XML Schema Part 1: Structures* (Second Edition), 28 October 2004, <http://www.w3.org/TR/xmlschema-1/>

W3C Recommendation, *XML Schema Part 2: Datatypes* (Second Edition), 28 October 2004, <http://www.w3.org/TR/xmlschema-2/>