

---

---

**Information technology — ASN.1  
encoding rules —**

Part 2:  
**Specification of Packed Encoding  
Rules (PER)**

*Technologies de l'information — Règles de codage ASN.1 —  
Partie 2: Spécification des règles de codage compact (PER)*





**COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier; Geneva  
Phone: +41 22 749 01 11  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives) or [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs))

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)) or the IEC list of patent declarations received (see [patents.iec.ch](http://patents.iec.ch)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html). In the IEC, see [www.iec.ch/understanding-standards](http://www.iec.ch/understanding-standards).

This document was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 6, *Telecommunications and information exchange between systems*, in collaboration with ITU-T. The identical text is published as ITU-T X.691 (02/2021).

This sixth edition cancels and replaces the fifth edition (ISO/IEC 8825-2:2015), which has been technically revised. It also incorporates ISO/IEC 8825-2:2015/Cor 1:2017.

A list of all parts in the ISO/IEC 8825 series can be found on the ISO and IEC websites.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html) and [www.iec.ch/national-committees](http://www.iec.ch/national-committees).



## CONTENTS

	<i>Page</i>
Introduction .....	vi
1 Scope .....	1
2 Normative references .....	1
2.1 Identical Recommendations   International Standards .....	1
2.2 Additional references .....	1
3 Definitions .....	2
3.1 Specification of Basic Notation.....	2
3.2 Information Object Specification .....	2
3.3 Constraint Specification .....	2
3.4 Parameterization of ASN.1 Specification .....	2
3.5 Basic Encoding Rules .....	2
3.6 PER Encoding Instructions .....	2
3.7 Additional definitions.....	2
4 Abbreviations .....	5
5 Notation .....	5
6 Convention .....	5
7 Encoding rules defined in this Recommendation   International Standard .....	5
8 Conformance .....	6
9 PER encoding instructions .....	6
10 The approach to encoding used for PER .....	7
10.1 Use of the type notation .....	7
10.2 Use of tags to provide a canonical order .....	7
10.3 PER-visible constraints .....	7
10.4 Type and value model used for encoding.....	9
10.5 Structure of an encoding .....	9
10.6 Types to be encoded.....	10
11 Encoding procedures .....	10
11.1 Production of the complete encoding.....	10
11.2 Open type fields .....	11
11.3 Encoding as a non-negative-binary-integer.....	11
11.4 Encoding as a 2's-complement-binary-integer .....	12
11.5 Encoding of a constrained whole number .....	12
11.6 Encoding of a normally small non-negative whole number.....	13
11.7 Encoding of a semi-constrained whole number .....	13
11.8 Encoding of an unconstrained whole number .....	13
11.9 General rules for encoding a length determinant .....	14
12 Encoding the boolean type .....	16
13 Encoding the integer type.....	16
14 Encoding the enumerated type .....	17
15 Encoding the real type.....	18
16 Encoding the bitstring type.....	18
17 Encoding the octetstring type .....	19
18 Encoding the null type.....	19
19 Encoding the sequence type .....	19
20 Encoding the sequence-of type.....	20
21 Encoding the set type .....	21
22 Encoding the set-of type.....	21
23 Encoding the choice type.....	21

# ISO/IEC 8825-2:2021(E)

24	Encoding the object identifier type.....	22
25	Encoding the relative object identifier type.....	22
26	Encoding the internationalized resource reference type .....	22
27	Encoding the relative internationalized resource reference type .....	23
28	Encoding the embedded-pdv type .....	23
29	Encoding of a value of the external type .....	23
30	Encoding the restricted character string types .....	24
31	Encoding the unrestricted character string type.....	26
32	Encoding the time type, the useful time types, the defined time types and the additional time types .....	26
32.1	General.....	26
32.2	Encoding subtypes with the "Basic=Date" property setting .....	30
32.3	Encoding subtypes with the "Basic=Time" property setting .....	32
32.4	Encoding subtypes with the "Basic=Date-Time" property setting.....	35
32.5	Encoding subtypes with the "Basic=Interval Interval-type=SE" property setting.....	35
32.6	Encoding subtypes with the "Basic=Interval Interval-type=D" property setting .....	36
32.7	Encoding subtypes with the "Basic=Interval Interval-type=SD" or "Basic=Interval Interval-type=DE" property setting.....	37
32.8	Encoding subtypes with the "Basic=Rec-Interval Interval-type=SE" property setting.....	38
32.9	Encoding subtypes with the "Basic=Rec-Interval Interval-type=D" property setting...	38
32.10	Encoding subtypes with the "Basic=Rec-Interval Interval-type=SD" or "Basic=Rec-Interval Interval-type=DE" property setting.....	39
32.11	Encoding subtypes with mixed settings of the Basic property .....	40
33	Object identifiers for transfer syntaxes.....	42
Annex A	– Example of encodings .....	43
A.1	Record that does not use subtype constraints.....	43
A.1.1	ASN.1 description of the record structure.....	43
A.1.2	ASN.1 description of a record value .....	43
A.1.3	ALIGNED PER representation of this record value .....	43
A.1.4	UNALIGNED PER representation of this record value.....	44
A.2	Record that uses subtype constraints.....	46
A.2.1	ASN.1 description of the record structure.....	46
A.2.2	ASN.1 description of a record value .....	46
A.2.3	ALIGNED PER representation of this record value .....	46
A.2.4	UNALIGNED PER representation of this record value.....	47
A.3	Record that uses extension markers .....	48
A.3.1	ASN.1 description of the record structure.....	48
A.3.2	ASN.1 description of a record value .....	49
A.3.3	ALIGNED PER representation of this record value .....	49
A.3.4	UNALIGNED PER representation of this record value.....	50
A.4	Record that uses extension addition groups .....	52
A.4.1	ASN.1 description of the record structure.....	52
A.4.2	ASN.1 description of a record value .....	52
A.4.3	ALIGNED PER representation of this record value .....	52
A.4.4	UNALIGNED PER representation of this record value.....	53
Annex B	– Combining PER-visible and non-PER-visible constraints .....	54
B.1	General.....	54
B.2	Extensibility and visibility of constraints in PER.....	54
B.2.1	General.....	54
B.2.2	PER-visibility of constraints .....	55
B.2.3	Effective constraints.....	56
B.3	Examples.....	57

Annex C – Support for the PER algorithms.....	59
Annex D – Support for the ASN.1 rules of extensibility .....	60
Annex E – Tutorial annex on concatenation of PER encodings .....	61
Annex F – Identification of Encoding Rules .....	62

## Introduction

Specifications Rec. ITU-T X.680 | ISO/IEC 8824-1, Rec. ITU-T X.681 | ISO/IEC 8824-2, Rec. ITU-T X.682 | ISO/IEC 8824-3, Rec. ITU-T X.683 | ISO/IEC 8824-4 together describe Abstract Syntax Notation One (ASN.1), a notation for the definition of messages to be exchanged between peer applications.

This Recommendation | International Standard defines encoding rules that may be applied to values of types defined using the notation specified in Rec. ITU-T X.680 | ISO/IEC 8824-1. Application of these encoding rules produces a transfer syntax for such values. It is implicit in the specification of these encoding rules that they are also to be used for decoding.

There are more than one set of encoding rules that can be applied to values of ASN.1 types. This Recommendation | International Standard defines a set of Packed Encoding Rules (PER), so called because they achieve a much more compact representation than that achieved by the Basic Encoding Rules (BER) and its derivatives described in Rec. ITU-T X.690 | ISO/IEC 8825-1 which is referenced for some parts of the specification of these Packed Encoding Rules.



**INTERNATIONAL STANDARD  
ITU-T RECOMMENDATION**

**Information technology –  
ASN.1 encoding rules:  
Specification of Packed Encoding Rules (PER)**

## 1 Scope

This Recommendation | International Standard specifies a set of Packed Encoding Rules that may be used to derive a transfer syntax for values of types defined in Rec. ITU-T X.680 | ISO/IEC 8824-1. These Packed Encoding Rules are also to be applied for decoding such a transfer syntax in order to identify the data values being transferred.

The encoding rules specified in this Recommendation | International Standard:

- are used at the time of communication;
- are intended for use in circumstances where minimizing the size of the representation of values is the major concern in the choice of encoding rules;
- allow the extension of an abstract syntax by addition of extra values, preserving the encodings of the existing values, for all forms of extension described in Rec. ITU-T X.680 | ISO/IEC 8824-1;
- can be modified in accordance with the provisions of Rec. ITU-T X.695 | ISO/IEC 8825-6.

## 2 Normative references

The following Recommendations and International Standards contain provisions which, through reference in this text, constitute provisions of this Recommendation | International Standard. At the time of publication, the editions indicated were valid. All Recommendations and Standards are subject to revision, and parties to agreements based on this Recommendation | International Standard are encouraged to investigate the possibility of applying the most recent edition of the Recommendations and Standards listed below. Members of IEC and ISO maintain registers of currently valid International Standards. The Telecommunication Standardization Bureau of the ITU maintains a list of currently valid ITU-T Recommendations.

NOTE – This Recommendation | International Standard is based on ISO/IEC 10646:2003. It cannot be applied using later versions of this standard.

### 2.1 Identical Recommendations | International Standards

- Recommendation ITU-T X.680 (2021) | ISO/IEC 8824-1:2021, *Information technology – Abstract Syntax Notation One (ASN.1): Specification of basic notation.*
- Recommendation ITU-T X.681 (2021) | ISO/IEC 8824-2:2021, *Information technology – Abstract Syntax Notation One (ASN.1): Information object specification.*
- Recommendation ITU-T X.682 (2021) | ISO/IEC 8824-3:2021, *Information technology – Abstract Syntax Notation One (ASN.1): Constraint specification.*
- Recommendation ITU-T X.683 (2021) | ISO/IEC 8824-4:2021, *Information technology – Abstract Syntax Notation One (ASN.1): Parameterization of ASN.1 specifications.*
- Recommendation ITU-T X.690 (2021) | ISO/IEC 8825-1:2021, *Information technology – ASN.1 encoding rules: Specification of Basic Encoding Rules (BER), Canonical Encoding Rules (CER) and Distinguished Encoding Rules (DER).*
- Recommendation ITU-T X.695 (2021) | ISO/IEC 8825-6:2021, *Information technology – ASN.1 encoding rules: Registration and application of PER encoding instructions.*

NOTE – The references above shall be interpreted as references to the identified Recommendations | International Standards together with all their published amendments and technical corrigenda.

### 2.2 Additional references

- ISO/IEC 646:1991, *Information technology – ISO 7-bit coded character set for information interchange.*
- ISO/IEC 2022:1994, *Information technology – Character code structure and extension techniques.*
- ISO/IEC 2375:2003, *Information technology – Procedure for registration of escape sequences and coded character sets.*

**ISO/IEC 8825-2:2021 (E)**

- ISO 6093:1985, *Information processing – Representation of numerical values in character strings for information interchange.*
- *ISO International Register of Coded Character Sets to be Used with Escape Sequences.*
- ISO/IEC 10646:2003, *Information technology – Universal Multiple-Octet Coded Character Set (UCS).*