
**Information technology — ASN.1
encoding rules —**

Part 4:
XML Encoding Rules (XER)

*Technologies de l'information — Règles de codage ASN.1 —
Partie 4: Règles de codage XML (XER)*





COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier; Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives or www.iec.ch/members_experts/refdocs)

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents) or the IEC list of patent declarations received (see patents.iec.ch).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html. In the IEC, see www.iec.ch/understanding-standards.

This document was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 6, *Telecommunications and information exchange between systems*, in collaboration with ITU-T. The identical text is published as ITU-T X.693 (02/2021).

This fourth edition cancels and replaces the third edition (ISO/IEC 8825-4:2015), which has been technically revised. It also incorporates ISO/IEC 8825-4:2015/Cor 1:2018.

A list of all parts in the ISO/IEC 8825 series can be found on the ISO and IEC websites.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html and www.iec.ch/national-committees.

CONTENTS

	Page
1	Scope 1
2	Normative references 1
	2.1 Identical Recommendations International Standards 1
	2.2 Additional references 2
3	Definitions 2
	3.1 ASN.1 Basic Encoding Rules (BER) 2
	3.2 Additional definitions 2
4	Abbreviations 4
5	Encodings specified by this Recommendation International Standard 4
6	Encoding instructions specified by this Recommendation International Standard 5
7	Conformance 5
8	Basic XML encoding rules 5
	8.1 Production of a complete BASIC-XER encoding 5
	8.2 The XML prolog 6
	8.3 The XML document element 6
	8.4 Encoding of the EXTERNAL type 7
	8.5 Encoding of the open type 7
	8.6 Decoding of types with extension markers 7
9	Canonical XML encoding rules 7
	9.1 General rules for canonical XER 7
	9.2 Real values 8
	9.3 Bitstring value 8
	9.4 Octetstring value 8
	9.5 Sequence value 8
	9.6 Set value 8
	9.7 Set-of value 8
	9.8 Object identifier value 9
	9.9 Relative object identifier value 9
	9.10 GeneralizedTime 9
	9.11 UTCTime 9
	9.12 Open type value 10
	9.13 The TIME type and the useful time types 10
10	Extended XML encoding rules 10
	10.1 General 10
	10.2 EXTENDED-XER conformance 11
	10.3 Structure of an EXTENDED-XER encoding 13
11	Notation, character set and lexical items used in XER encoding instructions 13
12	Keywords 14
13	Assigning an XER encoding instruction to an ASN.1 type using a type prefix 15
14	Assigning an XER encoding instruction using an XER encoding control section 17
	14.1 The encoding instruction assignment list 17

14.2	Identification of the targets for an XER encoding instruction using a target list	18
15	Multiple assignment of XER encoding instructions	23
15.1	Order in which multiple assignments are considered	23
15.2	Effect of assigning a negating encoding instruction	24
15.3	Multiple assignment of encoding instructions with multiple categories	24
15.4	Multiple assignment of XER encoding instructions of the same category	24
15.5	Permitted combinations of final encoding instructions	25
16	XER encoding instruction support for XML namespaces and qualified names	26
17	Specification of EXTENDED-XER encodings	27
17.1	The XML document element	28
17.2	The "TypeNameOrModifiedTypeName" production	28
17.3	The "AttributeList" production	28
17.4	The "ExtendedXMLValue" production	28
17.5	The "ExtendedXMLChoiceValue" production	30
17.6	The "ExtendedXMLSequenceValue" and "ExtendedXMLSetValue" productions	30
17.7	The "ExtendedXMLSequenceOfValue" and "ExtendedXMLSetOfValue" productions	31
17.8	The "ModifiedXMLIntegerValue" production	32
17.9	The "ModifiedXMLRealValue" production	32
18	The ANY-ATTRIBUTES encoding instruction	33
18.1	General	33
18.2	Restrictions	34
18.3	Effect on encodings	34
19	The ANY-ELEMENT encoding instruction	35
19.1	General	35
19.2	Restrictions	35
19.3	Effect on encodings	36
20	The ATTRIBUTE encoding instruction	37
20.1	General	37
20.2	Restrictions	37
20.3	Effect on encodings	37
21	The BASE64 encoding instruction	39
21.1	General	39
21.2	Restrictions	39
21.3	Effect on encodings	39
22	The DECIMAL encoding instruction	40
22.1	General	40
22.2	Restrictions	40
22.3	Effect on encodings	40
23	The DEFAULT-FOR-EMPTY encoding instruction	41
23.1	General	41

23.2	Restrictions.....	41
23.3	Effect on encodings.....	42
24	The ELEMENT encoding instruction.....	43
24.1	General.....	43
24.2	Restrictions.....	43
24.3	Effect on encodings.....	43
25	The EMBED-VALUES encoding instruction.....	43
25.1	General.....	43
25.2	Restrictions.....	43
25.3	Effect on encodings.....	44
26	The GLOBAL-DEFAULTS encoding instruction.....	44
26.1	General.....	44
26.2	Restrictions.....	45
26.3	Effect on encodings.....	45
27	The LIST encoding instruction.....	45
27.1	General.....	45
27.2	Restrictions.....	45
27.3	Effect on encodings.....	46
28	The NAME encoding instruction.....	46
28.1	General.....	46
28.2	Restrictions.....	47
28.3	Effect on encodings.....	48
29	The NAMESPACE encoding instruction.....	48
29.1	General.....	48
29.2	Restrictions.....	49
29.3	Effect on encodings.....	49
30	The PI-OR-COMMENT encoding instruction.....	50
30.1	General.....	50
30.2	Restrictions.....	50
30.3	Effect on the encodings.....	50
31	The TEXT encoding instruction.....	51
31.1	General.....	51
31.2	Restrictions.....	51
31.3	Effect on encodings.....	52
32	The UNTAGGED encoding instruction.....	52
32.1	General.....	52
32.2	Restrictions.....	53
32.3	Effect on encodings.....	53
33	The USE-NIL encoding instruction.....	54
33.1	General.....	54
33.2	Restrictions.....	54
33.3	Effect on encodings.....	55
34	The USE-NUMBER encoding instruction.....	55
34.1	General.....	55
34.2	Restrictions.....	55

34.3	Effect on encodings.....	55
35	The USE-ORDER encoding instruction	56
35.1	General	56
35.2	Restrictions.....	56
35.3	Effect on encodings.....	57
36	The USE-QNAME encoding instruction	57
36.1	General	57
36.2	Restrictions.....	58
36.3	Effect on encodings.....	58
37	The USE-TYPE encoding instruction.....	58
37.1	General	58
37.2	Restrictions.....	58
37.3	Effect on encodings.....	59
38	The USE-UNION encoding instruction.....	59
38.1	General	59
38.2	Restrictions.....	59
38.3	Effect on encodings.....	60
39	The WHITESPACE encoding instruction	61
39.1	General	61
39.2	Restrictions.....	61
39.3	Effect on encodings.....	61
40	Identification of the encoding rules	62
Annex A	Examples of BASIC-XER and CXER encodings	63
A.1	ASN.1 description of the record structure.....	63
A.2	ASN.1 description of a record value	63
A.3	Basic XML representation of this record value.....	63
A.4	Canonical XML representation of this record value	64
Annex B	Partial XML content and deterministic encodings	65
B.1	Partial XML content.....	65
B.2	Recommended restrictions on encodings producing partial XML element content.....	65
Annex C	Examples of extended-XER encodings using XER encoding instructions.....	68
C.1	Introduction.....	68
C.2	Simple examples	68
C.3	More complex examples	69

Introduction

Rec. ITU-T X.680 | ISO/IEC 8824-1, Rec. ITU-T X.681 | ISO/IEC 8824-2, Rec. ITU-T X.682 | ISO/IEC 8824-3, Rec. ITU-T X.683 | ISO/IEC 8824-4 together describe Abstract Syntax Notation One (ASN.1), a notation for the definition of messages to be exchanged between peer applications.

This Recommendation | International Standard defines encoding rules that may be applied to values of ASN.1 types defined using the notation specified in Rec. ITU-T X.680 | ISO/IEC 8824-1 and Rec. ITU-T X.681 | ISO/IEC 8824-2. Application of these encoding rules produces a transfer syntax for such values. It is implicit in the specification of these encoding rules that they are also to be used for decoding.

There is more than one set of encoding rules that can be applied to values of ASN.1 types. This Recommendation | International Standard defines three sets of encoding rules that use the Extensible Markup Language (XML). These encoding rules all produce an XML document compliant to W3C XML 1.0. The first set is called the Basic XML Encoding Rules (BASIC-XER). The second set is called the Canonical XML Encoding Rules (CANONICAL-XER, or CXER) because there is only one way of encoding an ASN.1 value using these encoding rules. (Canonical encoding rules are generally used for applications using security-related features such as digital signatures.) The third set is called the extended XML Encoding Rules (EXTENDED-XER). The extended XML Encoding Rules allow additional encoders options, and take account of encoding instructions that specify variations of the BASIC-XER encodings in order to support specific styles of XML documents (see below). The extended XML Encoding Rules are not canonical, and there is no canonical form for these rules defined in this Recommendation | International Standard.

There are many aspects of an XML representation of data (such as the use of XML attributes instead of child elements, or the use of white-space delimited lists) whose use is a matter of style and XML designer choice. If a type defined in an ASN.1 specification is encoded by BASIC-XER or by CXER, then there is a single fixed style used for the XML representation, with no user control of stylistic features. This Recommendation | International Standard specifies the syntax and semantics of XER encoding instructions which specify the stylistic features of the XML in an EXTENDED-XER encoding. XER encoding instructions can also be used to determine the possible insertion of XML processing instructions in an EXTENDED-XER encoding. XER encoding instructions are ignored by BASIC-XER and by CXER, but are used by EXTENDED-XER.

NOTE – "Stylistic features", such as use of attributes or white-space delimited lists, can also affect the size of an encoding and the ease with which it can be processed, so use of such features is not just a matter of style. Where such issues are important, EXTENDED-XER with encoding instructions may be preferred over BASIC-XER or CXER.

Clause 8 specifies the BASIC-XER encoding of ASN.1 types.

Clause 9 specifies the CXER encoding of ASN.1 types.

Clause 10 specifies the EXTENDED-XER encoding of ASN.1 types, referencing later clauses which define the XER encoding instructions.

Clauses 11 to 14 list and categorize the XER encoding instructions and specify the syntax for their assignment to an ASN.1 type or component using either an XER type prefix (see Rec. ITU-T X.680 | ISO/IEC 8824-1, 31.3) or an XER encoding control section (see Rec. ITU-T X.680 | ISO/IEC 8824-1, clause 54).

Clause 15 defines the order of precedence if XER encoding instructions are present in both an XER type prefix and in an XER encoding control section.

Clause 16 specifies the XER encoding instruction support for XML namespaces when using EXTENDED-XER.

Clause 17 specifies EXTENDED-XER encodings.

Clauses 18 to 39 specify:

- a) the syntax of each XER encoding instruction used in a type prefix or an XER encoding control section;
- b) restrictions on the XER encoding instructions that can be associated with a particular ASN.1 type (resulting from inheritance and multiple assignments);
- c) modifications to the XER encoding rules that are required in an EXTENDED-XER encoding when an XER encoding instruction is applied.

Annex A is informative and contains examples of BASIC-XER and CXER encodings.

Annex B is informative and contains a description of the partial XML content that is produced when constructions such as sequence and sequence-of have their surrounding tags removed, together with restrictions on EXTENDED-XER specifications that enable easy determination of the ASN.1 component that an XML element is associated with.

Annex C is informative and contains examples of XER encoding instructions and of the corresponding EXTENDED-XER encodings.

**INTERNATIONAL STANDARD
ITU-T RECOMMENDATION**

**Information technology – ASN.1 encoding rules:
XML Encoding Rules (XER)**

1 Scope

This Recommendation | International Standard specifies a set of basic XML Encoding Rules (BASIC-XER) that may be used to derive a transfer syntax for values of types defined in Rec. ITU-T X.680 | ISO/IEC 8824-1 and Rec. ITU-T X.681 | ISO/IEC 8824-2. This Recommendation | International Standard also specifies a set of Canonical XML Encoding Rules (CXER) which provide constraints on the basic XML Encoding Rules and produce a unique encoding for any given ASN.1 value. This Recommendation | International Standard further specifies a set of extended XML Encoding Rules (EXTENDED-XER) which adds further encoders options, and also allows the ASN.1 specifier to vary the encoding that would be produced by BASIC-XER. It is implicit in the specification of these encoding rules that they are also used for decoding.

The encoding rules specified in this Recommendation | International Standard:

- are used at the time of communication;
- are intended for use in circumstances where displaying of values and/or processing them using commonly available XML tools (such as browsers) is the major concern in the choice of encoding rules;
- allow the extension of an abstract syntax by addition of extra values for all forms of extensibility described in Rec. ITU-T X.680 | ISO/IEC 8824-1.

This Recommendation | International Standard also specifies the syntax and semantics of XER encoding instructions, and the rules for their assignment and combination. XER encoding instructions can be used to control the EXTENDED-XER encoding for specific ASN.1 types.

2 Normative references

The following Recommendations and International Standards contain provisions which, through reference in this text, constitute provisions of this Recommendation | International Standard. At the time of publication, the editions indicated were valid. All Recommendations and Standards are subject to revision, and parties to agreements based on this Recommendation | International Standard are encouraged to investigate the possibility of applying the most recent edition of the Recommendations and Standards listed below. Members of IEC and ISO maintain registers of currently valid International Standards. The Telecommunication Standardization Bureau of the ITU maintains a list of currently valid ITU-T Recommendations.

NOTE – This Recommendation | International Standard is based on ISO/IEC 10646:2003 and the Unicode standard version 3.2.0:2002. It cannot be applied using later versions of these two standards.

2.1 Identical Recommendations | International Standards

- Recommendation ITU-T X.680 (2021) | ISO/IEC 8824-1:2021, *Information technology – Abstract Syntax Notation One (ASN.1): Specification of basic notation.*
- Recommendation ITU-T X.681 (2021) | ISO/IEC 8824-2:2021, *Information technology – Abstract Syntax Notation One (ASN.1): Information object specification.*
- Recommendation ITU-T X.682 (2021) | ISO/IEC 8824-3:2021, *Information technology – Abstract Syntax Notation One (ASN.1): Constraint specification.*
- Recommendation ITU-T X.683 (2021) | ISO/IEC 8824-4:2021, *Information technology – Abstract Syntax Notation One (ASN.1): Parameterization of ASN.1 specifications.*
- Recommendation ITU-T X.690 (2021) | ISO/IEC 8825-1:2021, *Information technology – ASN.1 encoding rules: Specification of Basic Encoding Rules (BER), Canonical Encoding Rules (CER) and Distinguished Encoding Rules (DER).*

ISO/IEC 8825-4:2021 (E)

- Recommendation ITU-T X.691 (2021) | ISO/IEC 8825-2:2021, *Information technology – ASN.1 encoding rules: Specification of Packed Encoding Rules (PER)*.
- Recommendation ITU-T X.692 (2021) | ISO/IEC 8825-3:2021, *Information technology – ASN.1 encoding rules: Specification of Encoding Control Notation (ECN)*.
- Recommendation ITU-T X.891 (2005) | ISO/IEC 24824-1:2007, *Information technology – Generic applications of ASN.1: Fast infoset*.

NOTE – The references above shall be interpreted as references to the identified Recommendations | International Standards together with all their published amendments and technical corrigenda.

2.2 Additional references

- IETF RFC 2045 (1996), *Multipurpose Internet Mail Extensions (MIME) Part One: Format of Internet Message Bodies*.
- IETF RFC 2141 (1997), *URN Syntax*.
- IETF RFC 2396 (1998), *Uniform Resource Identifiers (URI): Generic Syntax*.
- IETF RFC 3061 (2001), *A URN Namespace of Object Identifiers*.
- ISO/IEC 10646:2003, *Information technology – Universal Multiple-Octet Coded Character Set (UCS)*.
- The Unicode Standard, Version 3.2.0, The Unicode Consortium. (Reading, MA, Addison-Wesley)
 - NOTE 1 – The graphics characters (and their encodings) defined by the above reference are identical to those defined by ISO/IEC 10646, but the above reference is included because it also specifies the names of control characters.
- W3C XML 1.0:2008, *Extensible Markup Language (XML) 1.0 (Fifth Edition)*, W3C Recommendation, Copyright ©2008 W3C® (MIT, ERCIM, Keio), <https://www.w3.org/TR/2008/REC-xml-20081126/>.
- W3C XML Namespaces:1999, *Namespaces in XML*, W3C Recommendation, Copyright © 1999 W3C (MIT, INRIA, Keio), <http://www.w3.org/TR/1999/REC-xml-names-19990114>.

NOTE – The reference to a document within this Recommendation | International Standard does not give it, as a stand-alone document, the status of a Recommendation or International Standard.