
**Information technology — Open Systems
Interconnection — The Directory:
Procedures for distributed operation**

*Technologies de l'information — Interconnexion de systèmes ouverts
(OSI) — L'annuaire: Procédures pour le fonctionnement réparti*

Withdrawn

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

Withdrawn



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2008

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published by ISO in 2009

Published in Switzerland

CONTENTS

	<i>Page</i>
Foreword	vi
Introduction	vii
SECTION 1 – GENERAL	1
1 Scope	1
2 Normative references	1
2.1 Identical Recommendations International Standards	1
2.2 Other references	2
3 Definitions	2
3.1 Communication Model Definitions	2
3.2 Basic Directory Definitions	2
3.3 Directory Model Definitions	2
3.4 DSA Information Model definitions	2
3.5 Abstract Service definitions	3
3.6 Directory replication definitions	3
3.7 Distributed operation definitions	3
4 Abbreviations	5
SECTION 2 – OVERVIEW	6
5 Conventions	5
6 Overview	6
7 Distributed Directory System Model	7
8 DSA Interactions Model	7
8.1 Decomposition of a request	8
8.2 Uni-chaining	8
8.3 Multi-chaining	9
8.4 Referral	10
8.5 Mode determination	10
SECTION 4 – DSA ABSTRACT SERVICE	11
9 Overview of DSA Abstract Service	11
10 Information types	11
10.1 Introduction	11
10.2 Information types defined elsewhere	11
10.3 Chaining Arguments	12
10.4 Chaining Results	14
10.5 Operation Progress	15
10.6 Trace Information	15
10.7 Reference Type	16
10.8 Access point information	16
10.9 DIT Bridge knowledge	17
10.10 Exclusions	17
10.11 Continuation Reference	18
11 Bind and Unbind	19
11.1 DSA Bind	19
11.2 DSA Unbind	19
12 Chained operations	19
12.1 Chained operations	20
12.2 Chained Abandon operation	20
12.3 Chained operations and protocol version	21
13 Chained errors	21
13.1 Introduction	21
13.2 DSA Referral	21

	<i>Page</i>
SECTION 5 – DISTRIBUTED PROCEDURES.....	22
14 Introduction.....	22
14.1 Scope and Limits	22
14.2 Conformance.....	22
14.3 Conceptual model	22
14.4 Individual and cooperative operation of DSAs	22
14.5 Cooperative agreements between DSAs.....	23
15 Distributed Directory behaviour	23
15.1 Cooperative fulfilment of operations	23
15.2 Phases of operation processing.....	23
15.3 Managing Distributed Operations	24
15.4 Loop handling	25
15.5 Other considerations for distributed operation.....	25
15.6 Authentication of Distributed Operations	27
16 The Operation Dispatcher.....	27
16.1 General Concepts	27
16.2 Procedures of the Operation Dispatcher	31
16.3 Overview of procedures.....	32
17 Request Validation procedure	33
17.1 Introduction	33
17.2 Procedure parameters.....	34
17.3 Procedure definition	35
18 Name Resolution procedure.....	37
18.1 Introduction	37
18.2 Find DSE procedure parameters.....	37
18.3 Procedures	38
19 Operation evaluation	48
19.1 Modification procedure	48
19.2 Single entry interrogation procedure	54
19.3 Multiple entry interrogation procedure	54
20 Continuation Reference procedures	67
20.1 Chaining strategy in the presence of shadowing	67
20.2 Issuing chained subrequests to a remote DSA	69
20.3 Procedures' parameters	69
20.4 Definition of the procedures	70
20.5 Abandon procedure	78
21 Results Merging procedure	79
22 Procedures for distributed authentication.....	81
22.1 Originator authentication	82
22.2 Results authentication	82
SECTION 6 – KNOWLEDGE ADMINISTRATION.....	83
23 Knowledge administration overview	83
23.1 Maintenance of knowledge references	83
23.2 Requesting cross reference.....	84
23.3 Knowledge inconsistencies	85
23.4 Knowledge references and contexts	85
24 Hierarchical operational bindings.....	86
24.1 Operational binding type characteristics	86
24.2 Operational binding information object Class definition.....	88
24.3 DSA procedures for hierarchical operational binding management.....	89
24.4 Procedures for operations	92

	<i>Page</i>
24.5 Use of application contexts	92
25 Non-specific hierarchical operational binding.....	92
25.1 Operational binding type characteristics	93
25.2 Operational binding information object class definition	94
25.3 DSA procedures for non-specific hierarchical operational binding management	94
25.4 Procedures for operations	96
25.5 Use of application contexts	96
Annex A – ASN.1 for Distributed Operations	97
Annex B – Example of distributed name resolution.....	100
Annex C – Distributed use of authentication.....	102
C.1 Summary	102
C.2 Distributed protection model	102
C.3 Signed chained operations.....	102
C.4 Encrypted chained operations	104
C.5 Signed and encrypted distributed operations	106
Annex D – Specification of hierarchical and non-specific hierarchical operational binding types	108
Annex E – Knowledge maintenance example	110
Annex F – Amendments and corrigenda	113

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 9594-4:2008 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 6, *Telecommunications and information exchange between systems*, in collaboration with ITU-T. The identical text is published as ITU-T Rec. X.518 (11/2008).

This sixth edition cancels and replaces the fifth edition (ISO/IEC 9594-4:2005), which has been technically revised.

ISO/IEC 9594 consists of the following parts, under the general title *Information technology — Open Systems Interconnection — The Directory*:

- *Part 1: Overview of concepts, models and services*
- *Part 2: Models*
- *Part 3: Abstract service definition*
- *Part 4: Procedures for distributed operation*
- *Part 5: Protocol specifications*
- *Part 6: Selected attribute types*
- *Part 7: Selected object classes*
- *Part 8: Public-key and attribute certificate frameworks*
- *Part 9: Replication*
- *Part 10: Use of systems management for administration of the Directory*

Introduction

This Recommendation | International Standard, together with other Recommendations | International Standards, has been produced to facilitate the interconnection of information processing systems to provide directory services. A set of such systems, together with the directory information that they hold, can be viewed as an integrated whole, called the *Directory*. The information held by the Directory, collectively known as the Directory Information Base (DIB), is typically used to facilitate communication between, with or about objects such as application entities, people, terminals and distribution lists.

The Directory plays a significant role in Open Systems Interconnection, whose aim is to allow, with a minimum of technical agreement outside of the interconnection standards themselves, the interconnection of information processing systems:

- from different manufacturers;
- under different managements;
- of different levels of complexity; and
- of different ages.

This Recommendation | International Standard specifies the procedures by which the distributed components of the Directory interwork in order to provide a consistent service to its users.

This Recommendation | International Standard provides the foundation frameworks upon which industry profiles can be defined by other standards groups and industry forums. Many of the features defined as optional in these frameworks may be mandated for use in certain environments through profiles. This sixth edition technically revises and enhances, but does not replace, the fifth edition of this Recommendation | International Standard. Implementations may still claim conformance to the fifth edition. However, at some point the fifth edition will not be supported (i.e., reported defects will no longer be resolved). It is recommended that implementations conform to this sixth edition as soon as possible.

This sixth edition specifies versions 1 and 2 of the Directory protocols.

The first and second editions specified only version 1. Most of the services and protocols specified in this edition are designed to function under version 1. However, some enhanced services and protocols, e.g., signed errors, will not function unless all Directory entities involved in the operation have negotiated version 2. Whichever version has been negotiated, differences between the services and between the protocols defined in the six editions, except for those specifically assigned to version 2, are accommodated using the rules of extensibility defined in ITU-T Rec. X.519 | ISO/IEC 9594-5.

Annex A, which is an integral part of this Recommendation | International Standard, provides the ASN.1 module for directory distributed operations.

Annex B, which is not an integral part of this Recommendation | International Standard, describes an example of distributed name resolution.

Annex C, which is not an integral part of this Recommendation | International Standard, describes authentication in the distributed operations environment.

Annex D, which is an integral part of this Recommendation | International Standard, provides the definitions of the ASN.1 information object classes introduced in this Directory Specification.

Annex E, which is not an integral part of this Recommendation | International Standard, illustrates knowledge maintenance.

Annex F, which is not an integral part of this Recommendation | International Standard, lists the amendments and defect reports that have been incorporated to form this edition of this Recommendation | International Standard.

**INTERNATIONAL STANDARD
ITU-T RECOMMENDATION**

**Information technology – Open Systems Interconnection –
The Directory: Procedures for distributed operation**

SECTION 1 – GENERAL

1 Scope

This Recommendation | International Standard specifies the behaviour of DSAs taking part in the distributed Directory application. The allowed behaviour has been designed so as to ensure a consistent service given a wide distribution of the DIB across many DSAs.

The Directory is not intended to be a general purpose database system, although it may be built on such systems. It is assumed that there is a considerably higher frequency of queries than of updates.

2 Normative references

The following Recommendations and International Standards contain provisions which, through reference in this text, constitute provisions of this Recommendation | International Standard. At the time of publication, the editions indicated were valid. All Recommendations and Standards are subject to revision, and parties to agreements based on this Recommendation | International Standard are encouraged to investigate the possibility of applying the most recent edition of the Recommendations and Standards listed below. Members of IEC and ISO maintain registers of currently valid International Standards. The Telecommunication Standardization Bureau of the ITU maintains a list of currently valid ITU-T Recommendations.

2.1 Identical Recommendations | International Standards

- ITU-T Recommendation X.200 (1994) | ISO/IEC 7498-1:1994, *Information technology – Open Systems Interconnection – Basic Reference Model: The Basic Model.*
- ITU-T Recommendation X.500 (2008) | ISO/IEC 9594-1:2008, *Information technology – Open Systems Interconnection – The Directory: Overview of concepts, models and services.*
- ITU-T Recommendation X.501 (2008) | ISO/IEC 9594-2:2008, *Information technology – Open Systems Interconnection – The Directory: Models.*
- ITU-T Recommendation X.509 (2008) | ISO/IEC 9594-8:2008, *Information technology – Open Systems Interconnection – The Directory: Public-key and attribute certificate frameworks.*
- ITU-T Recommendation X.511 (2008) | ISO/IEC 9594-3:2008, *Information technology – Open Systems Interconnection – The Directory: Abstract service definition.*
- ITU-T Recommendation X.519 (2008) | ISO/IEC 9594-5:2008, *Information technology – Open Systems Interconnection – The Directory: Protocol specifications.*
- ITU-T Recommendation X.520 (2008) | ISO/IEC 9594-6:2008, *Information technology – Open Systems Interconnection – The Directory: Selected attribute types.*
- ITU-T Recommendation X.521 (2008) | ISO/IEC 9594-7:2008, *Information technology – Open Systems Interconnection – The Directory: Selected object classes.*
- ITU-T Recommendation X.525 (2008) | ISO/IEC 9594-9:2008, *Information technology – Open Systems Interconnection – The Directory: Replication.*
- ITU-T Recommendation X.530 (2008) | ISO/IEC 9594-10:2008, *Information technology – Open Systems Interconnection – The Directory: Use of systems management for administration of the Directory.*
- ITU-T Recommendation X.680 (2008) | ISO/IEC 8824-1:2008, *Information technology – Abstract Syntax Notation One (ASN.1): Specification of basic notation.*

ISO/IEC 9594-4:2008 (E)

- ITU-T Recommendation X.681 (2008) | ISO/IEC 8824-2:2008, *Information technology – Abstract Syntax Notation One (ASN.1): Information object specification*.
- ITU-T Recommendation X.682 (2008) | ISO/IEC 8824-3:2008, *Information technology – Abstract Syntax Notation One (ASN.1): Constraint specification*.
- ITU-T Recommendation X.683 (2008) | ISO/IEC 8824-4:2008, *Information technology – Abstract Syntax Notation One (ASN.1): Parameterization of ASN.1 specifications*.

2.2 Other references

- IETF RFC 4510 (2006), *Lightweight Directory Access Protocol (LDAP): Technical Specification Road Map*.
- IETF RFC 4511 (2006), *Lightweight Directory Access Protocol (LDAP): The protocol*.

Withdrawn