



---

## GUIDE 98-3/Suppl.2

---

### **Uncertainty of measurement —**

Part 3:

**Guide to the expression of  
uncertainty in measurement  
(GUM:1995)**

Supplement 2:

**Extension to any number of  
output quantities**

**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



**COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2011

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

## ISO/IEC Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

Draft Guides adopted by the responsible Committee or Group are circulated to the member bodies for voting. Publication as a Guide requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO/IEC Guide 98-3/Suppl.2 was prepared by Working Group 1 of the Joint Committee for Guides in Metrology (as JCGM 102:2011), and was adopted by the national bodies of ISO and IEC.

ISO/IEC Guide 98 consists of the following parts, under the general title *Uncertainty of measurement*:

- *Part 1: Introduction to the expression of uncertainty in measurement*
- *Part 3: Guide to the expression of uncertainty in measurement (GUM:1995)*
- *Part 4: Role of measurement uncertainty in conformity assessment*

The following parts are planned:

- *Part 2: Concepts and basic principles*
- *Part 5: Applications of the least-squares method*

ISO/IEC Guide 98-3 has three supplements:

- *Supplement 1: Propagation of distributions using a Monte Carlo method*
- *Supplement 2: Models with any number of output quantities*
- *Supplement 3: Modelling*

Given that ISO/IEC Guide 98-3:2008/Suppl.2:2011 is identical in content to JCGM 102:2011, the decimal symbol is a point on the line in the English version.

Annex ZZ has been appended to provide a list of corresponding ISO/IEC Guides and JCGM guidance documents for which equivalents are not given in the text.

Joint Committee for Guides in Metrology

JCGM

102

2011

**Evaluation of measurement data — Supplement 2  
to the “Guide to the expression of uncertainty in  
measurement” — Extension to any number of  
output quantities**

**Évaluation des données de mesure — Supplément 2 du “Guide pour l’expression  
de l’incertitude de mesure” — Extension à un nombre quelconque de grandeurs  
de sortie**

© JCGM 2011

Copyright of this JCGM guidance document is shared jointly by the JCGM member organizations (BIPM, IEC, IFCC, ILAC, ISO, IUPAC, IUPAP and OIML).

### Copyright

Even if electronic versions are available free of charge on the website of one or more of the JCGM member organizations, economic and moral copyrights related to all JCGM publications are internationally protected. The JCGM does not, without its written authorisation, permit third parties to rewrite or re-brand issues, to sell copies to the public, or to broadcast or use on-line its publications. Equally, the JCGM also objects to distortion, augmentation or mutilation of its publications, including its titles, slogans and logos, and those of its member organizations.

### Official versions and translations

The only official versions of documents are those published by the JCGM, in their original languages.

The JCGM's publications may be translated into languages other than those in which the documents were originally published by the JCGM. Permission must be obtained from the JCGM before a translation can be made. All translations should respect the original and official format of the formulæ and units (without any conversion to other formulæ or units), and contain the following statement (to be translated into the chosen language):

All JCGM's products are internationally protected by copyright. This translation of the original JCGM document has been produced with the permission of the JCGM. The JCGM retains full internationally protected copyright on the design and content of this document and on the JCGM's titles, slogan and logos. The member organizations of the JCGM also retain full internationally protected right on their titles, slogans and logos included in the JCGM's publications. The only official version is the document published by the JCGM, in the original languages.

The JCGM does not accept any liability for the relevance, accuracy, completeness or quality of the information and materials offered in any translation. A copy of the translation shall be provided to the JCGM at the time of publication.

### Reproduction

The JCGM's publications may be reproduced, provided written permission has been granted by the JCGM. A sample of any reproduced document shall be provided to the JCGM at the time of reproduction and contain the following statement:

This document is reproduced with the permission of the JCGM, which retains full internationally protected copyright on the design and content of this document and on the JCGM's titles, slogans and logos. The member organizations of the JCGM also retain full internationally protected right on their titles, slogans and logos included in the JCGM's publications. The only official versions are the original versions of the documents published by the JCGM.

### Disclaimer

The JCGM and its member organizations have published this document to enhance access to information about metrology. They endeavor to update it on a regular basis, but cannot guarantee the accuracy at all times and shall not be responsible for any direct or indirect damage that may result from its use. Any reference to commercial products of any kind (including but not restricted to any software, data or hardware) or links to websites, over which the JCGM and its member organizations have no control and for which they assume no responsibility, does not imply any approval, endorsement or recommendation by the JCGM and its member organizations.

<b>Contents</b>	Page
<b>Foreword</b> . . . . .	v
<b>Introduction</b> . . . . .	vi
<b>1 Scope</b> . . . . .	1
<b>2 Normative references</b> . . . . .	2
<b>3 Terms and definitions</b> . . . . .	2
<b>4 Conventions and notation</b> . . . . .	8
<b>5 Basic principles</b> . . . . .	10
<b>5.1 General</b> . . . . .	10
<b>5.2 Main stages of uncertainty evaluation</b> . . . . .	10
<b>5.3 Probability density functions for the input quantities</b> . . . . .	11
<b>5.3.1 General</b> . . . . .	11
<b>5.3.2 Multivariate <i>t</i>-distribution</b> . . . . .	11
<b>5.3.3 Construction of multivariate probability density functions</b> . . . . .	12
<b>5.4 Propagation of distributions</b> . . . . .	12
<b>5.5 Obtaining summary information</b> . . . . .	13
<b>5.6 Implementations of the propagation of distributions</b> . . . . .	13
<b>6 GUM uncertainty framework</b> . . . . .	14
<b>6.1 General</b> . . . . .	14
<b>6.2 Propagation of uncertainty for explicit multivariate measurement models</b> . . . . .	15
<b>6.2.1 General</b> . . . . .	15
<b>6.2.2 Examples</b> . . . . .	15
<b>6.3 Propagation of uncertainty for implicit multivariate measurement models</b> . . . . .	17
<b>6.3.1 General</b> . . . . .	17
<b>6.3.2 Examples</b> . . . . .	17
<b>6.4 Propagation of uncertainty for models involving complex quantities</b> . . . . .	19
<b>6.5 Coverage region for a vector output quantity</b> . . . . .	19
<b>6.5.1 General</b> . . . . .	19
<b>6.5.2 Bivariate case</b> . . . . .	20
<b>6.5.3 Multivariate case</b> . . . . .	21
<b>6.5.4 Coverage region for the expectation of a multivariate Gaussian distribution</b> . . . . .	22
<b>7 Monte Carlo method</b> . . . . .	23
<b>7.1 General</b> . . . . .	23
<b>7.2 Number of Monte Carlo trials</b> . . . . .	25
<b>7.3 Making draws from probability distributions</b> . . . . .	25
<b>7.4 Evaluation of the vector output quantity</b> . . . . .	27
<b>7.5 Discrete representation of the distribution function for the output quantity</b> . . . . .	27
<b>7.6 Estimate of the output quantity and the associated covariance matrix</b> . . . . .	27
<b>7.7 Coverage region for a vector output quantity</b> . . . . .	28
<b>7.7.1 General</b> . . . . .	28
<b>7.7.2 Hyper-ellipsoidal coverage region</b> . . . . .	28
<b>7.7.3 Hyper-rectangular coverage region</b> . . . . .	29
<b>7.7.4 Smallest coverage region</b> . . . . .	30
<b>7.8 Adaptive Monte Carlo procedure</b> . . . . .	31
<b>7.8.1 General</b> . . . . .	31
<b>7.8.2 Numerical tolerance associated with a numerical value</b> . . . . .	32
<b>7.8.3 Adaptive procedure</b> . . . . .	33
<b>8 Validation of the GUM uncertainty framework using a Monte Carlo method</b> . . . . .	34

<b>9</b>	<b>Examples</b>	35
9.1	Illustrations of aspects of this Supplement	35
9.2	Additive measurement model	36
9.2.1	Formulation	36
9.2.2	Propagation and summarizing: case 1	36
9.2.3	Propagation and summarizing: case 2	38
9.2.4	Propagation and summarizing: case 3	41
9.3	Co-ordinate system transformation	41
9.3.1	Formulation	41
9.3.2	Propagation and summarizing: zero covariance	44
9.3.3	Propagation and summarizing: non-zero covariance	45
9.3.4	Discussion	49
9.4	Simultaneous measurement of resistance and reactance	52
9.4.1	Formulation	52
9.4.2	Propagation and summarizing	52
9.5	Measurement of Celsius temperature using a resistance thermometer	55
9.5.1	General	55
9.5.2	Measurement of a single Celsius temperature	55
9.5.3	Measurement of several Celsius temperatures	56

## Annexes

<b>A</b>	<b>(informative) Derivatives of complex multivariate measurement functions</b>	59
<b>B</b>	<b>(informative) Evaluation of sensitivity coefficients and covariance matrix for multivariate measurement models</b>	61
<b>C</b>	<b>(informative) Co-ordinate system transformation</b>	62
C.1	General	62
C.2	Analytical solution for a special case	62
C.3	Application of the GUM uncertainty framework	64
<b>D</b>	<b>(informative) Glossary of principal symbols</b>	65
	<b>Bibliography</b>	69
	<b>Alphabetical index</b>	71

## Foreword

In 1997 a Joint Committee for Guides in Metrology (JCGM), chaired by the Director of the Bureau International des Poids et Mesures (BIPM), was created by the seven international organizations that had originally in 1993 prepared the “Guide to the expression of uncertainty in measurement” (GUM) and the “International vocabulary of basic and general terms in metrology” (VIM). The JCGM assumed responsibility for these two documents from the ISO Technical Advisory Group 4 (TAG4).

The Joint Committee is formed by the BIPM with the International Electrotechnical Commission (IEC), the International Federation of Clinical Chemistry and Laboratory Medicine (IFCC), the International Laboratory Accreditation Cooperation (ILAC), the International Organization for Standardization (ISO), the International Union of Pure and Applied Chemistry (IUPAC), the International Union of Pure and Applied Physics (IUPAP), and the International Organization of Legal Metrology (OIML).

JCGM has two Working Groups. Working Group 1, “Expression of uncertainty in measurement”, has the task to promote the use of the GUM and to prepare Supplements and other documents for its broad application. Working Group 2, “Working Group on International vocabulary of basic and general terms in metrology (VIM)”, has the task to revise and promote the use of the VIM.

Supplements such as this one are intended to give added value to the GUM by providing guidance on aspects of uncertainty evaluation that are not explicitly treated in the GUM. The guidance will, however, be as consistent as possible with the general probabilistic basis of the GUM.

The present Supplement 2 to the GUM has been prepared by Working Group 1 of the JCGM, and has benefited from detailed reviews undertaken by member organizations of the JCGM and National Metrology Institutes.



## Introduction

The “Guide to the expression of uncertainty in measurement” (GUM) [JCGM 100:2008] is mainly concerned with univariate measurement models, namely models having a single scalar output quantity. However, models with more than one output quantity arise across metrology. The GUM includes examples, from electrical metrology, with three output quantities [JCGM 100:2008 H.2], and thermal metrology, with two output quantities [JCGM 100:2008 H.3]. This Supplement to the GUM treats multivariate measurement models, namely models with any number of output quantities. Such quantities are generally mutually correlated because they depend on common input quantities. A generalization of the GUM uncertainty framework [JCGM 100:2008 5] is used to provide estimates of the output quantities, the standard uncertainties associated with the estimates, and covariances associated with pairs of estimates. The input or output quantities in the measurement model may be real or complex.

Supplement 1 to the GUM [JCGM 101:2008] is concerned with the propagation of probability distributions [JCGM 101:2008 5] through a measurement model as a basis for the evaluation of measurement uncertainty, and its implementation by a Monte Carlo method [JCGM 101:2008 7]. Like the GUM, it is only concerned with models having a single scalar output quantity [JCGM 101:2008 1]. This Supplement describes a generalization of that Monte Carlo method to obtain a discrete representation of the joint probability distribution for the output quantities of a multivariate model. The discrete representation is then used to provide estimates of the output quantities, and standard uncertainties and covariances associated with those estimates. Appropriate use of the Monte Carlo method would be expected to provide valid results when the applicability of the GUM uncertainty framework is questionable, namely when (a) linearization of the model provides an inadequate representation, or (b) the probability distribution for the output quantity (or quantities) departs appreciably from a (multivariate) Gaussian distribution.

Guidance is also given on the determination of a coverage region for the output quantities of a multivariate model, the counterpart of a coverage interval for a single scalar output quantity, corresponding to a stipulated coverage probability. The guidance includes the provision of coverage regions that take the form of hyper-ellipsoids and hyper-rectangles. A calculation procedure that uses results provided by the Monte Carlo method is also described for obtaining an approximation to the smallest coverage region.

# Evaluation of measurement data — Supplement 2 to the “Guide to the expression of uncertainty in measurement” — Extension to any number of output quantities

## 1 Scope

This Supplement to the “Guide to the expression of uncertainty in measurement” (GUM) is concerned with measurement models having any number of input quantities (as in the GUM and GUM Supplement 1) and any number of output quantities. The quantities involved might be real or complex. Two approaches are considered for treating such models. The first approach is a generalization of the GUM uncertainty framework. The second is a Monte Carlo method as an implementation of the propagation of distributions. Appropriate use of the Monte Carlo method would be expected to provide valid results when the applicability of the GUM uncertainty framework is questionable.

The approach based on the GUM uncertainty framework is applicable when the input quantities are summarized (as in the GUM) in terms of estimates (for instance, measured values) and standard uncertainties associated with these estimates and, when appropriate, covariances associated with pairs of these estimates. Formulæ and procedures are provided for obtaining estimates of the output quantities and for evaluating the associated standard uncertainties and covariances. Variants of the formulæ and procedures relate to models for which the output quantities (a) can be expressed directly in terms of the input quantities as measurement functions, and (b) are obtained through solving a measurement model, which links implicitly the input and output quantities.

The counterparts of the formulæ in the GUM for the standard uncertainty associated with an estimate of the output quantity would be algebraically cumbersome. Such formulæ are provided in a more compact form in terms of matrices and vectors, the elements of which contain variances (squared standard uncertainties), covariances and sensitivity coefficients. An advantage of this form of presentation is that these formulæ can readily be implemented in the many computer languages and systems that support matrix algebra.

The Monte Carlo method is based on (i) the assignment of probability distributions to the input quantities in the measurement model [JCGM 101:2008 6], (ii) the determination of a discrete representation of the (joint) probability distribution for the output quantities, and (iii) the determination from this discrete representation of estimates of the output quantities and the evaluation of the associated standard uncertainties and covariances. This approach constitutes a generalization of the Monte Carlo method in Supplement 1 to the GUM, which applies to a single scalar output quantity.

For a prescribed coverage probability, this Supplement can be used to provide a coverage region for the output quantities of a multivariate model, the counterpart of a coverage interval for a single scalar output quantity. The provision of coverage regions includes those taking the form of a hyper-ellipsoid or a hyper-rectangle. These coverage regions are produced from the results of the two approaches described here. A procedure for providing an approximation to the smallest coverage region, obtained from results provided by the Monte Carlo method, is also given.

This Supplement contains detailed examples to illustrate the guidance provided.

This document is a Supplement to the GUM and is to be used in conjunction with it and GUM Supplement 1. The audience of this Supplement is that of the GUM and its Supplements. Also see JCGM 104.

## 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

JCGM 100:2008. Guide to the expression of uncertainty in measurement (GUM).

JCGM 101:2008. Evaluation of measurement data — Supplement 1 to the “Guide to the expression of uncertainty in measurement” — Propagation of distributions using a Monte Carlo method.

JCGM 104:2009. Evaluation of measurement data — An introduction to the “Guide to the expression of uncertainty in measurement” and related documents.

JCGM 200:2008. International Vocabulary of Metrology—Basic and General Concepts and Associated Terms (VIM).