

Edition 1.0 2019-07

TECHNICAL REPORT

Information technology – Generic cabling for customer premises – Part 9907: Specifications for direct attach cabling

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 35.200

ISBN 978-2-8322-7195-7

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FC	FOREWORD4					
IN	INTRODUCTION					
1	Scope					
2	•	Normative references				
3	Terms, definitions, abbreviated terms and symbols					
U	3.1	· · · · · · · · · · · · · · · · · · ·				
	3.1	Abbreviated terms				
	-	Symbols				
٨	3.3 Snoo	Symbols				
4	•					
5		Direct attach cabling configuration7				
6	Perfo	ormance specifications	.8			
	6.1	General	.8			
	6.2	Return loss limits	.8			
	6.3	Insertion loss limits	.8			
	6.4	NEXT limits	.8			
	6.5	PS NEXT limits	.8			
	6.6	ACR-N limits	.8			
	6.7	PS ACR-N limits	.8			
	6.8	ACR-F limits	.8			
	6.9	PS ACR-F limits	.8			
	6.10	TCL limits	.8			
	6.11	ELTCTL limits	.8			
	6.12	Coupling attenuation	.9			
	6.13	Alien crosstalk	.9			
	6.14	Direct current loop resistance	.9			
	6.15	Direct current resistance unbalance within a pair	.9			
	6.16	Propagation delay	.9			
	6.17	Delay skew	.9			
7	Direc	attach cabling performance	.9			
	7.1	General	.9			
	7.2	Reference performance testing	9			
	7.3	Installation performance testing	10			
	7.4	Installation performance testing of direct attach cabling	10			
8	Testi	ng of direct attach cabling	12			
Annex A (informative) Short reach Class I direct attach channel transmission performance						
	A.1	General				
	A.1	Short reach Class I direct attach cabling return loss				
	A.2	Short reach Class I direct attach cabling insertion loss				
	A.3 A.4	Short reach Class I direct attach cabling NEXT				
	A.4 A.5	Short reach Class I direct attach cabling NEXT				
	A.5 A.6	Short reach Class I direct attach cabling ACR-F				
	A.0 A.7	Short reach Class I direct attach cabling PS ACR-F				
	A.7 A.8	Short reach Class I direct attach cabling PO ACK-P				
	A.o A.9					
	A.9	Short reach Class I direct attach cabling delay skew	10			

ISO/IEC TR 11801-9907 © ISO/IEC 2019 - 3 -

A.10 A.11 Bibliograp	Short reach Class I direct attach cabling PS ANEXT Short reach Class I direct attach cabling PS AACR-F hy	16
Figure 1 -	- Direct attach cabling	.7
	Test regime for reference performance and installation performance – Direct pling of Classes D, E, E _A , F, F _A , I, II	11
Table A.1	- Short reach Class I direct attach cabling return loss	13
Table A.2	- Short reach Class I direct attach cabling insertion loss	13
Table A.3	- Short reach Class I direct attach cabling NEXT	14
Table A.4	- Short reach Class I direct attach cabling PS NEXT	14
Table A.5	- Short reach Class I direct attach cabling ACR-F	14
Table A.6	- Short reach Class I direct attach cabling PS ACR-F	15
Table A.7	- Short reach Class I direct attach cabling propagation delay	15
Table A.8	- Short reach Class I direct attach cabling PS NEXT	16
Table A.9	- Short reach Class I direct attach cabling PS AACR-F	16

INFORMATION TECHNOLOGY – GENERIC CABLING FOR CUSTOMER PREMISES –

Part 9907: Specifications for direct attach cabling

FOREWORD

- ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.
- 2) The formal decisions or agreements of IEC and ISO on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees and ISO member bodies.
- 3) IEC, ISO and ISO/IEC publications have the form of recommendations for international use and are accepted by IEC National Committees and ISO member bodies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC, ISO and ISO/IEC publications is accurate, IEC or ISO cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees and ISO member bodies undertake to apply IEC, ISO and ISO/IEC publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any ISO, IEC or ISO/IEC publication and the corresponding national or regional publication should be clearly indicated in the latter.
- 5) ISO and IEC do not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. ISO or IEC are not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or ISO or its directors, employees, servants or agents including individual experts and members of their technical committees and IEC National Committees or ISO member bodies for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication of, use of, or reliance upon, this ISO/IEC publication or any other IEC, ISO or ISO/IEC publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this ISO/IEC publication may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC and ISO technical committees is to prepare International Standards. However, a technical committee may propose the publication of a Technical Report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

ISO/IEC TR 11801-9907, which is a Technical Report, was prepared by subcommittee 25: Interconnection of information technology equipment, of ISO/IEC joint technical committee 1: Information technology.

The list of all currently available parts of the ISO/IEC 11801 series, under the general title *Information technology – Generic cabling for customer premises*, can be found on the IEC website.

The text of this Technical Report is based on the following documents:

DTR	Report on voting
JTC1-SC25/2841/DTR	JTC1-SC25/2863/RVDTR

Full information on the voting for the approval of this Technical Report can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A bilingual version of this document may be issued at a later date.

INTRODUCTION

This document provides definitions and examples of direct attach cabling. It provides performance specifications for Classes D, E, E_A , F, F_A , I and II direct attach cabling that can also be used to verify terminating connectors. Performance verification for direct attach cabling will be specified in the second edition of ISO/IEC 14763-4.

INFORMATION TECHNOLOGY – GENERIC CABLING FOR CUSTOMER PREMISES –

Part 9907: Specifications for direct attach cabling

1 Scope

This part of ISO/IEC 11801, which is a Technical Report, provides definitions for, and examples of, direct attach cabling configurations.

This document provides performance specifications for Classes D, E, E_A , F, F_A , I and II direct attach cabling by reference to ISO/IEC 11801-1.

Informative limits for Class I direct attach cabling to support 5 m short reach mode application according to ISO/IEC/IEEE 8802-3:2017/AMD3, i.e. 25GBASE-T and 40GBASE-T, are provided in Annex A.

Test methods will be provided in the second edition of ISO/IEC 14763-4.

NOTE ISO/IEC 14763-4 is the test method for End to End (E2E) link. It can be also used for direct attach cabling. Test methods for Classes E_A , F, F_A , I, II will be provided in the second edition of ISO/IEC 14763-4.

Direct attach cabling connects two pieces of equipment, it has connectors at each end, and no intermediate connecting hardware.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 11801-1, Information technology – Generic cabling for customer premises – Part 1: General requirements