
**Information technology —
Telecommunications and information
exchange between systems — Next
Generation Corporate Networks
(NGCN) — General**

*Technologies de l'information — Télécommunications et échange
d'information entre systèmes — Réseaux d'entreprise de prochaine
génération (NGCN) — Généralités*

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2009

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

| | |
|--|-----------|
| Foreword..... | v |
| Introduction | vi |
| 1 Scope | 1 |
| 2 Normative references | 1 |
| 3 Terms and definitions..... | 2 |
| 4 Abbreviated terms | 4 |
| 5 Background | 5 |
| 6 General concepts..... | 6 |
| 6.1 Basic communication architecture | 6 |
| 6.2 Session level architecture | 8 |
| 6.2.1 Signalling using SIP | 8 |
| 6.2.2 Media path | 10 |
| 6.2.3 Example | 10 |
| 6.3 Domains..... | 10 |
| 6.4 Mobility | 11 |
| 6.4.1 Roaming of enterprise users outside their home domain..... | 12 |
| 6.4.2 Accommodating guest users on an NGCN | 13 |
| 6.5 The hosting concept..... | 13 |
| 6.5.1 Dedicated NGCN | 14 |
| 6.5.2 Enterprise hosted by a single public network infrastructure..... | 15 |
| 6.5.3 Enterprise hosted by multiple public network infrastructures | 15 |
| 6.5.4 Enterprise hosted by a combination of enterprise infrastructure and a public network infrastructure..... | 16 |
| 6.6 Private network traffic and public network traffic | 16 |
| 6.7 Other technical considerations | 17 |
| 7 Scenarios for session-based communications | 17 |
| 7.1 Session-based intra-domain communications | 18 |
| 7.2 Session-based inter-domain communications within a single enterprise network | 19 |
| 7.2.1 Communication between domains supported by the same infrastructure | 20 |
| 7.2.2 Communications between domains of an NGCN via a TSP | 21 |
| 7.2.3 Communications between domains of an NGCN using private network traffic through a hosting NGN | 21 |
| 7.2.4 Communications between domains of an NGCN using public network traffic through a public SSP such as an NGN | 22 |
| 7.2.5 Communications between a dedicated NGCN domain and a domain hosted by an NGN | 22 |
| 7.2.6 Communications between a dedicated NGCN domain and a domain hosted by an NGN as private network traffic via an intermediate NGN domain..... | 22 |
| 7.3 Session-based communication between two enterprises | 23 |
| 7.3.1 Extension of enterprise network to include partner networks | 23 |
| 7.3.2 Direct peering..... | 23 |
| 7.3.3 Indirect peering | 24 |
| 7.3.4 Third party assistance..... | 25 |
| 7.3.5 Direct peering between two enterprises hosted by the same hosting enterprise infrastructure..... | 26 |
| 7.4 Session-based communication with users of public networks..... | 26 |
| 7.4.1 Communication between an NGCN user and an NGN public network user..... | 26 |
| 7.4.2 Communication between an NGCN user and an NGN public network user with break-in or break-out function in the NGN..... | 27 |

| | | |
|-------|---|----|
| 7.4.3 | Communication between an NGCN user and a public network user of a remote NGN..... | 28 |
| 7.4.4 | Communication between an NGCN user and a public network user of a remote NGN with break-in or break-out function in the local NGN | 28 |
| 7.4.5 | Communication between an NGCN user and a public network user of a remote NGN with break-in or break-out function in the remote NGN | 28 |
| 7.4.6 | Communication between an NGCN user and a PSTN/ISDN user via an NGN | 29 |
| 7.4.7 | Communication between an enterprise user hosted by a public network infrastructure and a public network user of that same infrastructure | 30 |
| 7.5 | Session-based roaming..... | 30 |
| 7.5.1 | An NGCN user at a visited sub-domain of the NGCN | 30 |
| 7.5.2 | An NGCN user at a visited sub-domain of the NGCN using private network traffic through an NGN | 31 |
| 7.5.3 | An NGCN user at a visited NGN..... | 31 |
| 7.5.4 | An NGCN user at a visited NGN using indirect roaming | 31 |
| 7.5.5 | An NGN-hosted enterprise user at a visited NGN..... | 32 |
| 7.5.6 | An NGN-hosted enterprise user at a visited NGCN..... | 32 |
| 8 | NGN considerations..... | 32 |
| 8.1 | Summary of scenarios involving NGN..... | 32 |
| 8.1.1 | Scenarios involving NGN as a TSP | 32 |
| 8.1.2 | Scenarios involving NGN as a SSP | 33 |
| 8.1.3 | Roaming scenarios involving NGN as a SSP | 33 |
| 8.2 | Interfacing NGCN to NGN..... | 33 |
| 8.2.1 | Subscription-based business trunking | 33 |
| 8.2.2 | Peering-based business trunking | 34 |
| 8.2.3 | Roaming | 34 |
| 9 | Application considerations | 34 |
| 10 | Current standards and standardisation efforts | 36 |
| 10.1 | IETF Real-time Applications and Infrastructure (RAI) area | 36 |
| 10.2 | SIP Forum | 36 |
| 10.3 | ETSI TISPAN | 36 |
| 10.4 | 3GPP | 37 |
| 10.5 | ITU-T Study Group 13 | 37 |

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC TR 12860 was prepared by Ecma International (as ECMA TR/95) and was adopted, under a special "fast-track procedure", by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, in parallel with its approval by national bodies of ISO and IEC.

Introduction

This Technical Report is the first of a series of publications that explore IP-based enterprise communication involving Corporate telecommunication Networks (CNS) (also known as enterprise networks) and in particular Next Generation Corporate Networks (NGCN). The series particularly focuses on inter-domain communication, including communication between parts of the same enterprise, between enterprises and between enterprises and carriers. This particular Technical Report provides general information on the subject, defines some architectural concepts, identifies various communication scenarios, and provides a framework in support of other publications that provide greater detail on particular topics.

This Technical Report is based upon the practical experience of Ecma member companies and the results of their active and continuous participation in the work of ISO/IEC JTC 1, ITU-T, ETSI, IETF and other international and national standardization bodies. It represents a pragmatic and widely based consensus. In particular, Ecma acknowledges valuable input from experts in ETSI TISPAN.

Information technology — Telecommunications and information exchange between systems — Next Generation Corporate Networks (NGCN) — General

1 Scope

This Technical Report is part of a series of publications that provides an overview of IP-based enterprise communication involving Corporate telecommunication Networks (CNs) (also known as enterprise networks) and in particular Next Generation Corporate Networks (NGCN). The series particularly focuses on session level communication based on the Session Initiation Protocol (SIP) [6], with an emphasis on inter-domain communication. This includes communication between parts of the same enterprise (on dedicated infrastructures and/or hosted), between enterprises and between enterprises and public networks. Key technical issues are investigated, current standardisation work and gaps in this area are identified and a number of requirements are stated.

This particular Technical Report provides general information on the subject, defines some architectural concepts, identifies various communication scenarios, and provides a framework in support of other publications that provide greater detail on particular topics. At the time of publication of this Technical Report, one further document in the series has been published, on the subject of identification and routing [3].

The scope of this Technical Report is limited to communications with a real-time element, including voice, video, real-time text and instant messaging.

Further details on mobility in an NGCN environment are to be found in ISO/IEC TR 26927 [2].

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

[1] ISO/IEC 18051:2007, *Information technology — Telecommunications and information exchange between systems — Services for Computer Supported Telecommunications Applications (CSTA) Phase III*

[2] ISO/IEC TR 26927:2006, *Information technology — Telecommunications and information exchange between systems — Corporate Telecommunication Networks — Mobility for Enterprise Communications*

[3] ISO/IEC TR 12861:2009, *Information technology — Telecommunications and information exchange between systems — Next Generation Corporate Networks (NGCN) — Identification and routing*

[4] ITU-T Recommendation H.248, *Gateway control protocol*

[5] ITU-T Recommendation H.323, *Packet-based multimedia communications systems*

[6] IETF RFC 3261, *SIP: Session Initiation Protocol*

[7] IETF RFC 3550, *RTP: A Transport Protocol for Real-Time Applications*

[8] IETF RFC 4566, *SDP: Session Description Protocol*

[9] SIP Forum sf-adopted-twg-IP-PBX_SP_Interop-sibley-sipconnect “*IP-PBX / Service Provider Interoperability - SIPConnect 1.0 Technical Recommendation*”

[10] ETSI EG 201 017, *Corporate Telecommunication Networks (CN); Standardization plan*

[11] ETSI TR 180 000, *Telecommunications and Internet converged Services and Protocols for Advanced Networking (TISPAN); NGN Terminology*

[12] IEEE 802.1x, *Port Based Network Access Control*