

# TECHNICAL REPORT

ISO/IEC  
TR 15410

First edition  
1998-12-15

---

---

## Information technology — Telecommunications and information exchange between systems — PISN mobility-general principles and services aspects

*Technologies de l'information — Télécommunications et échange  
d'information entre systèmes — Principes de mobilité générale du PISN et  
aspects de service*



Reference number  
ISO/IEC TR 15410:1998(E)

## Contents

1	<b>Scope .....</b>	1
2	<b>References .....</b>	1
3	<b>Terminology.....</b>	2
3.1	<b>Definitions.....</b>	2
3.1.1	<b>Internal definitions .....</b>	2
3.1.2	<b>External definitions.....</b>	4
3.2	<b>Symbols and abbreviations .....</b>	4
4	<b>Introduction .....</b>	5
4.1	<b>Private Integrated Services Network environment .....</b>	5
4.2	<b>PISN mobility concept .....</b>	6
4.2.1	<b>Private Personal Mobility (PPM) .....</b>	8
4.2.2	<b>Wireless Terminal Mobility (WTM).....</b>	8
4.2.3	<b>Database architecture.....</b>	8
4.3	<b>Relation between PPM and WTM .....</b>	8
4.3.1	<b>Mobility seen as a dynamic linking of identities.....</b>	8
4.3.2	<b>Similarities of processes.....</b>	9
4.3.3	<b>Location Area .....</b>	9
4.3.4	<b>The use of PPM and WTM together .....</b>	9
4.4	<b>Mobility between calls and during an established call .....</b>	9
4.5	<b>Services to be supported .....</b>	9
4.5.1	<b>Bearer services and Teleservices .....</b>	10
4.5.2	<b>Supplementary Services .....</b>	10
4.5.2.1	<b>Access to supplementary services.....</b>	10
4.5.2.2	<b>Service options .....</b>	11

© ISO/IEC 1998

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

ISO/IEC Copyright Office • Case postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

4.5.2.3	Dynamic registration and service related data.....	11
4.5.2.4	Destination PINX: Home PINX versus Visitor PINX.....	12
5	Private Personal Mobility .....	12
5.1	Introduction to PPM.....	12
5.2	PPM service architecture .....	12
5.3	PPM services .....	13
5.3.1	PPM registration for incoming calls (InCall registration) .....	13
5.3.2	PPM registration for outgoing calls (OutCall registration) .....	13
5.3.3	PPM registration for incoming and outgoing calls (AllCall registration) .....	14
5.3.4	Local and remote PPM registration.....	14
5.3.5	PPM de-registration .....	14
5.3.6	PPM service interrogation.....	15
5.4	Interaction considerations .....	15
5.4.1	Interaction with existing services .....	15
5.5	Security aspects.....	15
5.5.1	General requirements on security mechanisms.....	16
5.5.2	General risks .....	16
5.5.3	Requirement on security mechanisms .....	16
5.6	Signalling aspects .....	17
6	Wireless Terminal Mobility.....	17
6.1	Introduction to WTM .....	17
6.1.1	Reference configuration.....	18
6.1.2	General information on roaming .....	19
6.1.3	General information on handover .....	20
6.2	Feature description.....	21
6.2.1	Core features .....	21
6.2.1.1	Identification .....	21
6.2.1.1.1	Identification of fixed radio part .....	22
6.2.1.1.2	Identification of Wireless Terminal (WT) .....	22
6.2.2	Roaming.....	22
6.2.2.1.1	Location registration related procedures.....	23

6.2.2.1.2	Attachment related procedures .....	23
6.2.2.2	Handover .....	23
6.2.2.3	Authentication .....	24
6.2.2.3.1	Authentication of wireless terminal .....	24
6.2.2.3.2	Authentication of the fixed part .....	24
6.2.2.3.3	Mutual authentication .....	24
6.2.2.3.4	Proprietary authentication algorithms .....	24
6.2.3	Additional features .....	24
6.3	Services .....	24
6.3.1	Basic services .....	24
6.3.2	Supplementary services .....	25
6.3.3	PISN Attendant services .....	25
6.3.4	Radio specific supplementary services .....	25
6.4	Interaction considerations .....	26
6.4.1	Wireless systems .....	26
6.4.2	Interworking with existing services .....	26
6.5	Security aspects .....	26
6.5.1	Security related functions .....	26
6.5.1.1	Authentication of wireless terminal .....	26
6.5.1.2	Authentication of the fixed part .....	26
6.5.1.3	Mutual authentication .....	27
6.5.1.4	Proprietary authentication functions .....	27
6.5.2	Support for encryption functions over the radio interface .....	27
6.5.3	Functions to prevent unauthorised access .....	27
6.6	Signalling aspects .....	27
6.6.1	Signalling between the wireless terminals and the fixed radio parts .....	27
6.6.2	Signalling between PINXs .....	28
6.6.3	Signalling between public networks and PINX .....	28
6.7	Management, administration and operation .....	28
6.7.1	Configuration management .....	28
6.7.1.1	Configuration management of wireless terminals .....	28

6.7.1.1.1	Configuration procedure (on-air) .....	28
6.7.1.1.2	Exchange of configuration data (on-air).....	28
6.7.1.1.3	Suspension/termination of access rights (on-air).....	29
6.7.1.2	Management procedures for wireless terminals.....	29
6.7.1.2.1	Network identity .....	29
7	PPM on top of WTM .....	29
7.1	WTM.....	29
7.2	General aspects of providing PPM on top of WTM .....	30
7.3	Examples of PPM - WTM interactions.....	30
7.4	The concept of a "WT number" .....	31
7.5	Options for providing PPM on top of WTM .....	31
7.5.1	Basic options .....	31
7.5.1.1	Basic Option 1 .....	32
7.5.1.2	Basic Option 2 .....	33
7.5.1.3	Basic Option 3 .....	35
7.5.2	Summary of discussion of the basic options .....	36
7.5.3	Extended options.....	37
7.5.3.1	Extended Option 1.....	37
7.5.3.2	Extended Option 2.....	37
7.5.3.3	Extended Option 3.....	37
7.6	Information flows and procedures for PPM using WTM terminals .....	37
7.6.1	Information flows for PPM registration.....	38
7.6.1.1	Basic Option 2 .....	38
7.6.1.1.1	PPM registration .....	38
7.6.1.1.2	Automatic PPM re-registration .....	39
7.6.1.2	Extended Option 2.....	40
7.6.1.2.1	PPM registration .....	40
7.6.1.2.2	Automatic PPM re-registration .....	40
7.6.2	Procedures for incoming PPM calls.....	41
7.6.3	Procedures for outgoing PPM calls .....	42
7.6.4	Conclusion .....	42

8	<b>Numbering, addressing and routeing .....</b>	42
8.1	<b>General principles.....</b>	42
8.1.1	<b>Addresses in non-ISDN telecommunication networks (not supporting mobility) .....</b>	43
8.1.2	<b>Access arrangement in public and private ISDNs .....</b>	43
8.1.2.1	<b>DDI .....</b>	43
8.1.2.2	<b>MSN.....</b>	44
8.1.3	<b>Addresses in PISNs supporting WTM.....</b>	44
8.2	<b>User and network operator requirements .....</b>	46
8.3	<b>WTM numbering and addressing .....</b>	46
8.3.1	<b>General.....</b>	46
8.3.2	<b>Contents of the number digits in the PISN NP .....</b>	47
8.3.3	<b>Structure of PISN NP .....</b>	47
8.4	<b>PPM numbering and addressing .....</b>	47
8.5	<b>Routeing.....</b>	47
8.5.1	<b>General principles.....</b>	47
8.5.2	<b>Data Bases .....</b>	48
8.5.3	<b>Example of routeing processes.....</b>	48
8.5.3.1	<b>Routeing of call-independent information .....</b>	48
8.5.3.2	<b>Routeing of calls and call-related information .....</b>	48
9	<b>Future standardisation .....</b>	49

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

The main task of technical committees is to prepare International Standards, but in exceptional circumstances a technical committee may propose the publication of a Technical Report of one of the following types:

- type 1, when the required support cannot be obtained for the publication of an International Standard, despite repeated efforts;
- type 2, when the subject is still under technical development or where for any other reason there is the future but not immediate possibility of an agreement on an International Standard;
- type 3, when a technical committee has collected data of a different kind from that which is normally published as an International Standard ("state of the art", for example).

Technical Reports of types 1 and 2 are subject to review within three years of publication, to decide whether they can be transformed into International Standards. Technical Reports of type 3 do not necessarily have to be reviewed until the data they provide are considered to be no longer valid or useful.

ISO/IEC TR 15410, which is a Technical Report of type 3, was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 6, *Telecommunications and information exchange between systems*.

# Information technology — Telecommunications and information exchange between systems — PISN mobility-general principles and services aspects

## 1 Scope

This Technical Report (TR) analyses the requirements for the standardization of networking functions to support mobility within one or more Private Integrated Network Exchanges (PINXs) of a Private Integrated Services Network (PISN). It covers both Wireless Terminal Mobility (WTM) and Private Personal Mobility (PPM).

WTM is a function that allows users of Wireless Terminals (WT) to make and receive calls at any compatible radio access within the network. Standards for WTM should be independent of the access technology used to support the WTs.

PPM enables users of a PISN to register at any suitable terminal (wired or wireless) within the network for the making and/or receiving of calls.

This Technical Report covers the following subjects for both WTM and PPM:

- Registration procedures;
- Procedures for incoming and outgoing calls;
- Access security procedures (identification and authentication);
- Requirements for numbering, addressing and signalling;
- Requirements for management, administration and operation.

## 2 References

ISO/IEC 11571:1994, *Information technology — Telecommunications and information exchange between systems — Numbering and sub-addressing in private integrated services networks*.

ISO/IEC 11572:1994, *Information technology — Telecommunications and information exchange between systems — Private Integrated Services Network — Circuit mode bearer services — Inter-exchange signalling procedures and protocol*.

ISO/IEC 11574:1994, *Information technology — Telecommunications and information exchange between systems — Private Integrated Services Network — Circuit mode 64 kbit/s bearer services — Service description, functional capabilities and information flows*.

ISO/IEC 11579-1:1994, *Information technology — Telecommunications and information exchange between systems — Private Integrated Services Network — Part 1: Reference configuration for PISN Exchanges (PINX)*.

ISO/IEC 11582:1995, *Information technology — Telecommunications and information exchange between systems — Private Integrated Services Network — Generic functional protocol for the support of supplementary services — Inter-exchange signalling procedures and protocol*.

CCITT Rec. E.164 (1988), *Numbering plan for the ISDN era*.

CCITT Rec. I.251.1 (rev.1) (1992), *Integrated Services Digital Network (ISDN) — General structure and service capabilities — Direct Dialling In*.

CCITT Rec. I.251.2 (rev.1) (1992), *Integrated Services Digital Network (ISDN) — General structure and service capabilities — Multiple subscriber number*.

CCITT Rec. Q.81.1 (1988), *Functions and information flows for services in the ISDN — Stage 2 description for number identification supplementary services — Section 1 - Direct-Dialling-In*.

CCITT Rec. Q.81.2 (1992), *Functions and information flows for services in the ISDN — Stage 2 description for number identification supplementary services — Section 2 - Multiple subscriber number*.

ITU-T Rec. I.112:1993, *Integrated services (ISDN) — General structure: Vocabulary of terms for ISDNs*.

ITU-T Rec. Q.931 (1993), *Digital subscriber signalling system No.1 Network layer — Digital subscriber signalling system No.1 (DSS 1) — ISDN User-Network interface layer 3 — Specification for basic call control*.